



# MIRRORS

# ALICE

4 cm thick vertical mirror in white painted steel



Available versions		Dimensions		
Without light	With LED light	L	H	Code
		60	90	32006039

Light	Temperature	Certifications	Absorption
LED STRIP	4000°K	IP44	5W

The mirror is not fitted with a switch, envisage an external one.

No resting lamps can be inserted on this mirror

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights.



# BEAUTY TRAY

Sit-on revolving mirror with magnifying lens, Soft Steel or Bronze finish



Dimensions		
W	H	Code
42	64.5	32005044

Mirror base                    Ø 35 cm  
Magnifying lens               Ø 13 cm  
Mirror                            Ø 42 cm

# BOXMIRROR

---

Horizontal mirror unit th.10 cm with open-fronted container



Dimensions		
W	H	Code
100	50	32000377

White lacquered container with mirrored back measuring W.39.7 H.39.7 D.12 cm.

LH/RH reversible

# BOXMIRROR

---

10 cm thick vertical mirror unit with open-fronted container



Dimensions		
W	H	Code
50	100	32000378

White lacquered container measuring W.12 H.90 D.12 cm with 2 shelves

LH/RH reversible





# COLLAR

2.6 cm thick mirror with thermoplastic frame, with black polyester film finish and built-in light



The switch is capacitive: this means it does not need to be pressed to power on, simply touch the sensor to turn on the mirror light.

Dimensions		
L	H	Code
30	100	32005172
30	150	32005173

Light	Temperature	Certifications	Absorption
LED STRIP	4000°K	IP44 - Class II - CE	9.6W/m



Non-replaceable LED

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



04.2023



# DISTRICT

2.6 cm thick mirror with upper and lower light strip and thermoplastic frame.



The switch is capacitive: this means it does not need to be pressed to power on, simply touch the sensor to turn on the mirror light.



Reflected light strip on the horizontal sides		
Dimensions		
L	H	Code
70	75	32005143
90	75	32005144
100	75	32005145
120	75	32005146

No resting lamps can be inserted on this mirror, with the exception of the BAND lamp.

Light	Temperature	Certifications	Absorption
LED STRIP 120 LEDs/m	4000°K	IP44 - Class II - CE	70x75: 13.4W 90x75: 17.3W 100x75: 19.2W 120x75: 23W



Non-replaceable LED

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights.



# DISTRICT

2.6 cm thick mirror with side light strip and thermoplastic frame.



The switch is capacitive: this means it does not need to be pressed to power on, simply touch the sensor to turn on the mirror light.

Reflected light strip on the vertical sides		
Dimensions		
L	H	Code
70	75	32005148
90	75	32005149
100	75	32005150
120	75	32005151

Light	Temperature	Certifications	Absorption
LED STRIP	4000°K	IP44 - Class II - CE	14.4W



Non-replaceable LED

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.

2.6 cm thick mirror with thermoplastic frame edged with black or Silver finish Aluminium.



Also available with switch

Also available with switch and emergency light

Dimensions of Silver finish mirror		
L	H	Code
50	50	32000383
70	50	32000384
90	50	32000385
100	50	32000386
120	50	32000387
50	75	32000388
70	75	32000389
90	75	32000390
100	75	32000391
120	75	32000392
50	100	32000393
70	100	32000394
90	100	32000395
100	100	32000396
120	100	32000397
m <sup>2*</sup>	m <sup>2*</sup>	32000782**
* Value between 20 and 200 cm		



Detail of switch



Detail of emergency light



Black detail

Dimensions of Black finish mirror		
L	H	Code
70	75	32005969
90	75	32005970
100	75	32005971
120	75	32005972
m <sup>2*</sup>	m <sup>2*</sup>	32000782**
* Value between 20 and 200 cm		

\*\* The switch and the emergency light can only be installed on code 32000782 and are located on the right side of the mirror, in the centre.



# KUDOS

---

2 cm thick mirror with stratified mirror 0.6 plus 0.6 cm




Dimensions		
L	H	Code
75	75	32000729
50	100	32000730
70	180	32000731
70	210	32000732

N.B.: No resting lamps can be inserted on this mirror.



# LINK

## 3.6 cm thick mirror with Silver finish Aluminium frame



Detail of Touch switch

Available versions		Dimensions		
Without light	With LED light	L	H	Code
		50	50	32000710
		70	50	32000711
		90	50	32000712
		120	50	32000713
		50	75	32000714
		70	75	32000715
		90	75	32000716
		120	75	32000717
		50	100	32000718
		70	100	32000719
		90	100	32000720
		120	100	32000721
		m <sup>2*</sup>	m <sup>2*</sup>	32000728

\* Value between 20 and 200 cm (price per square metre).

Also available with perimeter light	
Light	LED with Touch switch
Temperature	4000°K
Certifications	IP44 - CE
Absorption	4.8 W/m



Non-replaceable LED

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



# LIZ

2.6 cm thick mirror with rounded corners and bevelled perimeter profile




Dimensions		
W	H	Code
70	90	32006034
70	115	32006035



# LIVE

Mirror with 2.6 cm thick water-repellent thermoplastic frame.



The switch is capacitive: this means it does not need to be pressed to power on, simply touch the sensor to turn on the mirror light.

Dimensions	
∅	Code
70	32005171

Light	Temperature	Certifications	Absorption
LED STRIP	4000°K	IP44	15.4W

N.B.: No resting lamps can be inserted on this mirror



Non-replaceable LED

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights.



04.2023



## 2.6 cm thick mirror with thermoplastic frame



The switch is capacitive: this means it does not need to be pressed to power on, simply touch the sensor to turn on the mirror light.

Dimensions		
L	H	Code
70	75	32005163
90	75	32005164
100	75	32005165
120	75	32005166
m <sup>2</sup> *		32005167
* Value between 20 and 200 cm (price per square metre).		

For horizontal or vertical installation

No resting lamps can be inserted on this mirror, with the exception of the BAND lamp.

Light	Temperature	Certifications	Absorption
LED STRIP	4000°K	IP44 - Class II - CE	70x75: 13.3W 90X75: 15.2W 100X75: 16.2W 120X75: 18.1W m <sup>2</sup> : 4.8 W/m




Non-replaceable LED

The lighting systems envisaged in the mirrors is defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights.



# LUNAR

Round mirror th.4.8 cm in Soft Steel or Bronze finish



Available versions			Dimensions		
Without light	With LED light IP 20 *	With LED light IP 44 *	L	H	Code
			70	70	32005043
* The mirror is not fitted with a switch, envisage an external one					

Light	Temperature	Certifications	Absorption
LED	4000°K	IP44/IP20	25 W/m


Only the following lamps can be inserted on this mirror:

Glamour	code 32000424	Glassy	code 32000414
Opal	code 32000415	Wing	code 32000421

The lighting systems envisaged in the mirrors, are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.

# LUNAR STOCK

Round mirror with 3 doors and container th.16.4 cm in Soft Steel or Bronze finish



Available versions			Dimensions		
Without light	With LED light IP 20 *	With LED light IP 44 *	L	H	Code
			80	80	32005042

\* The mirror is not fitted with a switch, envisage an external one

Light	Temperature	Certifications	Absorption
LED	4000°K	IP44/IP20	25 W/m

Only the following lamps can be inserted on this mirror:

Glamour	code 32000424	Glassy	code 32000414
Opal	code 32000415	Wing	code 32000421

The lighting systems envisaged in the mirrors, are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



# LUX

3 cm thick mirror with matt white finish metal perimeter frame



Dimensions		
L	H	Code
65	70	32005174
65	90	32005175
70	65	32005177
90	65	32005178

The mirror is not fitted with switches, envisage external ones, both to turn the light on and off, as well as for the anti-mist system (a single switch can also be inserted). They will need to be set up on the wall during the planning phase.

Light	Temperature	Certifications	Absorption
LED: 120 LEDs/m	4200°K	IP44	8W/m 230V

N.B.: No resting lamps can be inserted on this mirror

The lighting systems envisaged in the mirrors, are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



# LUXURY

Mirror th.6.5 cm with matt lacquered polyurethane foam frame



Available versions			Dimensions		
Without light	With LED light IP 20	With LED light IP 44	L	H	Code
			120**	120**	32002655
			m <sup>2</sup> *	m <sup>2</sup> *	32002654
** ONLY IN WHITE LACQUERED VERSION WITH GOLD DECORATION					
*AVAILABLE WIDTH AND HEIGHT VERSIONS: 90, 120, 150, 180, 210 cm					

# LUXURY


Without decoration




SCAV 001  
White



RAL 1013  
Beige



SCAV 502  
Red




SCAV 423  
Black




SCAV 301  
Light Grey




SCAV 856  
Mink



SCAV 375  
Titanium Grey



SCAV 325  
Heron Grey



SCAV 324  
Volcano Grey


With gold decoration




SCAV 001  
White



RAL 1013  
Beige




SCAV 502  
Red




SCAV 423  
Black


With silver decoration




SCAV 001  
White



RAL 1013  
Beige



SCAV 502  
Red



SCAV 423  
Black

Available with perimeter LED back-lighting with infra-red switch set in the middle on the underside


Light	Temperature	Certifications	Absorption
LED STRIP: 120 LEDs/m	3200°K	IP20 IP44	90x90: <b>29W</b> 90x120 - 120x90: <b>35W</b> 90x150 - 150x90: <b>41W</b> 90x180 - 180x90: <b>47W</b> 90x210 - 210x90: <b>53W</b> 120x120: <b>41W</b> 120x150 - 150x120: <b>47W</b> 120x180 - 180x120: <b>53W</b> 120x210 - 210x120: <b>59W</b> 150x150: <b>53W</b> 150x180 - 180x150: <b>59W</b>

The lighting systems envisaged in the mirrors, are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



# MAGNETO

3.1 cm thick magnetic mirror, with white painted steel frame  
Available in the version with perimeter light and touch switch.



Available versions		Dimensions		
Without light	With LED light	L	H	Code
		75	70	32005797
		75	90	32005798
		75	100	32005799
		75	120	32005800
		70	75	32005801
		90	75	32005802
		100	75	32005803
		120	75	32005804
		m <sup>2</sup> *	m <sup>2</sup> *	32005805

\* Value between 30 and 200 cm (price per square metre).

No resting lamps can be inserted on this mirror

Light	Temperature	Certifications	Absorption
LED STRIP	4000°K	CE - IP44	9.6 W/m 12 V



This mirror can be equipped with a magnetic magnifying mirror ø 13 cm code 32002280

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights.



# MAGNETO Magnetic mirror accessories

0.2 cm thick, 16 cm deep open-fronted metal element, can be positioned freely on the mirror



Anthracite SCAV 882



White SCAV 031  
with mirrored back panel



White SCAV 031



Anthracite SCAV 882  
with mirrored back panel

Available versions	Dimensions		
	L	H	Code
White SCAV 031	25	25	32005816
White SCAV 031 with mirrored back panel	25	25	32005817
Anthracite SCAV 882	25	25	32005818
Anthracite SCAV 882 with mirrored back panel	25	25	32005819
White SCAV 031	25	50	32005820
White SCAV 031 with mirrored back panel	25	50	32005821
Anthracite SCAV 882	25	50	32005822
Anthracite SCAV 882 with mirrored back panel	25	50	32005823



# MAGNETO Magnetic mirror accessories

0.2 cm thick 13 cm deep metal towel rail, can be positioned freely on the mirror



Available versions	Dimensions		
	L	H	Code
White SCAV 031	45	5.5	32005824
Anthracite SCAV 882	45	5.5	32005825

0.2 cm thick 13 cm deep metal towel rail with shelf, can be positioned freely on the mirror



Available versions	Dimensions		
	L	H	Code
White SCAV 031	45	5.5	32005826
Anthracite SCAV 882	45	5.5	32005827

0.2 cm thick 13 cm deep metal shelf, can be positioned freely shelf mirror



Available versions	Dimensions		
	L	H	Code
White SCAV 031	12.5	5.5	32005828
Anthracite SCAV 882	12.5	5.5	32005829

# MAGNETO Magnetic mirror accessories

0.2 cm thick 13 cm deep metal tumbler-holder shelf with white ceramic tumbler, can be positioned freely on the mirror



Available versions	Dimensions		
	L	H	Code
White SCAV 031	12.2	5.5	32005830
Anthracite SCAV 882	12.2	5.5	32005831

0.2 cm thick 13 cm deep metal tumbler-holder shelf with white ceramic tumbler, can be positioned freely on the mirror



Available versions	Dimensions		
	L	H	Code
White SCAV 031	22.2	5.5	32005832
Anthracite SCAV 882	22.2	5.5	32005833

0.2 cm thick 13 cm deep metal liquid soap dispenser shelf with white ceramic soap dispenser, can be positioned freely on the mirror



Available versions	Dimensions		
	L	H	Code
White SCAV 031	22.5	5.5	32005834
Anthracite SCAV 882	22.5	5.5	32005835



# MIRO

3 cm thick mirror with solid beech wood or solid ash wood frame, stained in various colours



For horizontal or vertical installation

Dimensions			
L	H	Code	
90	123.5	32002656	**
120	123.5	32002657	**
180	123.5	32002658	**
90	123.5	32002659	*
120	123.5	32002660	*
180	123.5	32002661	*

When the composition selected in combination with the mirror includes the cabinet placed side-by-side with the top or the decorative elements, a 3 cm high top is necessary to allow the elements to be aligned.



# MIRO

---

Available in the following colours

## MATT LACQUERED FRAME

---



\*\*SCAV 001  
White



\*\*RAL 1013  
Beige



\*\*SCAV 502  
Red



\*\*SCAV 423  
Black



\*\*SCAV 301  
Light Grey



\*\*SCAV 856  
Mink



\*\*SCAV 375  
Titanium Grey




\*\*SCAV 325  
Heron Grey




\*\*SCAV 324  
Volcano Grey

## WOODEN FRAME

---



\*SCAV 034  
Absolute White  
Ash



\*SCAV 066  
White Ash



\*SCAV 990  
Tobacco Ash



\*SCAV 991  
London Ash



\*SCAV 992  
Havana Ash



# PARIS

0.4 cm thick mirror with 2.6 cm thick water-repellent thermoplastic frame  
Available in the version with reflected light strip on the left, right or at the top.



The switch is capacitive: this means it does not need to be pressed to power on, simply touch the sensor to turn on the mirror light.

Dimensions	
∅	Code
70	32005168

Light	Temperature	Certifications	Absorption
LED STRIP	4000°K	IP44 - Class II - CE	4.8W

No resting lamps can be inserted on this mirror.



Non-replaceable LED

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights.

# PHOENIX

Mirror th.2.6 cm with foam profile internal frame



Available versions			
		∅	Code
Without light		68	32002753
Without light		80	32002754
Without light	With LED light	110	32007320

Light	Temperature	Certifications	Absorption
160 LEDs/m	4000°K	IP44	7 W/m



Non-replaceable LED

No resting lamps can be inserted on this mirror.



# PLANET

Mirror th.6 cm with Matt White painted aluminium structure and built-in light



Matt White painted Aluminium profile th. 0.3 cm

Mirror th. 0.4 cm

Dimensions	
Ø	Code
84.1	32004788

Light	Temperature	Certifications	Absorption
LED STRIP: 60 LEDs/m	4000°K	IP44	11.8 W

No resting lamps can be inserted on this mirror

The mirror is not fitted with a switch, envisage an external one

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of the user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.







# PORTRAIT

---

Mirror th.3 cm with oval matt and glossy lacquered polyurethane foam frame



Dimensions		
L	H	Code
81	111	32003345

For horizontal or vertical installation

No resting lamps can be inserted on this mirror.




# PORTRAIT

LACQUERED colours available


- MATT LACQUERED colours
- GLOSSY LACQUERED colours




Prestige White



Dove Grey




Mink



Beige




Light Grey



Porcelain Cream



Tundra Grey



Blue Lagoon



Iron Grey




Titanium Grey




Slate Black




Ruby Red




Mineral Green



Moon Blue




Powder Pink



Mustard Yellow



Volcano Grey




Heron Grey



Rust




Morocco Red



Aloe Green



Teal Green



Coral Red



Agave Blue



## Slanted mirror th.3/7 cm with white painted metal frame



Available versions		Dimensions			Temperature	Certifications	Absorption
With LED light with Touch switch	Without light	L	H	Code			
		60	120	32004753	4000°K	CE	21.5W
	110V LED kit		100	32004805	3000°K	UL	20W
			120	32004806	3000°K	UL	24W



Non-replaceable LED

The lighting systems envisaged in the mirrors, are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.

# SID 8

## 4 cm thick mirror with thermoplastic frame



The switch is capacitive: this means it does not need to be pressed to power on, simply touch the sensor to turn on the mirror light.

Dimensions		
L	H	Code
70	75	32005153
90	75	32005154
100	75	32005155
120	75	32005156

For horizontal or vertical installation

Light	Temperature	Certifications	Absorption
LED STRIP	4000°K	IP44 - Class II - CE	70x75: 13.3W 90x75: 15.2W 100x75: 16.2W 120x75: 18.1W

No resting lamps can be inserted on this mirror, with the exception of the BAND lamp.



Non-replaceable LED

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights.



# SID 60

4 cm thick mirror with thermoplastic frame



The switch is capacitive: this means it does not need to be pressed to power on, simply touch the sensor to turn on the mirror light.

Dimensions		
L	H	Code
70	75	32005158
90	75	32005159
100	75	32005160
120	75	32005161

For horizontal or vertical installation

Light	Temperature	Certifications	Absorption
LED STRIP	4000°K	IP44 - Class II - CE	70x75: 26.6W 90x75: 30.5W 100x75: 32.4W 120x75: 36.2W

No resting lamps can be inserted on this mirror, with the exception of the BAND lamp.



Non-replaceable LED

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights.




04.2023

SCAVOLINI

19.3

# SOFTLIGHT

2.6 cm thick mirror with PVC frame edged in Silver finish Aluminium with low intensity perimeter light



Dimensions		
L	H	Code
50	75	32000358
70	75	32000359
90	75	32000360
120	75	32000361
50	100	32000362
70	100	32000363
90	100	32000364
120	100	32000365
m <sup>2</sup> *	m <sup>2</sup> *	32000781

Light	Temperature	Certifications	Absorption
LED 4.8 W/m with Touch switch	5500°K	IP44	50x75: 12W 70x75: 13.92W 90x75: 15.84W 120x75: 18.72W 50x100: 14.4W 70x100: 16.32W 90x100: 18.24W 120x100: 21.12W

\* Value between 20 and 200 cm (price per m<sup>2</sup>).



Non-replaceable LED

The lighting systems envisaged in the mirrors, are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



# SQUARE LUNAR

Rectangular mirror th.5 cm in Soft Steel or Bronze finish



Available versions			Dimensions		
Without light	With LED light IP 20 *	With LED light IP 44 *	L	H	Code
			70	90	32005045
			90	70	32005046
* The mirror is not fitted with a switch, envisage an external one					

Light	Temperature	Certifications	Absorption
LED	4000°K	IP44/IP20	25 W/m

Only the following lamps can be inserted on this mirror:

Glamour	code 32000424	Glassy	code 32000414
Opal	code 32000415	Wing	code 32000421

The lighting systems envisaged in the mirrors , are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



# START

---

Small storage cabinet D. 15 cm with mirror doors and side panels, white internal structure



Dimensions				
L	H	P	Code	Opening
45	65	15	32002777	one 45 cm hinged door

Available in LH and RH version.

Container with 1 glass shelf th. 0.6 cm



# START

---

Small storage cabinet D. 15 cm with mirror doors and side panels, white internal structure



Dimensions				
L	H	P	Code	Opening
90	65	15	32002778	two 45 cm hinged doors
115	65	15	32002779	3 hinged doors (two 35 cm side doors and one 45 cm middle door)

Container with 1 glass shelf th. 0.6 cm

# START

---

Small storage cabinet D. 15 cm with mirror doors and side panels, anthracite grey internal structure



Dimensions		
L	H	Code
60	90	32005180

Container with 2 glass shelves th. 0.6 cm

LH/RH reversible



# SUBJECT

---

Small storage cabinet D. 15 cm with mirror doors and side panels, white internal structure



The doors are mirrored on the interior



Dimensions				
L	H	P	Code	Opening
105	65	15	32002780	three 35 cm hinged doors

Container with 1 glass shelf th. 0.6 cm



04.2023

# SWEDY

Small storage cabinet D 15 cm with 2 mirror sliding doors and side panels, white internal structure and one internal glass shelf



Detail of handle



Dimensions				
L	H	P	Code	Opening
105	65	15	32002781	two 52.5 cm sliding doors



# TILE

Mirror with rectangular matt and glossy finish lacquered and gold and silver leaf lacquered MDF frame



Dimensions					
L	H	Code	L	H	Code
75	75	32003346	100	120	32003572
75	90	32003347	120	75	32003573
75	120	32003348	120	90	32003574
75	140	32003349	120	100	32003575
90	75	32003571	140	75	32003576
90	120	32003350	140	90	32003577
90	140	32003351	180	90	32003578
90	180	32003352	220	90	32003579
90	220	32003353			

Th. 6.6 cm  
Th. 6.6 cm with IP20 light  
Th. 8.1 cm with IP44 light

Available with perimeter LED back-lighting with infra-red switch set in the middle on the underside

Light	Temperature	Certifications	Absorption
LED STRIP: 120 LEDs/m	3200°K	IP20 IP44	75x75: 26W 75x90 - 90x75: 29W 75x120 - 120x75: 35W 75x140 - 140x75: 39W 90x120 - 120x90: 38W 90x140 - 140x90: 42W 90x180 - 180x90: 50W 90x220 - 220x90: 58W 100x120 - 120x100: 38W




# TILE

## LACQUERED colours available


- MATT LACQUERED colours
- GLOSSY LACQUERED colours




•◦ SCAV 028  
Prestige White



•◦ SCAV 855  
Dove Grey




•◦ SCAV 856  
Mink



•◦ RAL 1013  
Beige




• SCAV 301  
◦ SCAV 302  
Light Grey



• SCAV 041  
◦ SCAV 042  
Porcelain Cream



• SCAV 357  
◦ SCAV 358  
Tundra Grey



•◦ SCAV 557  
Blue Lagoon



•◦ SCAV 374  
Iron Grey




•◦ SCAV 375  
Titanium Grey




•◦ SCAV 424  
Slate Black




•◦ SCAV 505  
Ruby Red




•◦ SCAV 277  
Mineral Green



•◦ SCAV 568  
Moon Blue




•◦ SCAV 453  
Powder Pink




•◦ SCAV 805  
Mustard Yellow




•◦ SCAV 324  
Volcano Grey




•◦ SCAV 325  
Heron Grey



•◦ SCAV 406  
Rust




•◦ SCAV 515  
Morocco Red



•◦ SCAV 279  
Aloe Green



•◦ SCAV 570  
Teal Green



•◦ SCAV 514  
Coral Red




•◦ SCAV 569  
Agave Blue

## GLOSSY LEAF LACQUERED colours available



SCAV 788  
Gold Leaf



SCAV 789  
Silver Leaf

No resting lamps can be inserted on this mirror

The lighting systems envisaged in the mirrors, are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



# TOTALY

4 mm thick mirror with double vertical light and polished stainless steel frame



Touch switch, dimming and colour change in a single button placed on the front of the mirror.  
Double Bluetooth loudspeaker.

Dimensions		
L	H	Code
70	70	32007323
90	70	32007324
100	70	32007325

Light	Temperature	Certifications	Absorption
LED	4000°K	IP20/IP44	23W





# VANITY

---

Octagonal mirror th.3.5 cm



Dimensions		
L	H	Code
74.6	74.6	32004789

The following lamps cannot be inserted on this mirror: Contact, Magnetic and Moonray



# VISIO

## 5.1 cm thick mirror with aluminium frame and front perimeter light



Available versions	Dimensions		
	L	H	Code
With LED perimeter light	80	70	32005448
	90	70	32005449
	105	70	32005450
	120	70	32005451
	140	70	32005452



Available in four colours:  
Brill, Titanium Bronze, Vintage Gold, Black

Light	Temperature	Certifications	Absorption
LED	4000°K	IP44 - Class II - CE	80x70: 44W 90x70: 46W 105x70: 49W 120x70: 53W 140x70: 57W



Non-replaceable LED

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting the whole bathroom entirely. We recommend you add other lights.

# VISIO

## 5.1 cm thick mirror with aluminium frame and upper front light



Available versions	Dimensions		
	L	H	Code
With LED light in the upper profile	80	70	32005443
	90	70	32005444
	105	70	32005445
	120	70	32005446
	140	70	32005447



Available in four colours:  
Brill, Titanium Bronze, Vintage Gold, Black

Light	Temperature	Certifications	Absorption
LED	4000°K	IP44 - Class II - CE	80x70: 13W 90x70: 14W 105x70: 16W 120x70: 17W 140x70: 22W



Non-replaceable LED

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting the whole bathroom entirely. We recommend you add other lights.

