DIESEL OPEN WORKSHOP



DIESEL OPEN WORKSHOP - Available versions

VERSIONS			DELIVERY
DOOR	COLOUR	STRUCTURE	TIMES*
DECORATIVE MELAMINE	DECORATIVE MELAMINE 1 colours	DECORATIVE MELAMINE	B018
		AS FRONT	
MATT LACQUERED	MATT LACQUERED colours	DECORATIVE MELAMINE	B021
		AS FRONT	
GLOSSY LACQUERED	GLOSSY LACQUERED colours	DECORATIVE MELAMINE	B021
		AS FRONT	
GLASS WITH STEEL OR BRONZE FINISH ALUMINIUM FRAME	GLASS colours	DECORATIVE MELAMINE	B018
		DECORATIVE MELAMINE 1 colours	
		MATT LACQUERED	B021
		GLOSSY LACQUERED	

*DELIVERY TIMES

BNOR - 21 working days from receipt of order.

B018 - 25/32 working days from receipt of order.

B021 - 30/36 working days from receipt of order.

CAUTION:

These times are subject to transport scheduling needs. Please also consider approximately 3 working days needed to manage and clarify orders with our agencies.

"CUSTOM-SIZED" ELEMENTS

FOR NON-STANDARD SIZES APPLY A 40% SURCHARGE TO THE LARGER SIZE STANDARD ELEMENT, WITH THE EXCEPTION OF WALL UNITS WITH SLIDING DOORS ON WHICH NON-STANDARD SIZES ARE NOT FEASIBLE.

In the event of contract orders (i.e. relating to contracts entered into with architects, construction firms, etc., for real estate furnishings and/or other similar circumstances) with significant repetition of non-standard processing Scavolini is willing to grant more favourable conditions depending on possible economies of scale that can be achieved.



ALUMINIUM FRAMED GLASS DOOR

Door thickness 1.85 cm



Steel finish Aluminium Frame, Ribbed Glass




Steel finish Aluminium Frame, Smoky Glass



Bronze finish Aluminium Frame, Ribbed Glass



Bronze finish Aluminium Frame, Smoky Glass



DIESEL OPEN WORKSHOP - Available versions

Side panels, top panel and bottoms 1.8 cm thick; back panel 1.2 cm thick. 0.6 cm thick tempered glass shelves with ground edging, polished.

STRUCTURE SAME FINISH AS FRONT







DECORATIVE MELAMINE Decorative melamine interior and exterior. ABS edging. Painted base unit structure band



MATT LACQUERED Matt lacquered on the interior and exterior. Matt lacquered edging.



GLOSSY LACQUERED Matt lacquered on the interior and glossy lacquered on the exterior. Glossy lacquered edging.

DECORATIVE MELAMINE STRUCTURE



WHITE SCAV 024 Matt White on the interior and exterior. ABS edging. White painted base unit structure band






GREY SCAV 859 Matt Grey on the interior and exterior. ABS edging. Dark Brown painted base unit structure band.

Base unit support system

Base unit support system with galvanised metal structure and vertical and horizontal adjustment, automatic anti-release system. Maximum load on base units H.25 cm: 80 kg, on base units H.50/75 cm: 100 kg



Wall-mounted wall unit/cabinet support system (without visible fastener)

Wall unit support system with galvanised metal structure and vertical and horizontal adjustment, accessible on the external upper part of the wall unit (fig. 1), leaving **THE INSIDE OF THE WALL UNIT COMPLETELY FREE** (fig. 2). Equipped with automatic anti-release system. Maximum load: 80 kg

