

SCAVOLINI™

ACCESSORIES:
Functionally at
your disposal

SCAVOLINI

Come and discover the world of Scavolini with your own eyes. At our authorised Dealers, you will find a wide range of products on display, along with our catalogues and a wealth of informative material.

Scavolini S.p.A. supplies this catalogue to its clientele, who are authorised to distribute it to members of the public with no restrictions. However, it may not be given, even in copied form, to anyone in business in the fitted kitchen sector (e.g. agents, dealers, etc.) anywhere in the world. Unless authorised in writing by Scavolini S.p.A. all breaches of the above conditions will result in prosecution.

The colours of the materials illustrated in the Catalogue herein do not always match the actual hue perfectly for comprehensible printing reasons. Colours and shades can be consulted at any Scavolini Point of Sale, directly on products and samples.

The design of Scavolini products is protected as permitted by law. In addition, some parts of the model and/or certain compositions may be subject to patents and/or registrations.

Scavolini S.p.A. has equipped its kitchens with a great number of accessories: more than four hundred high-tech elements which multiply the spaces and functions available, with an extraordinary variety of functional amenities providing a convenient solution to every smallest need.

The accessories and equipment which expand the functions of Scavolini kitchens are truly innovative in terms of technologies, materials and concept, and they are available for every model in a vast assortment giving the potential for thousands of different, convenient and practical solutions, tailored to all requirements.

Scavolini reserves all rights to make any changes intended to improve its products without notice. No responsibility is accepted in the event of inaccuracies in this Catalogue due to printing or typing errors.



Scavolini has a Quality Management System in compliance with the UNI EN ISO 9001 standard, as well as an Environmental Management System in compliance with the UNI EN ISO 14001 standard. That's not all. Scavolini is also the first Italian kitchen manufacturer to have implemented a Health and Safety Management System in compliance with the UNI EN ISO 45001 standard. All the Systems have been certified by the International Body SGS, who bestowed Scavolini with the prestigious Merit Award in recognition of the excellence achieved by the company in controlling quality, the environment and safety.



Scavolini has fulfilled its aim of autonomously producing green energy for its own plants. With a total surface area of 30,000 sq m of photovoltaic panels, the system can provide an annual production of approximately 3,500,000 kWh of clean energy to cover more than 80% of Scavolini's energy demand and, when demand exceeds supply, of certified energy from renewable sources.



Scavolini has obtained the "Made in Italy" product, origin and quality Certification issued by COSMOB and CATAS, the two biggest testing and certification laboratories for wood-furnishings in Italy. This certification declares the Italian origin of furniture, including both the kitchens and living rooms range as well as Scavolini bathroom furnishings.



Scavolini is certified for the FSC Chain of Custody in the management of a transparent and sustainable supply chain, with responsible sourcing of raw wood materials from correctly-managed forestry sources.

EN

1 Equipped elements

- 1 Merivobox drawers and baskets
- 5 Pull-out drawers with wooden sides
- 5 Pull-out baskets with wooden sides
- 6 Pull-out baskets with "Chrome" and "Iron Grey" set-up
- 10 90x90 cm corner base unit with revolving baskets
- 11 90x90 cm corner base unit with revolving baskets
- 13 "Chrome" and "Iron Grey" baskets for Rational larder units
- 14 Baskets for 30 cm pull-out larder unit
- 15 Baskets for double pull-out larder unit
- 16 Pull-out baskets for larder unit with 2 baskets and drawer
- 17 Basket equipment for "Sliding Corner Chrome" corner base units
- 18 Basket equipment for "Sliding Corner Iron Grey" corner base units
- 19 Pull-out baskets with "Essence" set-up
- 23 Pull-out baskets with "Essence" set-up for Rational larder unit
- 24 Pull-out baskets with "Urban" set-up
- 30 Pull-out baskets with "Urban" set-up for
- 31 "Urban" pull-out baskets for double pull-out larder unit
- 32 Basket equipment for "Sliding Corner Plus" corner base units
- 33 "Fly Box" basket equipment for corner base units
- 34 "Fly Box" basket equipment for corner larder units
- 35 "Sous Chef" equipment for 30 cm pull-out base unit
- 36 "Sous chef" equipment for 45 cm pull-out base unit
- 37 Steel drainer units
- 38 Aluminium lining for drainer units
- 38 Steel lining for sink base units
- 39 Gas cylinder holder for base unit
- 39 "Pixo" pull-out table
- 40 "Friendly" pull-out table for 90 cm base unit with drawers and basket
- 41 "Friendly" pull-out table for 90 cm base unit with chair holder
- 42 Ironing board for 45 cm base unit with drawers
- 42 Base unit with 4 inner drawers
- 43 Base unit with pull-out basket and 2 inner drawers
- 43 Base unit with 2 pull-out baskets and inner drawer
- 44 90x90 cm corner base unit with revolving shelves
- 44 Baskets for corner base unit
- 45 "Easygoing" basket equipment for 110 corner base units
- 45 "Easy Corner" pull-out equipment for 110x65 cm corner base unit
- 46 "Fly Moon Chrome" pull-out baskets for corner base units
- 46 "Essence Fly Moon" pull-out baskets for corner base units
- 47 "Essence Fly Moon" pull-out baskets for corner larder units
- 48 "Fly Moon Chrome" pull-out baskets for corner larder units
- 49 Set of baskets for broom cupboard
- 50 "Wineserver" pull-out bottle rack wine cellar
- 51 Larder unit with inner drawers and pull-out inner baskets
- 52 Larder unit with inner drawers and pull-out inner baskets
- 53 105x105 cm corner storage cupboard
- 55 Storage cupboard
- 60 Dresser for 90 cm base unit

2 Supports

- 61 "Blend" breakfast bench support
- 62 "Clever" breakfast bench support
- 63 "Flux Swing" breakfast bench support
- 64 "Hold Up" breakfast bench support
- 65 "Hold Up +" breakfast bench support
- 67 "Levity" glass breakfast bench support
- 68 "Mizu" breakfast bench support
- 69 Support for "Motus" table
- 70 Pack of 2 legs for "Motus" table
- 71 "Network" breakfast bench support
- 72 "Network" intermediate support
- 72 "Network" universal top support
- 73 "Podium" breakfast bench support
- 74 "Slender" breakfast bench support
- 75 "Sloper" breakfast bench support
- 76 "Summit" breakfast bench support
- 77 "Telescope" breakfast bench support
- 78 "Infratop" support for 95x95 cm table
- 79 Pack of 2 filters for tap set connection

3 Washing areas

- 79 Metal waste bin
- 80 Plastic waste bin
- 80 Sliding waste bin
- 81 "Host 222" sliding waste bin
- 81 "Host 500" sliding metal waste bin
- 82 "Host 550" sliding waste bin
- 82 Sliding metal waste bin
- 83 "Home" sliding waste bin
- 83 "Swing 2.0" sliding waste bin
- 84 105-110-120-125 cm corner sink base unit with "Dividenda" pull-out waste bin

- 85 Merivobox drawers and baskets

- 89 "Basic Superior Stainless Steel" waste bin for 60 cm sink base unit with 2 pull-out baskets

- 89 "Linear Superior Stainless Steel" waste bin for 90 cm sink base unit with 2 pull-out baskets

- 90 "Linear Superior Stainless Steel" waste bin for 120 cm sink base unit with 2 pull-out baskets

- 90 "Multi" waste bin for 90 cm sink base unit with 2 pull-out baskets

- 91 Built-in "Grab 2.0" pull-out waste bin for 30 cm base unit

- 91 Built-in "Grab 2.0" pull-out waste bin for 45 cm base unit

- 92 Built-in "Grab 2.0" pull-out waste bin for 60 cm base unit

- 92 Built-in "Grab 2.0" pull-out waste bin for 75 cm base unit

- 93 "Block 2.0" sliding pull-out bin for 30 cm base unit

- 93 "Block 2.0" sliding pull-out bin for 45 cm base unit

- 94 Built-in "Simple 2.0" pull-out waste bin for 60 cm sink base unit

- 94 Sliding waste bin for 90x90 cm corner sink base unit

- 95 Air outlet styling accessories

5 Accessories for wall units, base units and larder units

- 99 Pull-out baskets and drawers - Internal dimensions
- 101 "Orange" cutlery tray
- 102 "Orange" knife rack
- 103 "Orange" knife rack
- 104 "Orange" spice rack
- 105 "Kilter" cutlery tray
- 107 "Bold" cutlery tray
- 108 "Dock" cutlery tray
- 109 "Reset" cutlery tray

Contents

- 110 "Single" cutlery tray
- 111 "Helper" pull-out basket and drawer accessories
- 116 "Ambia-Line" pull-out basket and drawer accessories
- 119 "Passe-Partout" pull-out basket and drawer accessories
- 125 "Orange" plate rack for pull-out baskets
- 126 "Orange" bottle and pan rack for pull-out baskets
- 127 "Orange" Open Space accessories for base units with basket
- 129 "Universal" accessories
- 130 "Orange" storage accessories
- 130 "Boxset" storage accessories
- 131 Mats for "Merivobox" pull-out baskets/drawers
- 132 Anthracite finish rubber mats for wooden drawers/baskets
- 133 Rubber mats for base units and wall units
- 134 "Orga-line" plate rack for pull-out baskets
- 134 "Rack" plate rack for basket
- 135 1 mm thick Satin finish steel side facing panels
- 136 4 mm thick Satin finish steel side facing panels and filler strips
- 137 Servo Drive for base units and larder units with pull-out baskets
- 137 Surcharge for Servo Drive 1 for 60-90-120 cm sink base units with pull-out baskets
- 138 Servo Drive for wall units, drainer units and hoods
- 138 Transformer pack
- 139 Lacquered bottom cover/top panel cover for wall units
- 139 Aluminium larder unit bottom
- 140 "Plana" cloth holder

6 Sleeping area

- 141 "Comfort" inner accessories
- 144 "Support" inner

accessories

7 Midway units

- 149 "Allinea" accessory-holder bar
- 150 "Country" midway accessories
- 152 "K-Concept" illuminated wall panel
- 154 "Orizzonte" illuminated glass wall panel
- 155 "Orizzonte More" illuminated glass wall panel
- 156 "Orizzonte Up" magnetic wall panel
- 157 "Orizzonte" series of magnetic accessories
- 159 "Magneto" series of magnetic accessories
- 161 "Ritmica" midway accessories
- 163 "System" midway accessories
- 166 "Timeline" midway accessories
- 167 "Titan" midway accessories
- 169 "Tonda" midway accessories
- 171 "Tonda" magnetic bar for wall panel
- 171 "Tonda Magnetica" midway accessories for "Tonda" magnetic bar
- 173 "Line System" system
- 177 "Opus" equipped wall panel
- 180 "Setup" System
- 184 "Setup" system with sliding doors
- 185 "Sign" accessory-holder bar with LED light
- 186 Accessories for "Sign" bar

8 Lamps

- 189 Technical Information
- 191 "Meccano" System
- 205 Container for cabinet internal transformer
- 206 "Blow" midway lamp
- 207 "Crop" LED lamp for inside wall units and larder units
- 208 "D.55" wall lamp
- 209 "Dot" recessed spotlight
- 210 "Dot" external spotlight
- 211 "Easylight" midway lamp
- 212 "Fancy" suspension lamp

- 213 "Ghibli" midway lamp
- 214 Shelves for "Ghibli" lamp
- 215 "Key Dot" midway lamp
- 216 "Kiton" LED lamp for base units and base units with pull-out baskets
- 217 "Nanda" ceiling lamp
- 218 "Net XT" midway lamp
- 219 "Polar SE" midway lamp
- 220 "Polar SE SDM" midway lamp
- 221 "Polar XS SE" midway lamp
- 222 "Qi" suspension lamp
- 223 "Qi" wall lamp
- 224 "Saturn" recessed spotlight
- 225 "Sun" midway spotlight
- 226 "Thea She Td" midway lamp
- 227 "Underscore" midway lamp
- 228 "Vigo" wall lamp
- 229 "Easy" drainer unit lamp
- 230 "Wand 2.0" drainer unit lamp
- 231 "Magical 2.0" built-in lamp
- 232 "Show 2.0" built-in lamp
- 233 Bottom board with integrated LED lighting for wall units
- 234 "Push Pull" pull-out power outlet tower - built-in flush-mount
- 235 Built-in top-recessed power outlet
- 236 "Plural" built-in top-recessed power outlet
- 237 "Extra" built-in top-recessed power outlet
- 237 "Extra" built-in top-recessed USB socket
- 238 "Extra" Built-in top-recessed wireless charger
- 238 "Corner double socket" corner modular profile
- 239 Cable duct
- 239 Infrared remote control signal kit

9 Composition accessories

- 241 'Qi' storage basket
- 242 Hanging rack for island
- 242 Steel Shelf
- 243 Square open-fronted feet
- 244 Height-adjustable plastic foot

- 244 Metal foot
- 245 Transparent glass partition
- 245 Glass flame-guard wall panel
- 246 Dishwasher side panel protection profile
- 247 Steel casing H.15 cm
- 247 Magnetic hook for plinth fastening
- 248 Fenix NTM door cleaning sponge
- 248 Matt glass cleaning sponge
- 249 Microfibre cloth
- 249 Pack of 5 "Clin & Clin" cloths
- 250 Liquid protector for granite, marble and composite tops
- 250 Bottle for cleaning laminate and melamine surfaces
- 251 "Franke" paste for cleaning stainless steel sinks
- 251 Detergent for cleaning Quartz tops
- 252 Reinforcing front profile for shelf
- 252 Table accessories
- 253 "StepByStep" stepladder

10 Accessories for elements assembly


- 255 Wall unit fixing bar
- 255 Fixing dowels
- 256 Floor-mounting pack for base units
- 256 Caps Ø 5 mm for shelf holes
- 257 Wall unit fixing plates
- 257 Wall fastening pack for base units with drawers or baskets
- 258 Dowels for fitting units and shelf brackets
- 258 Pack of "Smove" stoppers
- 259 "Guard" shelf bracket or shelf support
- 259 "Tau" adjustable concealed shelf bracket
- 260 Concealed shelf bracket
- 260 Adjustable concealed shelf bracket
- 261 "Tucano" shelf bracket
- 261 Stainless steel steam guard
- 262 Gas connection pipe
- 262 Wiring hole conduit
- 263 Wiring hole plate for living

room wall panel

263 Wall-mounted tie rods for
shelves

264 Ceiling-mounted tie rods
for shelves

EQUIPPED
ELEMENTS



Merivobox "Pure" and drawers H.8.4 cm for Scavolini models

Anthracite coloured sides



8.4 cm drawers for module H.73-76 cm.

Drawers and baskets have sides and back in painted metal; 1.6 cm thick decorative melamine base. Depth 50 cm.

Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg).

The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm, the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.

The "Tip-on" push-latch opening system is fitted on certain models.

Silver coloured sides



Merivobox "Boxcover" and drawers H.8.4 cm for Scavolini models

Silver coloured sides



8.4 cm drawers for module H.73-76 cm.

The drawers have sides and back in painted metal; 1.6 cm thick decorative melamine base. Depth 50 cm.

The baskets have sides in metal/Smoked glass and a 1.6 cm thick decorative melamine base. Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg).

The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm, the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.

The "Tip-on" push-latch opening system is fitted on certain models.

Anthracite coloured sides



Merivobox "Pure" and drawers H.11.6 cm for Scavolini models

Anthracite coloured sides



11.6 cm drawers for module H.80 cm.

Drawers and baskets have sides and back in painted metal and a 1.6 cm thick decorative melamine base. Depth 50 cm. Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg).

The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm, the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.

The "Tip-on" push-latch opening system is fitted on certain models.

Silver coloured sides



Merivobox "Boxcover" and drawers H.11.6 cm for Scavolini models

Silver coloured sides



11.6 cm drawers for module H.80 cm.

The drawers have sides and back in painted metal and a 1.6 cm thick decorative melamine base; the baskets have sides in metal/Smoked glass and a 1.6 cm thick decorative melamine base. Depth 50 cm. Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg).

The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm, the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.

The "Tip-on" push-latch opening system is fitted on certain models.

Anthracite coloured sides



Merivobox "Pure" and drawers H.8.4 - 11.6 cm for Scavolini models

Anthracite coloured sides



Drawers H.8.4 and 11.6 cm for module H.80 cm.

Drawers and baskets have sides and back in painted metal; 1.6 cm thick decorative melamine base.

Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg). Depth 50 cm.

The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm, the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.

The "Tip-on" push-latch opening system is fitted on certain models.

Silver coloured sides



Merivobox "Boxcover" and drawers H.8.4 - 11.6 cm for Scavolini models

Silver coloured sides



Drawers H.8.4 and 11.6 cm for module H.80 cm.

The drawers have sides and back in painted metal and a 1.6 cm thick decorative melamine base; the basket has sides in metal/Smoked glass and a 1.6 cm thick decorative melamine base. Depth 50 cm. Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg).

The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm, the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.

The "Tip-on" push-latch opening system is fitted on certain models.

Anthracite coloured sides



Merivobox for Scavolini Basic and Scavolini Easy models

Anthracite coloured sides



8.4 cm drawers for module H.73-76 cm (Scavolini Basic and Easy).

The drawers have sides and back in painted metal; 1.6 cm thick decorative melamine base.

The baskets have painted metal sides with rails and a 1.6 cm thick decorative melamine base. Depth 50 cm.

Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg).

The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm, the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.

The "Tip-on" push-latch opening system is fitted on certain models.

"Merivobox" basket accessory (side with Smoked glass)



Silver coloured sides



"Merivobox" basket accessory (side with Smoked glass)



Pull-out drawers with wooden sides



Full-extraction drawer with wooden sides, 16 mm thick Beech decorative melamine base and Birch plywood back; with sliding runners on the base unit side panels.
Drawer back panel height H.5.8 cm.

The drawers have a maximum load capacity of 30 kg. They are equipped with the "Blumotion" closing system that slows down and guides the drawer as it closes to prevent knocks. Only available for classic models.

Pull-out baskets with wooden sides



Full-extraction basket with wooden sides, 16 mm thick Beech decorative melamine base and Birch plywood back; with sliding runners on the base unit side panels.

The baskets have a maximum load capacity of 30 kg. They are equipped with the "Blumotion" closing system that slows down and guides the basket as it closes to prevent knocks. The Servo Drive cannot be installed. Only available for classic models.

Pull-out baskets for 15 cm wall unit H.73/80 cm

Chrome basket



Pull-out baskets in chrome-finish metal, "**Chrome**" set-up or in painted metal, "**Iron Grey**" set-up with two containers with side sliding runners.

The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The maximum load capacity is 25 kg.

Iron Grey basket



LH/RH code	Description
71000015	15 cm H.73 cm
71000017/18	15 cm H.73 cm
71019411	15 cm H.73 cm
71019415	15 cm H.73 - D.45 cm
71043015	15 cm H.80 cm



Pull-out baskets for 15 cm wall unit H.103/120 cm

Chrome basket



Pull-out baskets in chrome-finish metal, "**Chrome**" set-up or in painted metal, "**Iron Grey**" set-up with three containers with side sliding runners.

The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming.

The maximum load capacity is 25 kg.

Iron Grey basket



LH/RH code	Description
71005015	15 cm H.103 cm
71019413	15 cm H.103 cm
71005017/18	15 cm H.103 cm
71019483	15 cm H.103 cm D.45 cm
71043625	15 cm H.120 cm



Pull-out baskets for 15 cm base unit

Chrome basket



Pull-out baskets in chrome-finish metal, "**Chrome**" set-up or in painted metal, "**Iron Grey**" set-up with two containers with side sliding runners.

The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming.
The maximum load capacity is 20 kg.

Iron Grey basket



LH/RH code	Description
71015015	15 cm H.73 cm
71015017/18	15 cm H.73 cm
71020025	15 cm H.76 cm
71046085	15 cm H.80 cm
71019519	15 cm H.88 cm D.34 cm
71019517	15 cm H.88 cm
71019431	15 cm H.88 cm
71019443	15 cm H.88 cm
71019435	15 cm island H.88 cm
71019521	15 cm island D.90 - H.88 cm
71019523	15 cm island D.112 - H.88 cm
71019433	15 cm H.106 cm



Pull-out baskets for 30-45 cm base units

Chrome basket on 30 cm base unit



Baskets in chrome-finish metal, "**Chrome**" set-up or in painted metal, "**Iron Grey**" set-up with two containers with side sliding runners.

The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming.

The maximum load capacity is 25 kg.

Iron Grey basket on 30 cm base unit



LH/RH code	Description
71017915	30 cm H.62 cm
71021513	30 cm H.65 cm
71015110	30 cm H.73 cm
71015111/12	30 cm H.73 cm
71020061	30 cm H.76 cm
71046115	30 cm H.80 cm
71015420	45 cm H.73 cm
71015421/22	45 cm H.73 cm
71020111	45 cm H.76 cm
71015420	45 cm H.80 cm



90x90 cm corner base unit with revolving baskets



Metal structure with 2 **Chrome-finish** metal revolving baskets.
Maximum load capacity 30 kg (15 kg per basket).

Code	Description
71016735/36	for H.73 cm base unit
71020279/80	for H.76 cm base unit
71046453/54	for H.80 cm base unit



“Programma 92” inner basket for base units or larder units

Chrome basket



Pull-out single inner basket in **Chrome-finish** metal for base units or larder units.

The maximum load capacity for each individual basket is 30 kg distributed evenly.

Code	Description
31109241	basket width 45 cm
31109242	basket width 60 cm
31109243	basket width 90 cm

Iron Grey basket



Pull-out single inner basket in **Iron Grey** painted metal for base units or larder units.

The maximum load capacity for each individual basket is 30 kg distributed evenly.

Code	Description
31108492	basket width 45 cm
31108493	basket width 60 cm



WARNING:**For 45 cm pull-out baskets, order elements prepared for baskets:**

- **45 cm base unit H.73.4** cm code **71015323/24** (3 baskets recommended)
- **45 cm base unit H.76.4** cm code **71020095/96** (3 baskets recommended)
- **45 cm base unit H.80** cm code **71046175/76** (3 baskets recommended)
- **45 cm larder unit H.127.2** cm code **71026139/40** (3 baskets recommended)
- **45 cm larder unit H.133.2** cm code **71039103/04** (3 baskets recommended)
- **45 cm larder unit H.140** cm code **71048843/44** (3 baskets recommended)
- **45 cm larder unit H.200** cm lower door aligned with base units code **71030159/60** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **45 cm larder unit H.200** cm upper door aligned with wall units code **71030157/58** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **45 cm larder unit H.200** cm full-length door code **71030173/74** (5 baskets recommended)
- **45 cm larder unit H.206** cm lower door aligned with base units code **71040215/16** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **45 cm larder unit H.206** cm upper door aligned with wall units code **71040213/14** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **45 cm larder unit H.206** cm full-length door code **71040217/18** (5 baskets recommended)
- **45 cm larder unit H.220** cm lower door aligned with base units code **71049425/26** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **45 cm larder unit H.220** cm upper door aligned with wall units code **71049423/24** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **45 cm larder unit H.220** cm full-length door code **71049427/28** (5 baskets recommended)

For 60 cm pull-out baskets, order elements prepared for baskets:

- **60 cm base unit H.73.4** cm code **71015723/24** (3 baskets recommended)
- **60 cm base unit H.76.4** cm code **71020165/66** (3 baskets recommended)
- **60 cm base unit H.80** cm code **71046255/56** (3 baskets recommended)
- **60 cm larder unit H.127.2** cm code **71026239/40** (3 baskets recommended)
- **60 cm larder unit H.133.2** cm code **71039153/54** (3 baskets recommended)
- **60 cm larder unit H.140** cm code **71048883/84** (3 baskets recommended)
- **60 cm larder unit H.200** cm lower door aligned with base units code **71030299/00** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **60 cm larder unit H.200** cm upper door aligned with wall units code **71030301/02 and 71030325/26** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **60 cm larder unit H.200** cm full-length door code **71030333/34** (5 baskets recommended)
- **60 cm larder unit H.206** cm lower door aligned with base units code **71040519/20** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **60 cm larder unit H.206** cm upper door aligned with wall units code **71040517/18 and 71040523/24** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **60 cm larder unit H.206** cm full-length door code **71040521/22** (5 baskets recommended)
- **60 cm larder unit H.220** cm lower door aligned with base units code **71049599/00** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **60 cm larder unit H.220** cm upper door aligned with wall units code **71049597/98 and 71049603/04** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **60 cm larder unit H.220** cm full-length door code **71049601/02** (5 baskets recommended)

For 90 cm pull-out baskets, order elements prepared for baskets:

- **90 cm base unit H.73.4** cm code **71016281** (3 baskets recommended)
- **90 cm base unit H.76.4** cm code **71020225** (3 baskets recommended)
- **90 cm base unit H.80** cm code **71046363** (3 baskets recommended)
- **90 cm larder unit H.127.2** cm code **71026473** (3 baskets recommended)
- **90 cm larder unit H.133.2** cm code **71039203** (3 baskets recommended)
- **90 cm larder unit H.140** cm code **71048923** (3 baskets recommended)
- **90 cm larder unit H.200** cm lower door aligned with base units code **71030535** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **90 cm larder unit H.200** cm upper door aligned with wall units code **71030531** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **90 cm larder unit H.200** cm full-length door code **71030553** (5 baskets recommended)
- **90 cm larder unit H.206** cm lower door aligned with base units code **71040757** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **90 cm larder unit H.206** cm upper door aligned with wall units code **71040755** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **90 cm larder unit H.206** cm full-length door code **71040759** (5 baskets recommended)
- **90 cm larder unit H.220** cm lower door aligned with base units code **71049757** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **90 cm larder unit H.220** cm upper door aligned with wall units code **71049755** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **90 cm larder unit H.220** cm full-length door code **71049759** (5 baskets recommended)



Baskets for Rational larder units

Chrome basket



Rational **45 - 60** cm larder unit with pull-out baskets attached to the door in chrome-finish metal, "**Chrome**" set-up or in painted metal, "**Iron Grey**" set-up.

The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall.

The total maximum load capacity is 75 kg(15 kg per basket).

Iron Grey basket



Code	Description
71030353/54	45 cm H.200 cm lower door 127 cm
71030351/52	45 cm H.200 cm lower door 73 cm
71030349/50	45 cm H.200 cm full-length door
71040229/30	45 cm H.206 cm lower door 133 cm
71040233/34	45 cm H.206 cm lower door 73 cm
71040237/38	45 cm H.206 cm full-length door
71049443/44	45 cm H.220 cm lower door 140 cm
71049447/48	45 cm H.220 cm lower door 80 cm
71049451/52	45 cm H.220 cm full-length door
71030377/78	60 cm H.200 cm lower door 127 cm
71030375/76	60 cm H.200 cm lower door 73 cm
71030379/80	60 cm H.200 cm full-length door
71040535/36	60 cm H.206 cm lower door 133 cm
71040539/40	60 cm H.206 cm lower door 73 cm
71040543/44	60 cm H.206 cm full-length door
71049615/16	60 cm H.220 cm lower door 140 cm
71049619/20	60 cm H.220 cm lower door 80 cm
71049623/24	60 cm H.220 cm full-length door



Baskets for 30 cm pull-out larder unit

Chrome basket



30 cm larder unit with pull-out baskets in chrome-finish metal, "Chrome" set-up or in painted metal, "Iron Grey" set-up with full extraction and soft closing.

The baskets are equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall.
The total maximum load capacity is 105 kg (15 kg per basket).

Iron Grey basket



LH/RH code	Description
71030040	30 cm H.200 cm full-length door
71030041/42	30 cm H.200 cm full-length door
71030043	30 cm H.200 cm lower door 127 cm
71030044	30 cm H.200 cm lower door 73 cm
71030045/46	30 cm H.200 cm lower door 127 cm
71030047/48	30 cm H.200 cm lower door 73 cm
71040057	30 cm H.206 cm full-length door
71040059/60	30 cm H.206 cm full-length door
71040061	30 cm H.206 cm lower door 127 cm
71040063/64	30 cm H.206 cm lower door 73 cm
71040065	30 cm H.206 cm lower door 127 cm
71040067/68	30 cm H.206 cm lower door 73 cm
71049297	30 cm H.220 cm full-length door
71049299/00	30 cm H.220 cm full-length door
71049301	30 cm H.220 cm lower door 127 cm
71049303/04	30 cm H.220 cm lower door 73 cm
71049305	30 cm H.220 cm lower door 127 cm
71049307/08	30 cm H.220 cm lower door 73 cm



Baskets for double pull-out larder unit

Chrome basket



Iron Grey basket



Double pull-out larder unit with 12 baskets (6 inner- 6 external) in chrome-finish metal, "**Chrome**" set-up or in painted metal, "**Iron Grey**" set-up.

The load capacity for every single basket attached to the door is 2.5 kg and 5 kg for inner baskets. The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall.

LH/RH code	Description
71030177/78	45 cm H.200 cm full-length door
71030187/88	45 cm H.200 cm full-length door
71030163/64	45 cm H.200 cm lower door 127 cm
71030161/62	45 cm H.200 cm lower door 73 cm
71040241/42	45 cm H.206 cm full-length door
71040219/20	45 cm H.206 cm lower door 133 cm
71040223/24	45 cm H.206 cm lower door 73 cm
71049437/38	45 cm H.220 cm full-length door
71049429/30	45 cm H.220 cm lower door 140 cm
71049433/34	45 cm H.220 cm lower door 80 cm
71030343/44	60 cm H.200 cm full-length door
71030363/64	60 cm H.200 cm lower door 127 cm
71030361/62	60 cm H.200 cm lower door 73 cm
71040547/48	60 cm H.206 cm full-length door
71040525/26	60 cm H.206 cm lower door 133 cm
71040529/30	60 cm H.206 cm lower door 73 cm
71049627/28	60 cm H.220 cm full-length door
71049605/06	60 cm H.220 cm lower door 140 cm
71049609/10	60 cm H.220 cm lower door 80 cm
71040729/30	75 cm H.206 cm lower door 133 cm
71040733/34	75 cm H.206 cm lower door 73 cm
71040737/38	75 cm H.206 cm full-length door
71049739/40	75 cm H.220 cm lower door 140 cm
71040743/44	75 cm H.220 cm lower door 80 cm
71040749/50	75 cm H.220 cm full-length door
71030551	90 cm H.200 cm lower door 127 cm
71030550	90 cm H.200 cm lower door 73 cm
71040761	90 cm H.206 cm lower door 133 cm
71046763	90 cm H.206 cm lower door 73 cm
71049761	90 cm H.220 cm lower door 140 cm
71049765	90 cm H.220 cm lower door 80 cm



Pull-out baskets for larder unit with 2 baskets and drawer

Chrome basket



45 cm larder unit comprising 2 doors with chrome-finish metal baskets, "**Chrome**" **set-up** or in painted metal, "**Iron Grey**" **set-up**.

Basket load capacity in upper compartment 64 kg distributed evenly, basket load capacity in lower compartment 25 kg distributed evenly. The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall.

Iron Grey basket



LH/RH code	Description
71030191	45 cm H.200 cm
71040271	45 cm H.206 cm
71049483/4	45 cm H.220 cm



Basket equipment for “Sliding Corner Chrome” corner base units



Equipment with “Sliding Corner Chrome” Chrome-finish metal baskets for corner base units.

Maximum load capacity 40 kg (10 kg per basket). The basket is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.

Basket opening example.



LH/RH code	Description
71016833/34	105x60 cm H.73 cm
71016837/38	110x65 cm H.73 cm
71016835/36	120x60 cm H.73 cm
71016839/40	125x65 cm H.73 cm
71016845/46	105x60 cm H.76 cm
71016841/42	110x65 cm H.76 cm
71016847/48	120x60 cm H.76 cm
71016843/44	125x65 cm H.76 cm
71016849/50	110x65 cm H.80 cm
71016851/52	125x65 cm H.80 cm



Basket equipment for “Sliding Corner Iron Grey” corner base units



Equipment with “Sliding Corner Iron Grey” Iron Grey painted metal baskets for corner base units.

Maximum load capacity 40 kg (10 kg per basket). The basket is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.

Basket opening example.



LH/RH code	Description
71016833/34	105x60 cm H.73 cm
71016837/38	110x65 cm H.73 cm
71016835/36	120x60 cm H.73 cm
71016839/40	125x65 cm H.73 cm
71016845/46	105x60 cm H.76 cm
71016841/42	110x65 cm H.76 cm
71016847/48	120x60 cm H.76 cm
71016843/44	125x65 cm H.76 cm
71016849/50	110x65 cm H.80 cm
71016851/52	125x65 cm H.80 cm



“Essence” pull-out baskets for 15 cm wall unit H.73/80 cm



Basket with **Satin finish Steel and Smoked glass sides**, **"Essence" set-up** for **15 cm wall unit** with two containers and side sliding runners.

The basket is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.

The maximum load capacity is 30 kg.

LH/RH code	Description
71000015	15 cm H.73 cm
71000017/18	15 cm H.73 cm
71019411	15 cm H.73 cm
71019415	15 cm H.73 - D.45 cm
71043015	15 cm H.80 cm

“Essence” pull-out baskets for 15 cm wall unit H.103/120 cm



Basket with **Satin finish Steel and Smoked glass sides**, **"Essence" set-up** for **15 cm wall unit** with two containers and side sliding runners.

The basket is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.

The maximum load capacity is 30 kg.

LH/RH code	Description
71005015	15 cm H.103 cm
71019413	15 cm H.103 cm
71005017/18	15 cm H.103 cm
71019483	15 cm H.103 cm D.45 cm
71043625	15 cm H.120 cm



“Essence” pull-out baskets for 15 cm base unit



Basket with **Satin finish Steel and Smoked glass sides**, “Essence” set-up for **15 cm base unit** with two containers and side sliding runners.

The basket is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
The maximum load capacity is 25 kg.

LH/RH code	Description
71015015	15 cm H.73 cm
71015017/18	15 cm H.73 cm
71020025	15 cm H.76 cm
71046085	15 cm H.80 cm
71019519	15 cm H.88 cm D.34 cm
71019517	15 cm H.88 cm
71019431	15 cm H.88 cm
71019443	15 cm H.88 cm
71019435	15 cm island H.88 cm
71019521	15 cm island D.90 - H.88 cm
71019523	15 cm island D.112 - H.88 cm
71019433	15 cm H.106 cm

“Essence” pull-out baskets for 30 cm base unit



Basket with **Satin finish Steel and Smoked glass sides**, “Essence” set-up for **30 cm base unit** with two containers and side sliding runners.

The basket is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
The maximum load capacity is 30 kg.

LH/RH code	Description
71017915	30 cm H.62 cm
71021513	30 cm H.65 cm
71015110	30 cm H.73 cm
71015111/12	30 cm H.73 cm
71020061	30 cm H.76 cm
71046115	30 cm H.80 cm



“Essence” pull-out baskets for 15 cm pull-out larder unit



Basket with **Satin finish Steel and Smoked glass sides**, **"Essence" set-up for 15 cm** larder unit with full extraction and soft closing.

Tall unit kit comprising frame and roller runners. The baskets are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall. The total maximum load capacity is 105 kg (15 kg per basket).

LH/RH code	Description
71030011	15 cm H.200 cm full-length door
71040015	15 cm H.206 cm
71019419/2	15 cm H.215 cm
71019425	15 cm H.215 cm
71019425	15 cm H.245 cm lower door 73 cm
71019427	15 cm H.245 cm lower door 127 cm



"Essence" pull-out baskets for 30 cm pull-out larder unit



Basket with **Satin finish Steel and Smoked glass sides**, **"Essence" set-up for 30 cm** larder unit with full extraction and soft closing.

Tall unit kit comprising frame and roller runners. The baskets are equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder unit. The total maximum load capacity is 105 kg (15 kg per basket).

LH/RH code	Description
71030040	30 cm H.200 cm full-length door
71030041/42	30 cm H.200 cm full-length door
71030043	30 cm H.200 cm lower door 127 cm
71030044	30 cm H.200 cm lower door 73 cm
71030045/6	30 cm H.200 cm lower door 127 cm
71030047/8	30 cm H.200 cm lower door 73 cm
71040059/60	30 cm H.206 cm lower door 133 cm
71040061	30 cm H.206 cm lower door 73 cm
71040063/64	30 cm H.206 cm lower door 73 cm
71040065	30 cm H.206 cm full-length door
71040067/68	30 cm H.206 cm full-length door
71049297	30 cm H.220 cm lower door 140 cm
71049299/00	30 cm H.220 cm lower door 140 cm
71049301	30 cm H.220 cm lower door 80 cm
71049303/04	30 cm H.220 cm lower door 80 cm
71049305	30 cm H.220 cm full-length door
71049307/08	30 cm H.220 cm full-length door



“Essence” pull-out baskets for Rational 45-60 cm larder unit



Pull-out baskets attached to the door with **Satin finish Steel and Smoked glass sides, "Essence" set-up** for Rational **45-60** cm larder unit.

Pull-out frame set up for 180° opening door.

The baskets are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder unit.

The maximum load capacity is 80 kg (distributed evenly).

LH/RH code	Description
71030353/54	45 cm H.200 cm lower door 127 cm
71030351/52	45 cm H.200 cm lower door 73 cm
71030349/50	45 cm H.200 cm full-length door
71040229/30	45 cm H.206 cm lower door 133 cm
71040233/34	45 cm H.206 cm lower door 73 cm
71040237/38	45 cm H.206 cm full-length door
71049443/44	45 cm H.220 cm lower door 140 cm
71049447/48	45 cm H.220 cm lower door 80 cm
71049451/52	45 cm H.220 cm full-length door
71030377/78	60 cm H.200 cm lower door 127 cm
71030375/76	60 cm H.200 cm lower door 73 cm
71030379/80	60 cm H.200 cm full-length door
71040535/36	60 cm H.206 cm lower door 133 cm
71040539/40	60 cm H.206 cm lower door 73 cm
71040543/44	60 cm H.206 cm full-length door
71049615/16	60 cm H.220 cm lower door 140 cm
71049619/20	60 cm H.220 cm lower door 80 cm
71049623/24	60 cm H.220 cm full-length door

“Urban” pull-out baskets for 15 cm wall unit cm H.73/80 cm



Pull-out baskets with “Urban” set-up for 15 cm wall unit.

The baskets have a decorative melamine bottom and Anthracite Grey painted aluminium retainer rails with two containers and side sliding runners. They are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
The total maximum load capacity is 30 kg (15 kg per basket).

Detail of Urban side finish



LH/RH code	Description
71000015	15 cm H.73 cm
71000017/18	15 cm H.73 cm
71019411	15 cm H.73 cm
71019415	15 cm H.73 - D.45 cm
71043015	15 cm H.80 cm



“Urban” pull-out baskets for 15 cm base unit



Pull-out baskets with **“Urban” set-up** for **15-30-45** cm base units.

The baskets have a decorative melamine bottom and Anthracite Grey painted aluminium retainer rails with two containers and side sliding runners. They are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.

The total maximum load capacity is 30 kg (15 kg per basket).

LH/RH code	Description
71015015	15 cm H. 73 cm
71015017/18	15 cm H. 73 cm
71020025	15 cm H. 76 cm
71046085	15 cm H. 80 cm
71019519	15 cm H. 88 cm D.34 cm
71019517	15 cm H. 88 cm
71019431	15 cm H. 88 cm
71019443	15 cm H. 88 cm
71019520	15 cm H. 88 cm (island)
71019435	15 cm H. 88 cm (island)
71019445	15 cm H. 88 cm (island)
71019521	15 cm H. 88 cm (island D.90 cm)
71019523	15 cm H. 88 cm (island D.112 cm)
71019433	15 cm H. 106 cm

“Urban” pull-out baskets for 30 – 45 cm base units

Urban baskets for 30 cm base unit



Pull-out baskets with “Urban” set-up for 15-30-45 cm base units.

The baskets have a decorative melamine bottom and Anthracite Grey painted aluminium retainer rails with two containers and side sliding runners. They are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming. The total maximum load capacity is 30 kg (15 kg per basket).

Urban baskets for 45 cm base unit



LH/RH code	Description
71017915	30 cm H.62 cm
71021513	30 cm H.65 cm
71015110	30 cm H.73 cm
71015111/12	30 cm H.73 cm
71020061	30 cm H.76 cm
71046115	30 cm H.80 cm
71015420	45 cm H.73 cm
71015421/22	45 cm H.73 cm
71020111	45 cm H.76 cm
71046183	45 cm H.80 cm



“Urban” inner pull-out basket for base units and larder units



Single “Urban” inner pull-out basket for base units and larder units size **45-60** cm.

The basket has a decorative melamine bottom and Anthracite Grey painted aluminium retainer sides with side sliding runners. It is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming. The maximum load capacity for each individual basket is 30 kg.

Code	Description
31108490	basket width 45 cm
31108491	basket width 60 cm

WARNING:

For 45 cm pull-out baskets, order elements prepared for baskets:

- **45 cm base unit H.73.4** cm code **71015323/24** (3 baskets recommended)
- **45 cm base unit H.76.4** cm code **71020095/96** (3 baskets recommended)
- **45 cm base unit H.80** cm code **71046175/76** (3 baskets recommended)
- **45 cm larder unit H.127.2** cm code **71026139/40** (3 baskets recommended)
- **45 cm larder unit H.133.2** cm code **71039103/04** (3 baskets recommended)
- **45 cm larder unit H.140** cm code **71048843/44** (3 baskets recommended)
- **45 cm larder unit H.200** cm lower door aligned with base units code **71030159/60** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **45 cm larder unit H.200** cm upper door aligned with wall units code **71030157/58** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **45 cm larder unit H.200** cm full-length door code **71030173/74** (5 baskets recommended)
- **45 cm larder unit H.206** cm lower door aligned with base units code **71040215/16** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **45 cm larder unit H.206** cm upper door aligned with wall units code **71040213/14** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **45 cm larder unit H.206** cm full-length door code **71040217/18** (5 baskets recommended)
- **45 cm larder unit H.220** cm lower door aligned with base units code **71049425/26** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **45 cm larder unit H.220** cm upper door aligned with wall units code **71049423/24** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **45 cm larder unit H.220** cm full-length door code **71049427/28** (5 baskets recommended)



For 60 cm pull-out baskets, order elements prepared for baskets:

- **60 cm base unit H.73.4** cm code **71015723/24** (3 baskets recommended)
- **60 cm base unit H.76.4** cm code **71020165/66** (3 baskets recommended)
- **60 cm base unit H.80** cm code **71046255/56** (3 baskets recommended)
- **60 cm larder unit H.127.2** cm code **71026239/40** (3 baskets recommended)
- **60 cm larder unit H.133.2** cm code **71039153/54** (3 baskets recommended)
- **60 cm larder unit H.140** cm code **71048883/84** (3 baskets recommended)
- **60 cm larder unit H.200** cm lower door aligned with base units code **71030299/00** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **60 cm larder unit H.200** cm upper door aligned with wall units code **71030301/02 and 71030325/26** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **60 cm larder unit H.200** cm full-length door code **71030333/34** (5 baskets recommended)
- **60 cm larder unit H.206** cm lower door aligned with base units code **71040519/20** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **60 cm larder unit H.206** cm upper door aligned with wall units code **71040517/18 and 71040523/24** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **60 cm larder unit H.206** cm full-length door code **71040521/22** (5 baskets recommended)
- **60 cm larder unit H.220** cm lower door aligned with base units code **71049599/00** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **60 cm larder unit H.220** cm upper door aligned with wall units code **71049597/98 and 71049603/04** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **60 cm larder unit H.220** cm full-length door code **71049601/02** (5 baskets recommended)



“Urban” pull-out baskets for 30 cm pull-out larder unit



30 cm larder unit with pull-out baskets, “Urban” set-up with full extraction and soft closing.

The baskets have a decorative melamine bottom and Anthracite Grey painted aluminium retainer sides.

They are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.

The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall.

The total maximum load capacity is 105 kg (15 kg per basket).

LH/RH code	Description
71030040	30 cm H.200 cm full-length door
71030041/42	30 cm H.200 cm full-length door
71030043	30 cm H.200 cm lower door 127 cm
71030044	30 cm H.200 cm lower door 73 cm
71030045/46	30 cm H.200 cm lower door 127 cm
71030047/48	30 cm H.200 cm lower door 73 cm
71040057	30 cm H.206 cm full-length door
71040059/60	30 cm H.206 cm full-length door
71040061	30 cm H.206 cm lower door 127 cm
71040063/64	30 cm H.206 cm lower door 73 cm
71040065	30 cm H.206 cm lower door 127 cm
71040067/68	30 cm H.206 cm lower door 73 cm
71049297	30 cm H.220 cm full-length door
71049299/00	30 cm H.220 cm full-length door
71049301	30 cm H.220 cm lower door 127 cm
71049303/04	30 cm H.220 cm lower door 73 cm
71049305	30 cm H.220 cm lower door 127 cm
71049307/08	30 cm H.220 cm lower door 73 cm



“Urban” pull-out baskets for Rational 45-60 cm larder unit



Rational **45 - 60** cm larder unit with pull-out baskets attached to the door with **“Urban” set-up**.

The baskets have a decorative melamine bottom and Anthracite Grey painted aluminium retainer sides.
 The baskets are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
 The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall.
 The total maximum load capacity is 75 kg (15 kg per basket).

Code	Description
71030353/54	45 cm H. 200 cm lower door 127 cm
71030351/52	45 cm H. 200 cm lower door 73 cm
71030349/50	45 cm H. 200 cm full-length door
71030377/78	60 cm H. 200 cm lower door 127 cm
71040229/30	45 cm H. 206 cm lower door 133 cm
71040233/34	45 cm H. 206 cm lower door 73 cm
71040237/38	45 cm H. 206 cm full-length door
71049443/44	45 cm H. 220 cm lower door 140 cm
71049447/48	45 cm H. 220 cm lower door 80 cm
71049451/52	45 cm H. 220 cm full-length door
71030375/76	60 cm H. 200 cm lower door 73 cm
71030379/80	60 cm H. 200 cm full-length door
71040535/36	60 cm H. 206 cm lower door 133 cm
71040539/40	60 cm H. 206 cm lower door 73 cm
71040543/44	60 cm H. 206 cm full-length door
71049615/16	60 cm H. 220 cm lower door 140 cm
71049619/20	60 cm H. 220 cm lower door 80 cm
71049623/24	60 cm H. 220 cm full-length door



“Urban” pull-out baskets for double pull-out larder unit



LH/RH **45 - 60 - 75 - 90** cm double pull-out larder unit with 10 baskets (5 inner- 5 external) “Urban” set-up.

The baskets have a decorative melamine bottom and Anthracite Grey painted aluminium retainer sides.

The structure has a load capacity of 75 kg; the inner baskets have a maximum load capacity of 50 kg (10 kg for each individual basket) whereas the baskets attached to the door have a maximum load capacity of 15 kg (3 kg for each individual basket).

LH/RH code	Description
71030187/88	45 cm H. 200 cm full-length door
71030163/64	45 cm H. 200 cm lower door 127 cm
71030161/62	45 cm H. 200 cm lower door 73 cm
71040241/42	45 cm H. 206 cm full-length door
71040219/20	45 cm H. 206 cm lower door 133 cm
71040223/24	45 cm H. 206 cm lower door 73 cm
71049437/38	45 cm H. 220 cm full-length door
71049429/30	45 cm H. 220 cm lower door 140 cm
71049433/34	45 cm H. 220 cm lower door 80 cm
71030343/44	60 cm H. 200 cm full-length door
71030363/64	60 cm H. 200 cm lower door 127 cm
71030361/62	60 cm H. 200 cm lower door 73 cm
71040547/48	60 cm H. 206 cm full-length door
71040525/26	60 cm H. 206 cm lower door 133 cm
71040529/30	60 cm H. 206 cm lower door 73 cm
71049627/28	60 cm H. 220 cm full-length door
71049605/06	60 cm H. 220 cm lower door 140 cm
71049609/10	60 cm H. 220 cm lower door 80 cm
71040735/36	75 cm H. 206 cm full-length door
71040727/28	75 cm H. 206 cm lower door 133 cm
71040731/32	75 cm H. 206 cm lower door 73 cm
71049745/46	75 cm H. 220 cm full-length door
71049737/38	75 cm H. 220 cm lower door 140 cm
71049741/42	75 cm H. 220 cm lower door 80 cm
71030551	90 cm H. 200 cm lower door 73 cm
71030550	90 cm H. 200 cm lower door 127 cm
71040761	90 cm H. 206 cm lower door 133 cm
71040763	90 cm H. 206 cm lower door 73 cm
71049761	90 cm H. 206 cm lower door 140 cm
71049765	90 cm H. 206 cm lower door 80 cm



Basket equipment for “Sliding Corner Plus” corner base units



Basket equipment in Orion Grey resin sides and decorative melamine bottom for corner base unit.

The total load capacity of the baskets is 40 kg (10 kg for each individual basket).

The equipment features a “Soft-closing” mechanism providing automatic return with cushioned closing that prevents slamming.

Basket opening example.



LH/RH code	Description
71016833/34	105x60 cm H.73 cm
71016837/38	110x65 cm H.73 cm
71016821/22	110x65 cm H.73 cm
71016835/36	120x60 cm H.73 cm
71016839/40	125x65 cm H.73 cm
71016827/28	125x65 cm H.73 cm
71016845/46	105x60 cm H.76 cm
71016841/42	110x65 cm H.76 cm
71016847/48	120x60 cm H.76 cm
71016843/44	125x65 cm H.76 cm
71016849/50	110x65 cm H.80 cm
71016851/52	125x65 cm H.80 cm



“Fly Box” basket equipment for corner base units



Basket equipment with Anthracite Grey painted aluminium sides and decorative melamine bottom, for corner base unit. The baskets have the same side aesthetics as Urban baskets.

The load capacity of the two front baskets is 15 kg each, the load capacity of the two rear baskets is 10 kg each.

The equipment features a pull-out opening system on the front basket with automatic return of the second inner basket and soft closing.

Basket opening example.



LH/RH code	Description
71016833/4	105x60 cm H. 73 cm
71016835/6	120x60 cm H. 73 cm
71016837/8	110x65 cm H. 73 cm
71016839/40	125x65 cm H. 73 cm
71016845/6	105x60 cm H. 76 cm
71016847/8	120x60 cm H. 76 cm
71016841/2	110x65 cm H. 76 cm
71016843/4	125x65 cm H. 76 cm
71016849/50	110x65 cm H. 80 cm
71016851/2	125x65 cm H. 80 cm

“Fly Box” basket equipment for corner larder units



Basket equipment with Anthracite Grey painted aluminium sides and decorative melamine bottom for corner larder unit. The baskets have the same side aesthetics as Urban baskets.

The load capacity of the front baskets is 15 kg each, the load capacity of the rear baskets is 10 kg each. The equipment features a pull-out opening system on the front basket with automatic return of the second inner basket and soft closing.

Basket opening example.



LH/RH code	Description
71030669/70	107 cm larder unit H.200 cm
71040819/20	107 cm larder unit H.206 cm
71049841/2	107 cm larder unit H.220 cm
71030735/6	122 cm larder unit H.200 cm
71040863/4	122 cm larder unit H.206 cm
71049889/90	122 cm larder unit H.220 cm



“Sous Chef” equipment for 30 cm pull-out base unit



“Sous Chef” equipment for 30 cm pull-out base unit.

The equipment consists of a central structure in Anthracite Grey painted metal, on which 6 plastic containers of different size are attached. The bowls are removable for easy use and easy to reattach to the central structure.

Installation on the bottom of the basket and on the inside of the base unit.

LH/RH code	Description
71015113	30 cm base unit H.73 cm
71015115/6	30 cm base unit H.73 cm
71020063	30 cm base unit H.76 cm
71046121	30 cm base unit H.80 cm



Sous Chef knife rack for 30-45 cm base unit code 31108405



“Sous chef” equipment for 45 cm pull-out base unit



“Sous Chef” equipment for 45 cm pull-out base unit

The equipment consists of a central structure in Anthracite Grey painted metal, on which 6 plastic containers of different size are attached, plus a second pull-out structure attached to the left side panel with 4 containers. The bowls are removable for easy use and easy to reattach to the structures.

LH/RH code	Description
71015423	45 cm base unit H.73 cm
71015425/6	45 cm base unit H.73 cm
71020017	45 cm base unit H.76 cm
71046205	45 cm base unit H.80 cm




Sous Chef knife rack for 30-45 cm base unit code 31108405



Steel drainer units



Drainer units with oval-shaped wire plate and glass draining grid in polished AISI 304 stainless steel. The drainer unit is available for cabinets W.45-60-75-90-120 cm.



Aluminium lining for drainer units



Drainer unit with **Aluminium** lining

Steel lining also available.

For availability, see Elements for All Models Price List, Accessories section, Wall units/Base units/Larder units.

Steel lining for sink base units



Sink base unit with **Steel** lining.

Aluminium lining also available.

For availability, see Elements for All Models Price List, Accessories section, Wall units/Base units/Larder units.



Gas cylinder holder for base unit



Grey plastic gas cylinder holder for sink base units.

LH/RH code	Description
71015339/40	45 cm base unit H.73 cm
71020103/04	45 cm base unit H.76 cm
71046179/80	45 cm base unit H.80 cm
71017621/22	90 cm sink base unit H.73 cm
71020663/64	90 cm sink base unit H.76 cm
71047033/34	90 cm sink base unit H.80 cm
71017671/72	120 cm sink base unit H.73 cm
71020693/94	120 cm sink base unit H.76 cm
71047073/74	120 cm sink base unit H.80 cm

"Pixo" pull-out table



Pull-out table for **90 cm** base unit.

The table stows away under the top.
Maximum load capacity 60 kg distributed evenly.
N.B. The base unit must be secured to the wall.

Code	Description
71016249	90 cm base unit H.73 cm with 2 drawers and a basket
71016250	90 cm base unit H.73 cm with 2 drawers and a basket (2 recessed grip profiles)
71020241	90 cm base unit H.76 cm with 2 baskets and a drawer
71020242	90 cm base unit H.76 cm with 2 drawers and a basket (2 recessed grip profiles)
71046375	90 cm base unit H.80 cm with 2 drawers and a basket
71046403	90 cm base unit H.80 cm with 2 drawers and a basket (2 recessed grip profiles)

"Friendly" pull-out table for 90 cm base unit with drawers and basket



Pull-out table with foldaway telescopic leg.
 The mechanism is designed to pull out an overall top measuring 138 cm consisting of 3 extensions.
 The capacity of the mechanism is 100 kg.
 The top must always be pulled out fully.

LH/RH code	Description
71016259	90 cm base unit H. 73 cm
71020237	90 cm base unit H. 76 cm
71046383	90 cm base unit H. 80 cm
71046404	90 cm base unit H. 80 cm with double recessed grip profile



"Friendly" pull-out table for 90 cm base unit with chair holder



Pull-out table with foldaway telescopic leg for **90 cm base unit** **H.80** cm with chair holder.

The mechanism is designed to pull out an overall top measuring 138 cm consisting of 3 extensions.

The capacity of the mechanism is 100 kg. The top must always be pulled out fully.

N.B. Up to 4 Enjoy model chairs can be inserted in the base unit.

Code	Description
71046384	90 cm base unit H. 80 cm with chair holder



Ironing board for 45 cm base unit with drawers



Metal ironing board with fire-retardant cover.

LH/RH code	Description
71015474/5	45 cm base unit H. 73 cm
71015477	45 cm base unit H. 73 cm with two recessed grip profiles
71020131	45 cm base unit H. 76 cm
71020132	45 cm base unit H. 76 cm with two recessed grip profiles
71046203	45 cm base unit H. 80 cm
71046235	45 cm base unit H. 80 cm with two recessed grip profiles

Base unit with 4 inner drawers



Base unit with 4 full-extraction inner drawers.

Baskets and drawers are equipped with the Blumotion closing system that ensures cushioned closing of the drawer and basket. Load capacity 40 kg per drawer.
N.B. The drawers and baskets are available in Silver and Anthracite versions.

LH/RH code	Description
71015329/30	45 cm base unit H. 73 cm
71016999/00	45 cm base unit H. 73 cm (hob base unit)
71020099/00	45 cm base unit H. 76 cm
71020415/16	45 cm base unit H. 76 cm (hob base unit)
71046177/78	45 cm base unit H. 80 cm
71046653/54	45 cm base unit H. 80 cm (hob base unit)
71015731/2	60 cm base unit H. 73 cm
71017017/18	60 cm base unit H. 73 cm (hob base unit)
71020169/70	60 cm base unit H. 76 cm
71020455/56	60 cm base unit H. 76 cm (hob base unit)
71046259/60	60 cm base unit H. 80 cm
71046693/94	60 cm base unit H. 80 cm (hob base unit)
71046587/88	75 cm base unit H. 80 cm
71046823/24	75 cm base unit H. 80 cm (hob base unit)



Base unit with pull-out basket and 2 inner drawers



Base unit with pull-out basket and 2 full-extraction inner drawers. Baskets and drawers are equipped with the Blumotion closing system that ensures cushioned closing of the drawer and basket. Load capacity 40 kg per drawer/basket.

N.B. The drawers and baskets are available in Silver and Anthracite versions.

LH/RH code	Description
71015427	45 cm base unit H.73 cm
71017010	45 cm base unit H.73 cm (hob base unit)
71020113	45 cm base unit H.76 cm
71020419	45 cm base unit H.76 cm (hob base unit)
71046185	45 cm base unit H.80 cm
71046661	45 cm base unit H.80 cm (hob base unit)
71015777	60 cm base unit H.73 cm
71017032	60 cm base unit H.73 cm (hob base unit)
71020175	60 cm base unit H.76 cm
71020459	60 cm base unit H.76 cm (hob base unit)
71046263	60 cm base unit H.80 cm
71046703	60 cm base unit H.80 cm (hob base unit)
71046591	75 cm base unit H.80 cm
71046831	75 cm base unit H.80 cm (hob base unit)

Base unit with 2 pull-out baskets and inner drawer



Base unit with 2 pull-out baskets and 1 inner drawer. Baskets and drawer are equipped with the Blumotion closing system that ensures cushioned closing of the drawer and basket. Load capacity 40 kg per drawer/basket.

N.B. The drawer and baskets are available in Silver and Anthracite versions.

LH/RH code	Description
71015543	45 cm base unit H.73 cm
71017008	45 cm base unit H.73 cm (hob base unit)
71020123	45 cm base unit H.76 cm
71020427	45 cm base unit H.76 cm (hob base unit)
71046195	45 cm base unit H.80 cm
71046659	45 cm base unit H.80 cm (hob base unit)
71015867	60 cm base unit H.73 cm
71017033	60 cm base unit H.73 cm (hob base unit)
71020181	60 cm base unit H.76 cm
71020469	60 cm base unit H.76 cm (hob base unit)
71046277	60 cm base unit H.80 cm
71046595	75 cm base unit H.80 cm
71046829	75 cm base unit H.80 cm (hob base unit)
71016319	90 cm base unit H.73 cm
71017082	90 cm base unit H.73 cm (hob base unit)
71020229	90 cm base unit H.76 cm
71020495	90 cm base unit H.76 cm (hob base unit)
71046367	90 cm base unit H.80 cm
71046747	90 cm base unit H.80 cm (hob base unit)



90x90 cm corner base unit with revolving shelves



90x90 cm corner base unit with revolving shelves.

The shelf is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing that prevents slamming. The revolving shelves have a maximum load capacity of 50 kg (25 kg per shelf).

Code	Description
71016733/34	for H.73 cm base unit

Baskets for corner base unit



Carousel baskets in **chrome-finish metal** for **105x 60 or 110x65** cm corner base unit (minimum door 45 cm). Maximum load capacity 20 kg (10 kg per basket).

Code	Description
31105310	chrome-finish baskets for corner base unit



"Easygoing" basket equipment for 110 corner base units



"Easygoing" equipment with chrome-finish metal baskets and sliding runners for **110x65** cm corner base unit. The Easygoing pull-out equipment is joined to the door of the base unit; the basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The inner basket does not pull out of the base unit. Maximum load capacity 30 kg (20 kg for inner baskets + 10 kg for baskets joined to the door).

Code	Description
71016819/20	for H.73 cm base unit
71016787/88	for H.73 cm base unit
71020313/14	for H.76 cm base unit
71046533/34	for H.80 cm base unit

"Easy Corner" pull-out equipment for 110x65 cm corner base unit



"Easy Corner" equipment with chrome wire internal structure with two baskets and pivoting external structure attached to the door of the base unit with two chrome wire baskets. Available for **110x65** cm corner base unit. Maximum load capacity 28 kg (7 kg per basket).

Code	Description
71016795/96	for H.73 cm base unit
71020317/18	for H.76 cm base unit
71046537/38	for H.80 cm base unit



“Fly Moon Chrome” pull-out baskets for corner base units



"Fly Moon-Chrome" equipment with 2 pull-out baskets with chrome wire sides for corner base unit.
The baskets have a maximum load capacity of 40 kg (20 kg per shelf).

Code	Description
71016833/34	105x60 cm base unit H.73 cm
71016837/38	110x65 cm base unit H.73 cm
71016835/36	120x60 cm base unit H.73 cm
71016839/40	125x65 cm base unit H.73 cm
71016845/46	105x60 cm base unit H.76 cm
71016841/42	110x65 cm base unit H.76 cm
71016847/48	120x60 cm base unit H.76 cm
71016843/44	125x65 cm base unit H.76 cm
71016849/50	110x65 cm base unit H.80 cm
71016851/52	125x65 cm base unit H.80 cm

“Essence Fly Moon” pull-out baskets for corner base units



"Essence Fly Moon" equipment with 2 pull-out baskets with aluminium sides for corner base unit.
The baskets have a maximum load capacity of 40 kg (20 kg per shelf).

Code	Description
71016833/34	105x60 cm base unit H.73 cm
71016837/38	110x65 cm base unit H.73 cm
71016835/36	120x60 cm base unit H.73 cm
71016839/40	125x65 cm base unit H.73 cm
71016845/46	105x60 cm base unit H.76 cm
71016841/42	110x65 cm base unit H.76 cm
71016847/48	120x60 cm base unit H.76 cm
71016843/44	125x65 cm base unit H.76 cm
71016849/50	110x65 cm base unit H.80 cm
71016851/52	125x65 cm base unit H.80 cm



“Essence Fly Moon” pull-out baskets for corner larder units



“Essence Fly Moon” equipment with 2 pull-out baskets for **107 - 122 cm** corner larder unit with **lower door aligned with the base units**. The pull-out baskets have a maximum load capacity of 40 kg (20 kg per shelf).

LH/RH code	Description
71030669/70	107 cm larder unit H. 200 cm
71040819/20	107 cm larder unit H. 206 cm
71049841/42	107 cm larder unit H. 220 cm
71030735/36	122 cm larder unit H. 200 cm
71040863/64	122 cm larder unit H. 206 cm
71049889/90	122 cm larder unit H. 220 cm



“Essence Fly Moon” equipment with **4** pull-out baskets for **107 - 122 cm** corner larder unit with **upper door H.73 cm**. The pull-out baskets have a maximum load capacity of 40 kg (20 kg per shelf).

LH/RH code	Description
71026557/58	107 cm larder unit H. 127 cm
71039305/06	107 cm larder unit H. 133 cm
71048975/46	107 cm larder unit H. 140 cm
71030667/68	107 cm larder unit H. 200 cm
71040815/16	107 cm larder unit H. 206 cm
71049839/40	107 cm larder unit H. 220 cm
71026573/74	122 cm larder unit H. 127 cm
71039353/54	122 cm larder unit H. 133 cm
71048957/58	122 cm larder unit H. 140 cm
71030731/32	122 cm larder unit H. 200 cm
71040861/62	122 cm larder unit H. 206 cm
71049887/88	122 cm larder unit H. 220 cm



“Fly Moon Chrome” pull-out baskets for corner larder units



“Fly Moon Chrome” equipment with **2** pull-out baskets for **107 - 122** cm corner larder unit with **lower door aligned with the base units**.
The pull-out baskets have a maximum load capacity of 40 kg (20 kg per shelf).

LH/RH code	Description
71030669/70	107 cm larder unit H. 200 cm
71040819/20	107 cm larder unit H. 206 cm
71049841/42	107 cm larder unit H. 220 cm
71030735/36	122 cm larder unit H. 200 cm
71040863/64	122 cm larder unit H. 206 cm
71049889/90	122 cm larder unit H. 220 cm



“Fly Moon Chrome” equipment with **4** pull-out baskets for **107 - 122** cm corner larder unit with **upper door aligned with the wall units**.

The pull-out baskets have a maximum load capacity of 40 kg (20 kg per shelf).

LH/RH code	Description
71026557/58	107 cm larder unit H. 127 cm
71039305/06	107 cm larder unit H. 133 cm
71048975/46	107 cm larder unit H. 140 cm
71030667/68	107 cm larder unit H. 200 cm
71040815/16	107 cm larder unit H. 206 cm
71049839/40	107 cm larder unit H. 220 cm
71026573/74	122 cm larder unit H. 127 cm
71039353/54	122 cm larder unit H. 133 cm
71048957/58	122 cm larder unit H. 140 cm
71030731/32	122 cm larder unit H. 200 cm
71040861/62	122 cm larder unit H. 206 cm
71049887/88	122 cm larder unit H. 220 cm



Set of baskets for broom cupboard



Metal basket with four containers.

The system comprises a frame attached to the side panel and baskets hooked onto the frame with small hooks.

The baskets can therefore be dismantled.

Dimensions of individual basket L 48 x D 19 x H 10 cm.

LH/RH code	Description
71030101/02	45 larder unit- H.200 - D.36 cm lower door H.116 cm
71030129/30	45 larder unit- H.200 - D.36 cm lower door H.127 cm
71030103/04	45 larder unit- H.200 - D.36 cm full-length door
71030139/40	45 larder unit- H.200 - D.60 cm lower door H.116 cm
71030137/38	45 larder unit- H.200 - D.60 cm lower door H.127 cm
71030135/36	45 larder unit- H.200 - D.60 cm full-length door
71040159/60	45 larder unit- H.206 - D.36 cm lower door H.133 cm
71040161/62	45 larder unit- H.206 - D.36 cm full-length door
71040209/10	45 larder unit- H.206 - D.60 cm lower door H.133 cm
71040211/12	45 larder unit- H.206 - D.60 cm full-length door
71049407/08	45 larder unit- H.220 - D.36 cm lower door H.140 cm
71049409/10	45 larder unit- H.220 - D.36 cm full-length door
71049419/20	45 larder unit- H.220 - D.60 cm lower door H.140 cm
71049421/22	45 larder unit- H.220 - D.60 cm full-length door
71030235/36	60 larder unit- H.200 - D.60 cm full-length door
71040515/16	60 larder unit- H.206 - D.60 cm full-length door
71030207/08	60 larder unit- H.200 - D.36 cm lower door H.116 cm
71030229/30	60 larder unit- H.200 - D.36 cm lower door H.127 cm
71030209/10	60 larder unit- H.200 - D.36 cm full-length door
71030241/42	60 larder unit- H.200 - D.60 cm lower door H.116 cm
71030237/38	60 larder unit- H.200 - D.60 cm lower door H.127 cm
71040459/60	60 larder unit- H.206 - D.36 cm lower door H.133 cm
71040461/62	60 larder unit- H.206 - D.36 cm full-length door
71040513/14	60 larder unit- H.206 - D.60 cm lower door H.133 cm
71049577/78	60 larder unit- H.220 - D.36 cm lower door H.140 cm
71049579/80	60 larder unit- H.220 - D.36 cm full-length door
71049593/94	60 larder unit- H.220 - D.60 cm lower door H.140 cm
71049595/96	60 larder unit- H.220 - D.60 cm full-length door

"Wineserver" pull-out bottle rack wine cellar



"Wineserver" chrome-finish metal bottle rack wine cellar for **15** cm tall unit.

The wine cellar is equipped with 2 full-extraction runners with "Soft-closing" mechanism (which provides automatic return of the basket with cushioned closing that prevents slamming). Also equipped with 1 pack of 4 bottle retaining partitions and 3 plastic bowls. The anti-tilt wall attachment supplied on the top panel of the larger unit must be fitted to the wall. Maximum load capacity 50 kg distributed evenly.

LH/RH code	Description
71019419/20	15 cm tall unit H. 215 cm
71019421/22	15 cm tall unit H. 245 cm



Larder unit with inner drawers and pull-out inner baskets




The drawers and baskets are equipped with the Blumotion return system, a mechanism providing automatic return with cushioned closing of the drawer and basket that prevents slamming.

Maximum load capacity 40 kg per drawer/basket.

N.B. The drawers and baskets are available in Silver and Anthracite versions.

The aesthetics of the baskets varies according to the choice; they are available in the Pure version (like those pictured) or in the Boxcover version (with sides in metal/Smoked glass).

Silver version



Anthracite version



LH/RH code	Description
71030355/56	45 cm larder unit H.200 cm
71040245/46	45 cm larder unit H.206 cm
71049455/56	45 cm larder unit H.220 cm
71030357/58	60 cm larder unit H.200 cm
71040551/52	60 cm larder unit H.206 cm
71049631/32	60 cm larder unit H.220 cm
71049793/4	75 cm larder unit H.220 cm

Larder unit with inner drawers and pull-out inner baskets



The drawers and baskets are equipped with the Blumotion return system, a mechanism providing automatic return with cushioned closing of the drawer and basket that prevents slamming. Maximum load capacity 40 kg per drawer/basket.
N.B. The drawers and baskets are available in Silver and Anthracite versions.
The aesthetics of the baskets varies according to the choice; they are available in the Pure version (like those pictured) or in the Boxcover version (with sides in metal/Smoked glass).

Silver version



Anthracite version



LH/RH code	Description
71030051	30 cm larder unit H.200 cm (full-length door)
71030055	30 cm larder unit H.200 cm
71030053/4	30 cm larder unit H.200 cm
71040069	30 cm larder unit H.206 cm
71040071/72	30 cm larder unit H.206 cm
71030183/84	45 cm larder unit H.200 cm
71040255	45 cm larder unit H.206 cm
71040257/58	45 cm larder unit H.206 cm
71030341/42	60 cm larder unit H.200 cm
71040563/64	60 cm larder unit H.206 cm
71040561	60 cm larder unit H.206 cm



105x105 cm corner storage cupboard



105x105 cm corner storage cupboard with Chrome wire inner equipment.





The equipment can be fitted on both sides of the cabinet.



LH/RH code	Description
71030689/90	Larder unit H. 200 cm upper door H.73 cm
71030693/94	Larder unit H. 200 cm lower door H.73 cm
71030691/92	Larder unit H. 200 cm full-length door
71040901/02	Larder unit H. 206 cm upper door H.73 cm
71040903/04	Larder unit H. 206 cm lower door H.73 cm
71040905/06	Larder unit H. 206 cm full-length door
71049921/22	Larder unit H. 220 cm upper door H.80 cm
71049923/24	Larder unit H. 220 cm lower door H.80 cm
71049925/26	Larder unit H. 220 cm full-length door
71031689/90	Larder unit H. 230 cm upper door H.73 cm
71031693/94	Larder unit H. 230 cm lower door H.73 cm
71031691/92	Larder unit H. 230 cm full-length door
71040921/22	Larder unit H. 236 cm upper door H.73 cm
71040923/24	Larder unit H. 236 cm lower door H.73 cm
71040925/96	Larder unit H. 236 cm full-length door
71049927/28	Larder unit H. 260 cm upper door H.80 cm
71049929/30	Larder unit H. 260 cm lower door H.80 cm
71049931/32	Larder unit H. 260 cm full-length door



Chrome wire inner equipment for larder unit

Description	Drawing
4 Shelves in structure-colour decorative melamine, with aluminium front profile (load capacity 35 kg per shelf)	
1 chrome wire accessory and vacuum cleaner organiser (load capacity 9 kg)	
4 chrome wire accessory storage baskets (load capacity 12 kg)	
5 chrome wire multi-purpose hooks (load capacity 10 kg)	



Storage cupboard



Storage cupboard to be equipped as needed:

- shelves on shelf brackets D.25 or 56 cm
- shelves on rack D.30 cm
- drier support shelf

We recommend you insert the Crop LED lamps.

Picture **A** shows the equipment with shelves on shelf brackets; picture



B shows the equipment with shelves on rack; picture **C** shows the equipment with drier support shelf.









Storage cupboard shelf bracket detail








LH/RH code	Description	Drawing
71051001/02	Storage cupboard with 60 cm door - L.122x60 cm H.227 cm for plinth H.7 cm	
71051071/72	Storage cupboard with 60 cm door - L.122x74 cm H.227 cm for plinth H.7 cm	
71051011/12	Storage cupboard with 60 cm door - L.135x60 cm H.227 cm for plinth H.7 cm	
71051081/82	Storage cupboard with 60 cm door - L.135x74 cm H.227 cm for plinth H.7 cm	
71041931/32	Storage cupboard with 60 cm door - L.122x60 cm H.216 cm for plinth H.10 cm	
71041991/92	Storage cupboard with 60 cm door - L.122x74 cm H.216 cm for plinth H.10 cm	
71041941/42	Storage cupboard with 60 cm door - L.135x60 cm H.216 cm for plinth H.10 cm	
71042001/02	Storage cupboard with 60 cm door - L.135x74 cm H.216 cm for plinth H.10 cm	
71041961/62	Storage cupboard with 60 cm door - L.122x60 cm H.221 cm for plinth H.15 cm	
71042021/22	Storage cupboard with 60 cm door - L.122x74 cm H.221 cm for plinth H.15 cm	
71041971/72	Storage cupboard with 60 cm door - L.135x60 cm H.221 cm for plinth H.15 cm	
71042031/32	Storage cupboard with 60 cm door - L.135x74 cm H.221 cm for plinth H.15 cm	
71051031/32	Storage cupboard with 60 cm door - L.122x60 cm H.230 cm for plinth H.10 cm	
71051101/02	Storage cupboard with 60 cm door - L.122x74 cm H.230 cm for plinth H.10 cm	
71051041/42	Storage cupboard with 60 cm door - L.135x60 cm H.230 cm for plinth H.10 cm	
71051111/12	Storage cupboard with 60 cm door - L.135x74 cm H.230 cm for plinth H.10 cm	
71041933/34	Storage cupboard with 75 cm door - L.137x60 cm H.216 cm for plinth H.10 cm	
71041993/94	Storage cupboard with 75 cm door - L.137x74 cm H.216 cm for plinth H.10 cm	
71041943/44	Storage cupboard with 75 cm door - L.150x60 cm H.216 cm for plinth H.10 cm	
71042003/04	Storage cupboard with 75 cm door - L.150x74 cm H.216 cm for plinth H.10 cm	
71041963/64	Storage cupboard with 75 cm door - L.137x60 cm H.221 cm for plinth H.15 cm	
71042023/24	Storage cupboard with 75 cm door - L.137x74 cm H.221 cm for plinth H.15 cm	
71041973/74	Storage cupboard with 75 cm door - L.150x60 cm H.221 cm for plinth H.15 cm	
71042033/34	Storage cupboard with 75 cm door - L.150x74 cm H.221 cm for plinth H.15 cm	
71051003/04	Storage cupboard with 75 cm door - L.137x60 cm H.227 cm for plinth H.7 cm	
71051073/74	Storage cupboard with 75 cm door - L.137x74 cm H.227 cm for plinth H.7 cm	
71051013/14	Storage cupboard with 75 cm door - L.150x60 cm H.227 cm for plinth H.7 cm	
71051083/84	Storage cupboard with 75 cm door - L.150x74 cm H.227 cm for plinth H.7 cm	
71051033/34	Storage cupboard with 75 cm door - L.137x60 cm H.230 cm for plinth H.10 cm	
71051103/04	Storage cupboard with 75 cm door - L.137x74 cm H.230 cm for plinth H.10 cm	
71051043/44	Storage cupboard with 75 cm door - L.150x60 cm H.230 cm for plinth H.10 cm	
71051113/14	Storage cupboard with 75 cm door - L.150x74 cm H.230 cm for plinth H.10 cm	
71041935/36	Storage cupboard with two 45 cm doors - L.152x60 cm H.216 cm for plinth H.10 cm	
71041995/96	Storage cupboard with two 45 cm doors - L.152x74 cm H.216 cm for plinth H.10 cm	
71041945/46	Storage cupboard with two 45 cm doors - L.165x60 cm H.216 cm for plinth H.10 cm	
71042005/06	Storage cupboard with two 45 cm doors - L.165x74 cm H.216 cm for plinth H.10 cm	
71041965/66	Storage cupboard with two 45 cm doors - L.152x60 cm H.221 cm for plinth H.15 cm	
71042025/26	Storage cupboard with two 45 cm doors - L.152x74 cm H.221 cm for plinth H.15 cm	
71041975/76	Storage cupboard with two 45 cm doors - L.165x60 cm H.221 cm for plinth H.15 cm	
71042035/36	Storage cupboard with two 45 cm doors - L.165x74 cm H.221 cm for plinth H.15 cm	
71051005/06	Storage cupboard with two 45 cm doors - L.152x60 cm H.227 cm for plinth H.7 cm	
71051075/76	Storage cupboard with two 45 cm doors - L.152x74 cm H.227 cm for plinth H.7 cm	
71051015/16	Storage cupboard with two 45 cm doors - L.165x60 cm H.227 cm for plinth H.7 cm	
71051085/86	Storage cupboard with two 45 cm doors - L.165x74 cm H.230 cm for plinth H.10 cm	
71051035/36	Storage cupboard with two 45 cm doors - L.152x60 cm H.230 cm for plinth H.10 cm	
71051105/06	Storage cupboard with two 45 cm doors - L.152x74 cm H.230 cm for plinth H.10 cm	
71051045/46	Storage cupboard with two 45 cm doors - L.165x60 cm H.230 cm for plinth H.10 cm	
71051115/16	Storage cupboard with two 45 cm doors - L.165x74 cm H.230 cm for plinth H.10 cm	



LH/RH code	Description	Drawing
75063993	Larder unit side facing panel 2.2 cm thick H.216 - D.58.6 cm	
75063861/2	Larder unit side facing panel 2.2 cm thick H.216 - D.73.5 cm	
75063995	Larder unit side facing panel 2.2 cm thick H.221 - D.58.6 cm	
75063863/4	Larder unit side facing panel 2.2 cm thick H.221 - D.73.5 cm	
75063943	Larder unit side facing panel 2.2 cm thick H.227 - D.58.6 cm	
75063929	Larder unit side facing panel 2.2 cm thick H.227 - D.73.5 cm	
75063944	Larder unit side facing panel 2.2 cm thick H.230 - D.58.6 cm	
75063931	Larder unit side facing panel 2.2 cm thick H.230 - D.73.5 cm	
75063947	Larder unit side facing panel 2.2 cm thick H.30 - D.58.6 cm	
75063948	Larder unit side facing panel 2.2 cm thick H.30 - D.73.5 cm	
75063946	Larder unit side facing panel 2.2 cm thick H.40 - D.58.6 cm	
75063945	Larder unit side facing panel 2.2 cm thick H.40 - D.73.5 cm	
75061365	Linear storage shelf D.25 cm	
75061366	Linear storage shelf D.30 cm	
75061367	Linear storage shelf D.56 cm	
75061368	Linear storage partition D.56 cm	
31107612	Storage cupboard shelf bracket	



LH/RH code	Description	Drawing
31107613	Rack for storage cupboard shelf support	
31107614	Shelf bracket for storage cupboard rack	
31107615	3-tier vacuum cleaner holder	
3110761	Miscellaneous hooks	
31107617	Accessory storage basket	



Dresser for 90 cm base unit



Equipped beech dresser complete with:
 1 rolling pin
 3 kitchen roll holders
 1 magnetic knife rack
 1 plywood chopping board



Code	Description
71016245	90 cm base unit H. 73 cm
71046381	90 cm base unit H. 80 cm




SUPPORTS



“Blend” breakfast bench support



“Blend” breakfast bench support, **Vintage Oak veneered**.
Maximum load capacity 80 kg.




Code	Width (L)	Height (H base unit + H plinth)
75086440	68 cm	71.9 cm (61.9+10) H.table
75086441	68 cm	83.4 cm (73.4+10 / 76.4+7) H.brk.bch.
75086442	68 cm	86.4 cm (76.4+10) H.breakfast bench
75086443	68 cm	88.4 cm (73.4+15) H.breakfast bench
75086444	68 cm	91.4 cm (76.4+15) H.breakfast bench



“Clever” breakfast bench support



“Clever” breakfast bench support in **matt White, matt Black, Bronze, Grey and Brass painted metal.**
Maximum load capacity 80 kg.



Code	Width (L)	Height (H)
75086895	65 cm	70 - 93 cm




“Flux Swing” breakfast bench support



“Flux Swing” breakfast bench support in **metallic Grey or Grey painted metal**.

N.B. the top must protrude between 70 and 100 cm from the element before the support.
Maximum load capacity 50 kg.




Code	Width (L)	Height (H)
75020222	61 cm	71.9 cm (table height)

“Hold Up” breakfast bench support

Support resting on the front of base units



“Hold Up” breakfast bench support in **matt White, matt Black** or **warm Grey painted metal**.
Maximum load capacity 80 kg.




Code	Width (L)	Height (H base unit + H plinth)
75086086	70 cm	71.9 cm (61.9+10) H.table
75086087	90 cm	71.9 cm (61.9+10) H.table
75086076	70 cm	83.4 cm (73.4+10 / 76.4+7) H.brk.bch.
75086077	90 cm	83.4 cm (73.4+10 / 76.4+7) H.brk.bch.
75086080	70 cm	86.4 cm (76.4+10) H.breakfast bench
75086081	90 cm	86.4 cm (76.4+10) H.breakfast bench
75086078	70 cm	88.4 cm (73.4+15) H.breakfast bench
75086079	90 cm	88.4 cm (73.4+15) H.breakfast bench
75086082	70 cm	91.4 cm (76.4+15) H.breakfast bench
75086083	90 cm	91.4 cm (76.4+15) H.breakfast bench

Support with extending supports



“Hold Up” breakfast bench support in **matt White, Black** or **warm Grey painted metal**.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H base unit + H plinth)
75086084	70 cm	71.9 cm (61.9+10) H.table
75086085	90 cm	71.9 cm (61.9+10) H.table
75086068	70 cm	83.4 cm (73.4+10 / 76.4+7) H.brk.bch.
75086069	90 cm	83.4 cm (73.4+10 / 76.4+7) H.brk.bch.
75086072	70 cm	86.4 cm (76.4+10) H.breakfast bench
75086073	90 cm	86.4 cm (76.4+10) H.breakfast bench
75086070	70 cm	88.4 cm (73.4+15) H.breakfast bench
75086071	90 cm	88.4 cm (73.4+15) H.breakfast bench
75086074	70 cm	91.4 cm (76.4+15) H.breakfast bench
75086075	90 cm	91.4 cm (76.4+15) H.breakfast bench



“Hold Up +” breakfast bench support




“Hold Up +” breakfast bench support in **matt White, matt Black or warm Grey painted metal.**

The fixed size of the top when it is not extended is 72.5 cm for tops with a depth of 60 cm; for tops with a depth of 58.8 cm, the size is 71.3 cm.

N.B. It can be fitted on the side of base units or against the wall; it cannot be fitted on the front of a base unit.

Available for 2, 3 and 4 cm thick laminate tops.

Maximum load capacity 80 kg.




Code	Width (L)	Height (H base unit + H plinth)	Description
75086851	68.7 cm	70 cm (60+10) H.table	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086852	68.7 cm	71.9 cm (61.9+10) H.table	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086853	68.7 cm	83.4 cm (73.4+10 / 76.4+7) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086854	68.7 cm	86.4 cm (76.4+10) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086896	68.7 cm	87 cm (80+7) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086855	68.7 cm	88.4 cm (73.4+15) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086856	68.7 cm	90 cm (80+10) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086857	68.7 cm	91.4 cm (76.4+15) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
77080970	68.7 cm		pack of 56.5 cm extensions
75086861	95.3 cm	70 cm (60+10) H.table	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086862	95.3 cm	71.9 cm (61.9+10) H.table	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086863	95.3 cm	83.4 cm (73.4+10 / 76.4+7) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086864	95.3 cm	86.4 cm (76.4+10) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086897	95.3 cm	87 cm (80+7) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086865	95.3 cm	88.4 cm (73.4+15) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086866	95.3 cm	90 cm (80+10) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086867	95.3 cm	91.4 cm (76.4+15) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
77080972	95.3 cm		pack of 56.5 cm extensions
75086871	71.1 cm	70 cm (60+10) H.table	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086872	71.1 cm	71.9 cm (61.9+10) H.table	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086873	71.1 cm	83.4 cm (73.4+10 / 76.4+7) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086874	71.1 cm	86.4 cm (76.4+10) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086898	71.1 cm	87 cm (80+7) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086875	71.1 cm	88.4 cm (73.4+15) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086876	71.1 cm	90 cm (80+10) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086877	71.1 cm	91.4 cm (76.4+15) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 60 cm
77080971	71.1 cm		pack of 57.7 cm extensions
75086881	97.7 cm	70 cm (60+10) H.table	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086882	97.7 cm	71.9 cm (61.9+10) H.table	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086883	97.7 cm	83.4 cm (73.4+10 / 76.4+7) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086884	97.7 cm	86.4 cm (76.4+10) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086899	97.7 cm	87 cm (80+7) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086885	97.7 cm	88.4 cm (73.4+15) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086886	97.7 cm	90 cm (80+10) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086887	97.7 cm	91.4 cm (76.4+15) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm



“Levity” glass breakfast bench support



“Levity” **glass** breakfast bench support.
Maximum load capacity 80 kg.




Code	Width (L)	Height (H base unit + H plinth)
75086888	55 cm	70 cm (60+10) H.table
75086890	70 cm	70 cm (60+10) H.table
75086711	55 cm	71.9 cm (61.9+10) H.table
75086712	70 cm	71.9 cm (61.9+10) H.table
75086713	55 cm	83.4 cm (73.4+10 / 76.4+7) H.breakfast bench
75086714	70 cm	83.4 cm (73.4+10 / 76.4+7) H.breakfast bench
75086715	55 cm	86.4 cm (76.4+10) / 87 cm (80+7) H.breakfast bench
75086716	70 cm	86.4 cm (76.4+10) / 87 cm (80+7) H.breakfast bench
75086717	55 cm	88.4 cm (73.4+15) H.breakfast bench
75086718	70 cm	88.4 cm (73.4+15) H.breakfast bench
75086889	55 cm	90 cm (80+10) H.breakfast bench
75086891	70 cm	90 cm (80+10) H.breakfast bench
75086719	55 cm	91.4 cm (76.4+15) H.breakfast bench
75086720	70 cm	91.4 cm (76.4+15) H.breakfast bench

“Mizu” breakfast bench support



“Mizu” breakfast bench support, available in **Steel**, **Quarz**, **Porcelain Stoneware** or wood particle board panel covered in **Laminate**.

Maximum load capacity 80 kg.




Code	Width (L)	Height (H)
77081851	70 cm	H.max 100 cm

Support for “Motus” table

Metal support



Support for “Motus” table in **White, Black or Grey painted metal** with extending metal supports measuring from **118.4 to 178.4 cm**.
Maximum load capacity 80 kg.




Code	Width (L)	Height (H)
75086380	70 cm	69.5 cm

Wooden support



Support for “Motus” table veneered in **Coal Oak SCAV936 or Natural Oak** with extending wooden supports measuring from **112.8 to 172.8 cm**.
Maximum load capacity 80 kg.




Code	Width (L)	Height (H)
75087121	70 cm	69.5 cm

Pack of 2 legs for "Motus" table

Pack of 2 metal legs



Pack of 2 legs **H.69.5 cm** for "Motus" table with 2 corners to fix the top, in **matt White, matt Grey or matt Black painted metal**.




Code	Height (H)
75086381	69.5 cm

Pack of 2 wooden legs



Pack of 2 legs **H.69.5 cm** for "Motus" table with 1 or 2 corners to fix the top, veneered in **Coal Oak SCAV936 or Natural Oak**.



Code	Height (H)
75087121	69.5 cm




“Network” breakfast bench support

Resting on the front of the base units



Breakfast bench support in **matt White or warm Grey painted metal**.
Maximum load capacity 80 kg.




Code	Width (L)	Height (H base unit + H plinth)
75086397	70 cm	71.9 cm (61.9+10) H.table
75086398	90 cm	71.9 cm (61.9+10) H.table
75086389	70 cm	83.4 cm (73.4+10 / 76.4+7) H.brk.bch.
75086390	90 cm	83.4 cm (73.4+10 / 76.4+7) H.brk.bch.
75086393	70 cm	86.4 cm (76.4+10) H.breakfast bench
75086394	90 cm	86.4 cm (76.4+10) H.breakfast bench
75086391	70 cm	88.4 cm (73.4+15) H.breakfast bench
75086392	90 cm	88.4 cm (73.4+15) H.breakfast bench
75086395	70 cm	91.4 cm (76.4+15) H.breakfast bench
75086396	90 cm	91.4 cm (76.4+15) H.breakfast bench

With extending supports



Breakfast bench support in **matt White or warm Grey painted metal**.
Maximum load capacity 80 kg.




Code	Width (L)	Height (H base unit + H plinth)
75086414	70 cm	71.9 cm (61.9+10) H.table
75086415	90 cm	71.9 cm (61.9+10) H.table
75086406	70 cm	83.4 cm (73.4+10 / 76.4+7) H.brk.bch.
75086407	90 cm	83.4 cm (73.4+10 / 76.4+7) H.brk.bch.
75086410	70 cm	86.4 cm (76.4+10) H.breakfast bench
75086411	90 cm	86.4 cm (76.4+10) H.breakfast bench
75086408	70 cm	88.4 cm (73.4+15) H.breakfast bench
75086409	90 cm	88.4 cm (73.4+15) H.breakfast bench
75086412	70 cm	91.4 cm (76.4+15) H.breakfast bench
75086413	90 cm	91.4 cm (76.4+15) H.breakfast bench

“Network” intermediate support



“Network” intermediate support in **matt White** or **warm Grey painted metal**.




Code	Width (L)	Height (H)
75086399	70 cm	32.7 cm
75086400	90 cm	32.7 cm
75086401	70 cm	35.7 cm
75086402	90 cm	35.7 cm

“Network” universal top support



“Network” universal breakfast bench support, 4 cm thick,
Only available in **Essenziale White**, **Natura Ash**, **Hono Elm** and **Kuuki Elm** laminate.
Length per cm.




Code	Height (H)
77081825	24 cm



“Podium” breakfast bench support



“Podium” breakfast bench support in **matt White, matt Black or Chrome-finish painted metal.**
Maximum load capacity 80 kg.



Code	Width (L)	Height (H)
75086331	8 cm	70-97 cm




“Slender” breakfast bench support

Support with one leg



“Slender” breakfast bench support with **single leg** in **Satin finish Nickel** or **Bronze** finish metal.
Diameter 5.5 cm.
 Maximum load capacity 80 kg.




Code	Height (H)
75020335	72 cm

Support with two legs



“Slender” breakfast bench support with **double leg** in **Satin finish Nickel** finish metal.
Diameter 5.5 cm.
 Maximum load capacity 80 kg.




Code	Width (L)	Height (H)
75086455	70 cm	70/91.5 cm
75086456	90 cm	70/91.5 cm



“Sloper” breakfast bench support



Breakfast bench support in **Matt White, matt Black or warm Grey** painted metal.
Maximum load capacity 80 kg.




Code	Width (L)	Height (H base unit + H plinth)
75086332	60 cm	71.9 cm (61.9+10) H.table
75086333	80 cm	71.9 cm (61.9+10) H.table
75086334	60 cm	83.4 cm (73.4+10 / 76.4+7) H.brk.bch.
75086335	80 cm	83.4 cm (73.4+10 / 76.4+7) H.brk.bch.
75086336	60 cm	86.4 cm (76.4+10) H.breakfast bench
75086337	80 cm	86.4 cm (76.4+10) H.breakfast bench
75086338	60 cm	88.4 cm (73.4+15) H.breakfast bench
75086339	80 cm	88.4 cm (73.4+15) H.breakfast bench
75086340	60 cm	91.4 cm (76.4+15) H.breakfast bench
75086341	80 cm	91.4 cm (76.4+15) H.breakfast bench



“Summit” breakfast bench support



Breakfast bench support in **mat Black or Titanium** painted metal.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H base unit + H plinth)
75087179	70.3 cm	87 cm (80+7)
75087180	70.3 cm	90 cm (80+10)



“Telescope” breakfast bench support

Aluminium support




“Telescope” **Aluminium** or **Black** breakfast bench support.

Leg diameter 11 cm

Foot diameter 12.6 cm

Plate diameter 23.3 cm

Maximum load capacity 80 kg.



Code	Height
75020203	H.69-91,5 cm

Black support




“Infratop” support for 95x95 cm table



“Infratop” support in **matt White, warm Grey or matt Black painted metal.**

N.B. Only available for composition with plinth H.10 cm



Code
75086140

WASHING AREAS



Pack of 2 filters for tap set connection



Pack of 2 filters for tap set connection.


N.B. Supplied in the Nuvola twin-command set.

Code
41000581

Metal waste bin



Round Steel waste bin with plastic buckets, 12-litre capacity. Opens with the door.




Code
31100349

Plastic waste bin



Metallic grey plastic waste bin, 13-litre capacity.
Opens with the door.




Code
31100347

Sliding waste bin



Sliding waste bin with two 14-litre containers.
Manual opening.




Code
31100354



“Host 222” sliding waste bin




Sliding waste bin with two 21-litre containers.
Manual opening.




Code
31107028

“Host 500” sliding metal waste bin



Sliding stainless steel waste bin with two 21-litre containers.
Opens with the door.
The waste bin is supplied with an additional separating element to
create two containers of 10.5 litres each.
Lid suitable for storing gloves and sponges.



Code
31107029




“Host 550” sliding waste bin



Sliding waste bin with two 35-litre containers.
Manual opening.
Internal lid secured to the base unit side panels.
The tray is supplied with a central storage compartment.

N.B. Cannot be installed in sink base units.




Code
31107030

Sliding metal waste bin



Sliding Stainless Steel waste bin with two 17-litre containers.
Opens with the door.



Code
31100361




“Home” sliding waste bin



Sliding waste bin with one 40-litre container.
Manual opening.

N.B. Can be installed in base units of minimum 30 cm in size




Code
31109162

“Swing 2.0” sliding waste bin



Sliding waste bin with one 12-litre container.
Opens with the door.

N.B. When the waste bin opens, the lid is raised, thereby increasing its size.





Code
31109165



105-110-120-125 cm corner sink base unit with “Dividenda” pull-out waste bin



- Waste bin for **105 - 110** cm corner base unit comprising:
- 3 waste bin buckets (two 15-litre L.29- D.22- H.27.7 cm and one 6-litre L.21.5- D.14 - H.27.7 cm)
 - 1 sponge tidy
 - 1 detergent tidy
- Waste bin for **120 - 125** cm corner base unit comprising:
- 4 waste bin buckets (two 15-litre L.29- D.22- H.27.7 cm and two 6-litre L.21.5- D.14- H.27.7 cm)
 - 2 sponge tidies
 - 2 detergent tidies



Code	Size
71017747/8	for 105 cm base unit H.73 cm
71017751/2	for 105 cm base unit H.73 cm
71020387/8	for 105 cm base unit H.76 cm
71017755/6	for 110 cm base unit H.73 cm
71019135/6	for 110 cm base unit H.73 cm
71020743/4	for 110 cm base unit H.76 cm
71047163/4	for 110 cm base unit H.80 cm
71017749/50	for 120 cm base unit H.73 cm
71017753/4	for 120 cm base unit H.73 cm
71020389/90	for 120 cm base unit H.76 cm
71017757/8	for 125 cm base unit H.73 cm
71019137/8	for 125 cm base unit H.73 cm
71020757/8	for 125 cm base unit H.76 cm
71047183/4	for 125 cm base unit H.80 cm



“9XL” waste bin for sink base unit with 2 pull-out baskets

“9XL” waste bin for 60 cm sink base unit



H.20.7 cm comprising:

- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- one 20-litre container
- one 9-litre container

N.B. The height of the containers is 20.7 cm, making the total height including the lid 23 cm.

H.27.7 cm comprising:

- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- one 26-litre container
- one 11-litre container

N.B. The height of the containers is 27.7 cm, making the total height including the lid 30 cm.

N.B. This waste bin can only be installed in the sink base unit with pull-out basket.



Code	Type	Notes	Drawing
31108486	Without partitions		
31109170	Without partitions	Cannot be installed in models with double recessed grip profile	

Photo without upper basket to highlight the closing lid



“9XL” waste bin for 75 cm sink base unit



H.20.7 cm comprising:

- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- one 20-litre container
- two 9-litre containers

N.B. The height of the containers is 20.7 cm, making the total height including the lid 23 cm.

H.27.7 cm comprising:

- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- one 26-litre container
- two 11-litre containers

N.B. The height of the containers is 27.7 cm, making the total height including the lid 30 cm.

N.B. This waste bin can only be installed in the sink base unit with pull-out basket.

Code	Type	Notes	Drawing
31109434	Without partitions		
31109435	Without partitions	Cannot be installed in <u>models with double recessed grip profile</u>	

Photo without upper basket to highlight the closing lid



“9XL” waste bin for 90 cm sink base unit



H.20.7 cm comprising:

- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- two 20-litre containers
- one 9-litre container
- adjustable partitions

N.B. The height of the containers is 20.7 cm, making the total height including the lid 23 cm.

H.27.7 cm comprising:

- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- two 26-litre containers
- one 11-litre container
- adjustable partitions

N.B. The height of the containers is 27.7 cm, making the total height including the lid 30 cm.

N.B. This waste bin can only be installed in the sink base unit with pull-out basket.

Code	Type	Notes	Drawing
31108487	without partitions		
31108488	with partitions		
31109171	without partitions	<u>Cannot be installed in models with double recessed grip profile</u>	
31109172	with partitions	<u>Cannot be installed in models with double recessed grip profile</u>	

Photo without upper basket to highlight the closing lid



Detail of adjustable partitions



“9XL” waste bin for 120 cm sink base unit



- H.20.7 cm** comprising:
- 1 shaped container/accessory holder bottom
 - 1 automatic lid fixed to the cabinet side panels for use as a support top
 - three 20-litre containers
 - one 9-litre container
 - adjustable partitions

N.B. The height of the containers is 20.7 cm, making the total height including the lid 23 cm.

- H.27.7 cm** comprising:
- 1 shaped container/accessory holder bottom
 - 1 automatic lid fixed to the cabinet side panels for use as a support top
 - three 26-litre containers
 - one 11-litre container
 - adjustable partitions

N.B. The height of the containers is 27.7 cm, making the total height including the lid 30 cm.

N.B. This waste bin can only be installed in the sink base unit with pull-out basket.



Code	Type	Notes	Drawing
31108489	With parti-tions		
31109173	With parti-tions	Cannot be installed in models with double recessed grip profile	

Photo without upper basket to highlight the closing lid



Detail of adjustable partitions



“Basic Superior Stainless Steel” waste bin for 60 cm sink base unit with 2 pull-out baskets




Waste bin comprising:

- 1 shaped container holder bottom
- one 19-litre container
- one 8.5-litre container
- one 8.5-litre container with grid/filter lid
- 3 manual opening lids

Manual opening with lids covered with satin finish Stainless steel with anti-fingerprint treatment.

N.B. This waste bin can only be installed in the sink base unit with pull-out basket.



Code
31109252

“Linear Superior Stainless Steel” waste bin for 90 cm sink base unit with 2 pull-out baskets




Waste bin comprising:

- 1 shaped container/accessory holder bottom
- one 19-litre container
- one 8.5-litre container
- one 8.5-litre container with grid/filter lid
- 3 manual opening lids
- 2 accessory bowls

Manual opening with lids covered with satin finish Stainless steel with anti-fingerprint treatment.

N.B. This waste bin can only be installed in the sink base unit with pull-out basket.



Code
31109253



“Linear Superior Stainless Steel” waste bin for 120 cm sink base unit with 2 pull-out baskets




Waste bin comprising:

- 1 shaped container/accessory holder bottom
- two 19-litre containers
- one 8.5-litre container with grid/filter lid
- 3 manual opening lids
- 3 accessory bowls

Manual opening with lids covered with satin finish Stainless steel with anti-fingerprint treatment.

N.B. This waste bin can only be installed in the sink base unit with pull-out basket.



Code
31109254


“Multi” waste bin for 90 cm sink base unit with 2 pull-out baskets



Waste bin comprising:

- two 26-litre containers
- one 11-litre container
- 3 manual opening lids

N.B. This waste bin can only be installed in the sink base unit with pull-out basket.



Code
31109440



Built-in "Grab 2.0" pull-out waste bin for 30 cm base unit



Built-in waste bin for **30 cm** base unit comprising:

- one 42-litre container (L.22.5- D.42- H.50 cm)
- 1 automatic lid fixed to the cabinet side panels for use as a support top

The waste bin is available for base units H.73-76- 80 cm. Equipped with the Blumotion closing system that ensures cushioned closing of the door.

Code	Description
71015161	base unit H. 73 cm
71015163	RH base unit H. 73 cm
71015164	LH base unit H. 73 cm
71020067	base unit H. 76 cm
71046125	base unit H. 80 cm

Built-in "Grab 2.0" pull-out waste bin for 45 cm base unit



Built-in waste bin for **45 cm** base unit comprising:

- two 29-litre containers (L.30.4- D.22.5- H.46 cm)
- 1 automatic lid fixed to the cabinet side panels for use as a support top

The waste bin is available for base units H.73-76- 80 cm. Equipped with the Blumotion closing system that ensures cushioned closing of the door.

Code	Description
71015445	base unit H. 73 cm
71015447	RH base unit H. 73 cm
71015448	LH base unit H. 73 cm
71020119	base unit H. 76 cm
71046239	base unit H. 80 cm



Built-in "Grab 2.0" pull-out waste bin for 60 cm base unit



Built-in waste bin for **60 cm** base unit comprising:

- two 42-litre containers (L.42- D.22.5- H.50 cm)
- 1 automatic lid fixed to the cabinet side panels for use as a support top

The waste bin is available for base units H.73-76- 80 cm. Equipped with the Blumotion closing system that ensures cushioned closing of the door.

Code	Description
71015850	base unit H. 73 cm
71020193	base unit H. 76 cm
71046270	base unit H. 80 cm

Built-in "Grab 2.0" pull-out waste bin for 75 cm base unit



Built-in waste bin for **75 cm** base unit comprising:

- four 29-litre containers (L.30.4- D.22.5- H.46 cm)
- 1 automatic lid fixed to the cabinet side panels for use as a support top

The waste bin is available for base units H.80 cm. Equipped with the Blumotion closing system that ensures cushioned closing of the door.

Code	Description
71047133	base unit H. 80 cm



“Block 2.0” sliding pull-out bin for 30 cm base unit



Built-in waste bin for 30 cm base unit comprising:

- one 8-litre container (**L.22.5 - D.15 - H.34 cm**)
- one 18-litre container (**L.22.5 - D.30 - H.34 cm**)
- two 10-litre containers (**L.22.5 - D.22.5 - H.28 cm**)

The waste bin is available for base units H.73-76- 80 cm. Equipped with the Blumotion closing system that ensures cushioned closing of the door.



Code	Description
71015157	base unit H. 73 cm
71015159	RH base unit H. 73 cm
71015160	LH base unit H. 73 cm
71020065	base unit H. 76 cm
71046123	base unit H. 80 cm

“Block 2.0” sliding pull-out bin for 45 cm base unit



Built-in waste bin for 45 cm base unit comprising:

- three 12-litre containers (**L.30 - D.15 - H.34 cm**)
- two 15-litre containers (**L.30 - D.22.5 - H.28 cm**)

The waste bin is available for base units H.73-76- 80 cm. Equipped with the Blumotion closing system that ensures cushioned closing of the door.



Code	Description
71015441	base unit H. 73 cm
71015443	RH base unit H. 73 cm
71015444	LH base unit H. 73 cm
71020109	base unit H. 76 cm
71046209	base unit H. 80 cm



Built-in "Simple 2.0" pull-out waste bin for 60 cm sink base unit



Built-in waste bin for 60 cm sink base unit comprising:

- one 19-litre container (**L.19.8 - D.29.8 - H.44 cm**)
- one 17-litre container (**L.19.8 - D.22.2 - H.44 cm**)
- one 12-litre container (**L.39.6 - D.22.2 - H.29 cm**)
- shaped bottom

Internal lid secured to the base unit side panels. Lid for food waste container with odour filter.

The waste bin is available for base units H.73-76- 80 cm.


Equipped with the Blumotion closing system that ensures cushioned closing of the door.

Code	Description
71017569	base unit H. 73 cm
71026035	base unit H. 76 cm
71046989	base unit H. 80 cm

Sliding waste bin for 90x90 cm corner sink base unit



Sliding waste bin with one 13-litre container
Manual opening.




Code
31100350



HOOD ACCESSORIES




Air outlet styling accessories



Code	Description	Drawing
4100685	60 cm Ø 12.5 cm circular pipe	
41001556	100 cm Ø 12.5 cm circular pipe	



Code	Description	Drawing
41001536	150 cm rectangular pipe	



Code	Description	Drawing
41001537	150 cm Ø 12.7 cm flexible hose	



Code	Description	Drawing
41001540	Rectangular pipe clip.	







Code	Description	Drawing
41001536	Ø 12.5 cm white finishing flange.	



Code	Description	Drawing
41001542	Circular-rectangular vertical 90° elbow.	



Code	Description	Drawing
41001546	Rectangular pipe joint.	



Code	Description	Drawing
41001543	Rectangular vertical 90° elbow.	



Air outlet styling accessories



Code	Description	Drawing
41001544	Rectangular horizontal 90° elbow.	



Code	Description	Drawing
41001545	Rectangular-circular pipe corner joining element.	




Code	Description	Drawing
41001547	Rectangular-circular pipe joint.	




Code	Description	Drawing
41001548	Rectangular wall joint.	





Code	Description	Drawing
41001551	Ø 12.5 cm - Ø 10 cm circular pipe joint	



Code	Description	Drawing
41001552	Circular vertical 90° elbow.	



Code	Description	Drawing
41001539	Rectangular external directed grid.	




Code	Description	Drawing
41001538	Ø 12.5 cm circular external directed grid.	



ACCESSORIES FOR WALL UNITS, BASE UNITS AND LARDER UNITS



Pull-out baskets and drawers - Internal dimensions



'MERIVOBX' DRAWER H.8.4 cm (for Module 73-76)

FOR SCAVOLINI - SCAVOLINI BASIC - SCAVOLINI EASY MODELS



L	H	L1	P **
30	6.7	20.8	47.4
45	6.7	35.8	47.4
60	6.7	50.8	47.4
75	6.7	65.8	47.4
90	6.7	80.8	47.4

'MERIVOBX' DRAWER H.11.6 cm (for Module 80)

FOR SCAVOLINI MODELS



L	H	L1	P **
30	10.5	20.8	47.4
45	10.5	35.8	47.4
60	10.5	50.8	47.4
75	10.5	65.8	47.4
90	10.5	80.8	47.4
120	10.5	110.8	47.4

'MERIVOBX' BASKET

FOR SCAVOLINI - SCAVOLINI BASIC - SCAVOLINI EASY MODELS



SCAVOLINI MODELS



SCAVOLINI MODELS




SCAVOLINI BASIC AND EASY MODELS


L	H	L1	P **
45	16.8	35.8	47.4
60	16.8	50.8	47.4
75	16.8	65.8	47.4
90	16.8	80.8	47.4
120	16.8	110.8	47.4

* height including edge rail (sides as high as the drawer)

** depth referring to drawer unit or base unit with pull-out baskets, 56.3 cm deep



Pull-out baskets and drawers - Internal dimensions



Scavolini models

WOODEN DRAWERS




L	H	L1	P **
30	8.2	21.3	47.4
45	8.2	36.3	47.4
60	8.2	51.3	47.4
90	8.2	81.3	47.4

WOODEN BASKET



L	H	L1	P **
45	17.1 *	36.3	47.4
60	17.1 *	51.3	47.4
90	17.1 *	81.3	47.4

* height including edge rail (sides as high as the drawer)
** depth referring to drawer unit or base unit with pull-out baskets, 56.3 cm deep




"Orange" cutlery tray

Example of cutlery tray in 60 cm drawer



“Orange” wooden cutlery tray for drawer.
Can only be installed on classic models with wooden sides.

Code	For drawer	Image	Drawing
31105471	30		
31105472	45		
31105473	60		




“Orange” knife rack

Example of knife rack in 60 cm drawer



“Orange” beech blockboard knife rack for drawer.
Natural citrus-fruit oil scented wood.

Code	For drawer	Description	Image	Drawings
31105514	45	complete with: - poultry shears - cutting and slicing knife - boning knife - kitchen knife 13.5 cm - kitchen knife 20 cm- - ham knife - knife sharpener		
31105515	60	complete with: - kitchen knife 13.5 cm - knife sharpener - boning knife - ham knife - kitchen knife - cutting and slicing knife - bread knife - poultry shears - cleaver		




“Orange” knife rack

Example of knife rack in 60 cm drawer



“Orange” beech blockboard knife rack for drawer.
Natural citrus-fruit oil scented wood.

Code	For drawer	Image	Drawing
31105512	45		
31105513	60		



“Orange” spice rack


Example of spice rack in 60 cm drawer



“Orange” beech blockboard spice rack for drawer.
Natural citrus-fruit oil scented wood.

The spice rack for 45 cm drawer comprises 5 steel bowls, the
spice rack for 60 cm drawer comprises 6 steel bowls.
N.B. Cannot be installed in inner drawers.

Code	For drawer	Image	Drawing
31105518	45		
31105519	60		



“Kilter” cutlery tray

Example of cutlery tray in 60 cm drawer













“Kilter” plastic cutlery tray for drawer, matt Grey.


The chopping board/knife rack insert can only be installed in 60-75-90-120 cm cutlery trays.







The spice rack insert can only be installed in 45-60-75-90-120 cm cutlery trays


whereas it cannot be installed in the first drawer of:

- hob base unit H.71.4 cm
- hob base unit H.73.4 cm
- hob base unit H.76.4 cm with double recessed grip profile

Code	For drawer	Image	Drawing
31106251	30		
31106252	45		
31106253	60		
31109416	75		
31106254	90		



Code	For drawer	Image	Drawing
31109418	120		
31106255			
31106256			



“Bold” cutlery tray

Example of cutlery tray in 60 cm drawer




“Bold” plastic cutlery tray for drawer, matt Grey.

N.B. The Natural Beech knife rack can be installed in the 60 and 90 cm cutlery tray.

Wooden knife rack



Code	For drawer	Image	Drawing
31107470	30		
31107471	45		
31107472	60		
31109349	75		
31107473	90		
31107474			




“Dock” cutlery tray

Example of cutlery tray in 60 cm drawer



“Dock” plastic cutlery tray for drawer, matt White or matt Grey.


Matt white



Matt grey



Code	For drawer	Colour	Image	Drawing
31107967	45	Matt White		
31107968	45	Matt grey		
31107969	60	Matt White		
31107970	60	Matt grey		
31107971	90	Matt White		
31107972	90	Matt grey		
31107973	120	Matt White		
31107974	120	Matt grey		



“Reset” cutlery tray









Example of cutlery tray in 60 cm drawer




“Reset” plastic cutlery tray for drawer, matt Grey.
The 90 cm cutlery tray comprises two 45 cm cutlery trays plus the spice rack.

Wooden knife rack



Code	For drawer	Image	Drawing
31105497	45		
31105498	60		
31105499	90		
31105500			



“Single” cutlery tray

Example of cutlery tray in 60 cm drawer




“Single” Steel cutlery tray.

- Comprising individual interchangeable bowls.
- The **45** cm cutlery tray comprises:
- 5 steel bowls, 1 plastic bowl and 1 frame
- The **60** cm cutlery tray comprises:
- 5 steel bowls, 1 plastic bowl, 1 frame and 2 compartments
- The **90** cm cutlery tray comprises:
- 5 steel bowls, 1 plastic bowl, 1 frame and 2 compartments plus 1 frame and 4 compartments

N.B. Cannot be installed in inner drawers.

Code	For drawer	Image	Drawing
31100062	45		
31100063	60		
31105520	90		



“Helper” pull-out basket and drawer accessories

Example of cutlery tray and knife rack in 60 cm drawer




“Helper” accessories for drawers and baskets in Natural stained Oak or Anthracite stained Ash. The accessories can be combined together. For the choice of Accessories, check the space available inside the intended drawer/basket.

N.B. The multi-purpose bottom boards cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.


Example of cutlery tray, knife rack and spice rack in 90 cm drawer



Natural stained Oak




Anthracite stained Ash




Example of cutlery tray, kitchen roll holder and chopping board in 90 cm drawer


















Example of bottom board, plate rack pegs, bottle racks and partitions in 90 cm basket




Code	For drawer	Description	Image	Drawing
31107373	45	Natural stained Oak		
31107374	45	Anthracite stained Ash		
31107375	60	Natural stained Oak N.B. 1 accessory can be installed		
31107376	60	Anthracite stained Ash N.B. 1 accessory can be installed		
31109345	75	Natural stained Oak N.B. Up to 2 accessories can be installed		
31109346	75	Anthracite stained Ash N.B. Up to 2 accessories can be installed		
31107377	90	Natural stained Oak N.B. Up to 2 accessories can be installed		
31107378	90	Anthracite stained Ash N.B. Up to 2 accessories can be installed		
31107379	120	Natural stained Oak N.B. Up to 4 accessories can be installed		
31107380	120	Anthracite stained Ash N.B. Up to 4 accessories can be installed		
31107381	/	Knife rack for drawer Natural stained Oak N.B. Can be installed individually or in combination with the cutlery tray		
31107382	/	Knife rack for drawer Anthracite stained Ash N.B. Can be installed individually or in combination with the cutlery tray		
31107383	/	Spice rack for drawer Natural stained Oak N.B. Can be installed individually or in combination with the cutlery tray		
31107384	/	Spice rack for drawer Anthracite stained Ash N.B. Can be installed individually or in combination with the cutlery tray		



Code	For drawer and basket	Description	Image	Drawing
31107385		Kitchen roll holder for drawer Natural stained Oak N.B. Can be installed individually or in combination with the cutlery tray		
31107386		Kitchen roll holder for drawer Anthracite stained Ash N.B. Can be installed individually or in combination with the cutlery tray		
31107387	/	Natural stained Oak jar rack N.B. Can be installed individually or in combination with the cutlery tray		
31107388	/	Anthracite stained Ash jar rack N.B. Can be installed individually or in combination with the cutlery tray		
31107389	/	Natural stained Oak Partition N.B.: Can be installed individually or in combination with the cutlery tray		
31107390	/	Anthracite stained Ash Partition. N.B. Can be installed individually or in combination with the cutlery tray		
31107391	/	Natural stained Oak chopping board N.B.: Can be installed individually or in combination with the cutlery tray		
31107393	45	Multi-purpose bottom board for drawer and basket in Natural stained Oak		
31107394	45	Multi-purpose bottom board for drawer and basket in Anthracite stained Ash		
31107405	60	Multi-purpose bottom board for drawer and basket in Natural stained Oak		
31107406	60	Multi-purpose bottom board for drawer and basket in Anthracite stained Ash		
31109347	75	Multi-purpose bottom board for drawer and basket in Natural stained Oak		
31109348	75	Multi-purpose bottom board for drawer and basket in Anthracite stained Ash		



Code	For drawer and basket	Description	Image	Drawing
31107407	90	Multi-purpose bottom board for drawer and basket in Natural stained Oak		
31107408	90	Multi-purpose bottom board for drawer and basket in Anthracite stained Ash		
31107409	120	Multi-purpose bottom board for drawer and basket in Natural stained Oak		
31107410	120	Multi-purpose bottom board for drawer and basket in Anthracite stained Ash		
31107395	/	Pack of 3 plate rack pegs for bottom board in Natural stained Oak		
31107396	/	Pack of 3 plate rack pegs for bottom board in Anthracite stained Ash		
31107397	/	Pack of 2 bottle racks for bottom board in Natural stained Oak		
31107398	/	Pack of 2 bottle racks for bottom board in Anthracite stained Ash		
31107399	/	Pack of two 12 cm partitions for bottom board in Natural stained Oak		
31107400	/	Pack of two 12 cm partitions for bottom board in Anthracite stained Ash		
31107401	/	Pack of two 24 cm partitions for bottom board in Natural stained Oak		
31107402	/	Pack of two 24 cm partitions for bottom board in Anthracite stained Ash		
31107403	/	Pack of two 41 cm partitions for bottom board in Natural stained Oak		
31107404	/	Pack of two 41 cm partitions for bottom board in Anthracite stained Ash		



“Ambia-Line” pull-out basket and drawer accessories

Example of cutlery tray, spice rack, knife rack and frame in 90 cm drawer



“Ambia-line” basket and drawer accessories can be combined.

For the choice of Accessories, check the space available inside the intended drawer/basket.

Ambia Line accessories are designed to be installed freely to afford maximum customisation possibilities and, for instance, as regards the cutlery tray drawer, an empty space is always provided without taking up the entire drawer, to allow enough room for long utensils which never fit in traditional cutlery trays.


When inserted in baskets, we recommend you combine the spice rack with the basket frames to prevent it shifting inside the basket.

N.B. Cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.


Example of cutlery tray, cling film holder and frame in 90 cm drawer



Anthracite finish Steel




Nebraska Oak














Example of steel frame in 60 cm basket



Code	Description	Image	Drawing
31106803	Cutlery tray in Anthracite finish Steel		
31106811	Cutlery tray in Nebraska Oak covered HDF		
31106805	Frame in Anthracite finish Steel		
31106812	Frame in Nebraska Oak covered HDF		
31106806	Frame in Anthracite finish Steel		
31106813	Frame in Nebraska Oak covered HDF		



Code	Description	Image	Drawing
31106810	Knife rack in plastic/Anthracite finish steel		
31106807	Cling film holder in plastic/Anthracite finish steel		
31106808	Spice rack in plastic/steel		
31107076	Frame in Anthracite finish Steel with magnet for basket. The magnet is only present on one short side of the frame.		
31107075	Frame in Anthracite finish Steel with magnet for basket. The magnet is only present on one short side of the frame.		



“Passe-Partout” pull-out basket and drawer accessories

Example in a 120 cm drawer with: cutlery tray, knife rack insert, scales and infill with jars



“Passe-Partout” accessories in natural citrus-fruit oil scented Beech blockboard, which can be combined.

















N.B. Cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.


Combinations of the various accessories are possible. The undermount elements can be installed in base units with pull-out baskets by securing the metal runners supplied to the side panels.

















The undermount cutlery trays cannot be installed in the lower baskets of recessed base units; in the lower baskets of Flux Swing curved base units; in all sink base units, in the first basket of hob base units in models H.73.4 cm and H.76.4 cm with double recessed grip profile and in base units with inner basket.


Example in 120 cm basket with: 120 cm cutlery tray with kitchen roll holder insert, knife rack and chopping board



















Code	Description	Image	Drawing
31105540	Empty cutlery tray for 30 cm drawer		
31105501	Cutlery tray for 30 cm drawer		
31105502	Cutlery tray for 45 cm drawer		
31105503	Cutlery tray for 60 cm drawer		
31105465	Cutlery tray for 60 cm drawer		
31105511	Cutlery tray for 90 cm drawer		
31105529	Undermount cutlery tray for 60 cm basket		
31105530	Undermount cutlery tray for 90 cm basket		



Code	Description	Image	Drawing
31105531	Undermount cutlery tray for 120 cm basket		
31105541	Knife rack for 30 cm drawer		
31105542	Bread chopping board for 30 cm drawer		
31105543	Spice rack tray for 30 cm drawer Contains 6 empty stainless steel jars.		
31105539	Additional spice rack element . Contains 9 empty stainless steel jars.		
31106205	Additional capsule holder element . Set up for 50 Nespresso coffee capsules. Supplied without capsules.		
31105535	Empty infill element .		
31105538	Spice rack infill element . Contains 3 glass-stainless steel jars with grinder.		



Code	Description	Image	Drawing
31105544	Kitchen roll holder insert .	 i1	
31105545	Knife rack insert .	 i1	
31105546	'Forgiati' knife insert complete with: - bread knife - ham knife - cheese knife - small kitchen knife	  i1	
31105556	Scales insert (capacity of 5 kg).	 i2	
31105555	Bread chopping board insert .	 i2	
31105557	Wooden chopping board insert .	 i3	
31105558	Chopping board insert in white polyethylene.	 i3	




Elements for drawers



A - Elements for 30 cm drawer




B - Infills



C - Additional elements



D - Elements for 45 cm drawer




E - Elements for 60 cm drawer





F - Elements for 90 cm drawer

Inserts







Drawer composition examples





60 cm DRAWERS



90 cm DRAWERS



120 cm DRAWERS



“Orange” plate rack for pull-out baskets


Example of plate rack in 90 cm basket



“Orange” Beech blockboard plate rack for base units with pull-out baskets. Natural citrus-fruit oil scented wood.

N.B. Cannot be installed in lower baskets of curved base units, base units with recessed basket and all sink base units.

Code	For basket	Image	Drawing
31105507	60		
31105508	90		



“Orange” bottle and pan rack for pull-out baskets

Example in 60 cm basket




“Orange” bottle and pan rack in natural citrus-fruit oil scented Beech blockboard.

The element for the **45** cm basket comprises 4 bottle racks and 3 pan racks.
The element for the **60** cm basket comprises 8 bottle racks and 4 pan racks.

N.B. Cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.
The usable height is 31.5 cm for modern, Scavolini Basic and Easy models and 30 cm for Scavolini classic models.

Code	For basket	Image	Drawing
31105516	45		
31105517	60		



“Orange” Open Space accessories for base units with basket

Example in 120 cm basket




“Orange” Open Space accessories in natural citrus-fruit oil scented wood (Beech).









For installation inside pull-out baskets.


The bottom board cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units. The usable height between the worktop and the upper basket is 26.3 cm, while it is 25 cm for models with double recessed grip profile.

N.B. Cannot be installed in base unit with drawer and inner basket.

Code	Description	For basket	Image	Drawing
31105504	Multi-purpose bottom board in Beech laminate MDF, 2 cm thick, for basket.	60		
31105505	Multi-purpose bottom board in Beech laminate MDF, 2 cm thick, for basket.	90		
31105506	Multi-purpose bottom board in Beech laminate MDF, 2 cm thick, for basket.	120		




Code	Description	Image	Drawing
31105335	Set of 3 wooden pegs for bottom board.		
31105336	Set of bottle partitions for bottom board. Pack for 4 bottles.		
31105337	Set of lid partitions for bottom board. Pack for 4 lids.		
31105338	Set of pan partitions for bottom board. Pack for 3 pans.		






"Universal" lid holder in **chrome wire** for baskets.



Code
31105316



Plate rack in **chrome wire** for baskets.




Code
31105314

“Orange” storage accessories



“Orange” storage accessory in natural citrus-fruit oil scented Beech blockboard, with **5** aluminium bowls.
Can be installed in the upper basket of **90** cm sink base units for models with wooden baskets.



Code
31105921


“Boxset” storage accessories




“Boxset” Aluminium storage accessory for sink base unit upper basket, comprising:

- 90 cm basket with **4** Anthracite coloured plastic bowls
- 120 basket with **5** Anthracite coloured plastic bowls


Can be installed in the first basket of sink base units for models with Merivobox baskets.



Code
31105957



Code
31105958



Mats for “Merivobox” pull-out baskets/drawers

Anthracite finish rubber mat




Anthracite and Silver finish rubber mats for Merivobox drawers and baskets D.45 and 50 cm.

N.B. cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.

Silver finish rubber mat



Code	Width	Finish	Depth
31109178	60 cm	Anthracite	45 cm
31109334	75 cm	Anthracite	45 cm
31109179	90 cm	Anthracite	45 cm
31109180	120 cm	Anthracite	45 cm
31109181	30 cm	Anthracite	50 cm
31109182	45 cm	Anthracite	50 cm
31109183	60 cm	Anthracite	50 cm
31109335	75 cm	Anthracite	50 cm
31109184	90 cm	Anthracite	50 cm
31109185	120 cm	Anthracite	50 cm
31109208	60 cm	Silver	45 cm
31109336	75 cm	Silver	45 cm
31109209	90 cm	Silver	45 cm
31109210	120 cm	Silver	45 cm
31109211	30 cm	Silver	50 cm
31109212	45 cm	Silver	50 cm
31109213	60 cm	Silver	50 cm
31109337	75 cm	Silver	50 cm
31109214	90 cm	Silver	50 cm
31109215	120 cm	Silver	50 cm



Anthracite finish rubber mats for wooden drawers/baskets

Anthracite finish rubber mat




Anthracite finish rubber mats for wooden drawers and baskets D.45 and 50 cm.

N.B. can only be installed in sink base units.

Code	Width	Depth
31109200	60 cm	45 cm
31109201	90 cm	45 cm

N.B. cannot be installed in sink base units.

Code	Width	Depth
31109202	30 cm	50 cm
31109203	45 cm	50 cm
31109204	60 cm	50 cm
31109205	90 cm	50 cm



Rubber mats for base units and wall units

Silver finish mat




Rubber mats for base and wall unit interior.

Anthracite finish mat




Code	Width	Finish	For
31109224	30 cm	Anthracite	base unit bottom
31109225	45 cm	Anthracite	base unit bottom
31109226	60 cm	Anthracite	base unit bottom
31109340	75 cm	Anthracite	base unit bottom
31109227	90 cm	Anthracite	base unit bottom
31109220	30 cm	Anthracite	base unit shelf
31109221	45 cm	Anthracite	base unit shelf
31109222	60 cm	Anthracite	base unit shelf
31109339	75 cm	Anthracite	base unit shelf
31109223	90 cm	Anthracite	base unit shelf
31109218	30 cm	Anthracite	wall unit bottom
31109219	45 cm	Anthracite	wall unit bottom
31109216	60 cm	Anthracite	wall unit bottom
31109338	75 cm	Anthracite	wall unit bottom
31109217	90 cm	Anthracite	wall unit bottom
31109194	30 cm	Silver	base unit bottom
31109195	45 cm	Silver	base unit bottom
31109196	60 cm	Silver	base unit bottom
31109361	75 cm	Silver	base unit bottom
31109197	90 cm	Silver	base unit bottom
31109190	30 cm	Silver	base unit shelf
31109191	45 cm	Silver	base unit shelf
31109192	60 cm	Silver	base unit shelf
31109360	75 cm	Silver	base unit shelf
31109193	90 cm	Silver	base unit shelf
31109186	30 cm	Silver	wall unit bottom
31109187	45 cm	Silver	wall unit bottom
31109188	60 cm	Silver	wall unit bottom
31109359	75 cm	Silver	wall unit bottom
31109189	90 cm	Silver	wall unit bottom



“Orga-line” plate rack for pull-out baskets



Plastic/Stainless steel plate rack for baskets.
The plate rack has continuous adjustment depending on the width of the plates (from 18.6 cm to 32.2 in diameter), total height 17 cm.




Code
31106450

“Rack” plate rack for basket




Plate rack and glass rack in AISI 430 stainless steel for base units with pull-out basket, resting on the bottom of the basket.

N.B. Cannot be installed in lower baskets of curved base units, base units with recessed basket and all sink base units



Code	for basket
31106554	60
31109333	75
31106555	90







1 mm thick Satin finish steel side facing panels



Satin finish AISI 430 steel side facing panels made with an anti-fingerprint coating for easy cleaning.

N.B. Do not match the aesthetics of steel doors.

LH/RH code	Description	Drawing
75062575	Hood/drain unit	
75086091/92	Hood with pull-out front	
75086093/94	Hood with pull-out front	
75086143/44	Hood with pull-out front	
75086685/86	Slanted hood	




4 mm thick Satin finish steel side facing panels and filler strips




Satin finish AISI 430 Steel side facing panels.

N.B. Do not match the aesthetics of steel doors.

Code	Description	Drawing
75085775	Wall-larder unit upper filler strip L.60 - H.4 cm in Steel	
75085776	Wall-larder unit upper filler strip L.120 - H.4 cm in Steel	
75085777	Wall-larder unit upper filler strip H.4 cm per metre with 1 side D.36 cm or with two sides D.36 cm	



Servo Drive for base units and larder units with pull-out baskets




Motorised Servo Drive opening system for base units and larder units with pull-out baskets.

Simply press gently on the lower basket without handle or pull the handle gently and the basket opens automatically with the aid of the electrical motor. 2 Servo Drives are installed in the lower basket of 120 cm sink base units.

Inner baskets and drawers of base units or larder units cannot be motorised.

Cannot be installed in baskets with wooden sides. To be connected to transformer code 31106095.



Code
31107587

Surcharge for Servo Drive 1 for 60-90-120 cm sink base units with pull-out baskets



60-90-120 sink base unit with pull-out baskets complete with motorised "Servo Drive 1" opening system kit



Simply press gently on the lower basket without handle or pull the handle gently and the basket opens automatically with the aid of the electrical motor.

N.B. Only for installation in the lower basket.

Kit complete with transformer.

Cannot be installed in baskets with wooden sides.

The base unit with Servo Drive 1 already assembled, or only the Servo Drive 1 kit, to be installed by the customer, can be ordered.



Servo Drive for wall units, drainer units and hoods



Motorised Servo Drive opening system for wall units, drainer units and hoods:
folding- flap door- bottom-hinged flap door- vertical opening.

Simply press gently on the front and it will open automatically with the aid of the electrical motor. The motorised Servo Drive opening system replaces the handle where present.

Assembly only on the left.

To be connected to transformer pack code 31106095

Transformer pack



The transformer pack includes:


1 transformer

1 support


one 170 cm long power cable

one 190 cm long distribution cable

The transformer supports up to 25 Servo Drives.



Code
31106095



Lacquered bottom cover/top panel cover for wall units



Lacquered bottom cover/top panel cover D.34 cm for wall units

- cannot be installed in the presence of a 1 mm thick side facing panel and wall unit with sliding doors
- when used as a bottom cover cannot be installed in the presence of an illuminated bottom board, on wall units with microwave or wall units with shaped bottom
- can only be installed on elements with the same width


LH/RH code	Description
75086255	for 30 cm wall unit
75086256	for 45 cm wall unit
75086257	for 60 cm wall unit
75086258	for 90 cm wall unit
75086259	Top panel cover for 120 cm wall unit
75086272	Bottom cover for 120 cm wall unit
75086264	for 45 cm bottom-hinged flap door wall unit
75086265	for 60 cm bottom-hinged flap door wall unit
75086266	for 90 cm bottom-hinged flap door wall unit
75086267	for 120 cm bottom-hinged flap door wall unit
75086260	for 45 cm flap door wall unit
75086261	for 60 cm flap door wall unit
75086262	for 90 cm flap door wall unit
75086263	for 120 cm flap door wall unit

Aluminium larder unit bottom



Aluminium larder unit bottom.

LH/RH code	Description
31105147	for 45 cm larder unit
31105148	for 60 cm larder unit




“Plana” cloth holder



Pack of “Plana” cloth holders L.50 cm in satin finish steel
The cloth holder can be fitted on a structural wall, on the base unit side panel or on a wall.

LH/RH code

31106925



SLEEPING AREA







“Comfort” inner accessories



“Comfort” series of inner accessories in Mocha colour, for “Fluida” wall system D.61.3 cm.

Mocha colour

Code	Description	Image	Drawing
31107518	Clothes rack (pull-out 30 cm) in plastic and aluminium 44.5x16 cm.		
31107522	Pull-out side tie rack (30 cm) in plastic and aluminium 44.5x17 cm		




Code	Description	Image	Drawing		
31107517	Telescopic sliding clothes rack for 90 to 120 cm width in plastic and steel.				
31107528	Metal clothes rail diameter 2.8 cm (size per cm). The central rod holder is necessary for rods which are longer than 100 cm or loads above 15 kg.	 Side rod holder  Central rod holder			
31107515	Storage bowl L.9.9 - D.45.5 - H.5 cm for pull-out frame in plastic and aluminium. Combine this article with the purchase of a Comfort frame.				
31107545 (a)	Metal wire drawer. L.47.5 (a) - 67.5 (b) - 77.5 (c) - D.45.8 - H.20.1 cm for pull-out frame, in Steel. Combine this article with the purchase of a Comfort frame.				
31107509 (b)					
31107510 (c)					
31107506 (a)	Metal drawer. L.47.5 (a) - 67.5 (b) - 77.5 (c) D.45.2 - H.12.4 cm for pull-out frame, in Mocha coloured steel. Combine this article with the purchase of a Comfort frame.				
31107507 (b)					
31107508 (c)					
PULL-OUT FRAME WITH RUNNERS					
codes	for compartment size	A	B		
31107530	60	56.4	48.4		
31107585	70	66.4	58.4		
31107532	80	76.4	68.4		
31107532	90	86.4	78.4		
31107536	100	96.4	88.4		
31107538	110	106.4	98.4		

A: external compartment size

B: useful size for the introduction of accessories, to be combined with this article, which can be purchased separately.

N.B. Pulling out the frame is obstructed by the door, order the correct quantity of 155° hinge packs to replace the standard hinges during assembly. Cannot be installed with Aluminium framed glass door.



Code	Description	Image	Drawing
31107511 (a)	Storage drawer L.48.3 (a) - 68.3 (b) - 78.3 (c) - D.45.6 - H.6.5 cm for pull-out frame, in wood finish, velvet interior. Combine this article with the purchase of a Comfort frame.		
31107512 (b)			
31107513 (c)			
31107516	Trouser rack rod for pull-out frame, L.45.9 cm in plastic and aluminium. (the pack contains 7 rods). Combine this article with the purchase of a Comfort frame.	 x 7	
31107514	White fabric laundry basket for pull-out frame L.35.5 - D.45.7 - H.46.3 cm		
31107546 (a)	Shoe rack for pull-out frame, for compartment size L.60 (a) - 80 (b) - 90 (c) in Mocha coloured steel N.B. Pulling out the frame is obstructed by the door, order the correct quantity of 155° hinge packs to replace the standard hinges during assembly. Cannot be installed with Aluminium framed glass door. Combine this article with the purchase of a Comfort frame.		
31107540 (b)			
31107542 (c)			



“Support” inner accessories



“Support” series of inner accessories for “Fluida” wall system D.61.3 cm.

N.B. In the clothes rack, the central rod holder is necessary for rods which are longer than 120 cm or loads above 15 kg. The pull-out drawer has 4 aluminium sides and is supplied with infills so it can also be introduced like an inner drawer in compartments with doors, complete with anti-tipping device with built-in vertical and front adjustments. Bottom in Iron Grey decorative melamine.

The shoe rack is made in two pieces; it fits in easily without any fixing. Combine this article with the purchase of a Support drawer.

The trouser rack is supplied with infills for easy extraction. Including a soft seal on the top of the rod to stop the trousers from slipping. Rod supplied with nylon supports for easy positioning on the frame and sliding inside the drawer.

in Metal Grey



in Orion Grey


in Elephant















in Orion Grey















Code	Description	image	Drawing
31107964	Clothes rack in metal and aluminium, Metal Grey colour (size per cm)		
31107952	Telescopic sliding clothes rack in Orion Grey coloured metal, size between 75 and 125 cm		





Code	Description	Image	Drawing
31107939	Pull-out hanger rail in Nickel coloured metal with Metal Grey plug		
31107953	Pull-out aluminium drawer, Metal Grey colour L.56.4 - L1 38.9 - D.51 - H.7.8 cm for size 60 compartment		
31107954	Pull-out aluminium drawer, Metal Grey colour L.86.4 - L1 68.9 - D.51 - H.7.8 cm for size 90 compartment		
31107955	Pull-out aluminium drawer, Metal Grey colour L.116.4 - L1 98.9 - D.51 - H.7.8 cm for size 120 compartment		
31107956	Pull-out aluminium drawer, Metal Grey colour L.56.4 - L1 38.9 - D.51 - H.12.8 cm for size 60 compartment		
31107957	Pull-out aluminium drawer, Metal Grey colour L.86.4 - L1 68.9 - D.51 - H.12.8 cm for size 90 compartment		
31107958	Pull-out aluminium drawer, Metal Grey colour L.116.4 - L1 98.9 - D.51 - H.12.8 cm for size 120 compartment		
31107962	Metal shoe rack for drawer, Metal Grey colour L.86.4 - L1 68.9 - D.51 - H.21 cm for size 90 cm compartment		
31107963	Metal shoe rack for drawer, Metal Grey colour L.116.4 - L1 98.9 - D.51 - H.21 cm for size 120 cm compartment		
31107959	Aluminium trouser rack rods for drawer Metal Grey L.60 - D.51 - H.7.8 cm (complete with 6 rods) for size 60 compartment		
31107960	Aluminium trouser rack rods for drawer, Metal Grey colour L.90 - D.51 - H.7.8 cm (complete with 10 rods) for size 90 compartment		
31107961	Aluminium trouser rack rods for drawer, Metal Grey colour L.120 - D.51 - H.7.8 cm (complete with 15 rods) for size 120 compartment		
31107940	Multi-purpose tray with inner partition in Elephant Grey colour leatherette 36x15 cm		
31107941	Multi-purpose 3-compartment tray in Elephant Grey colour leatherette L.36 - D.15 - H.5 cm		



Code	Description	Image	Drawing
31107944	Multi-purpose 5-compartment tray in Elephant Grey colour leatherette L.36 - D.15 - H.5 cm		
31107943	Watch tray in Elephant Grey colour leatherette L.36 - D.15 - H.5 cm		
31107942	Jewellery tray in Elephant Grey colour leatherette L.36 - D.15 - H.5 cm		
31107945	Ladies clothes hanger with skirt clips in Wengé colour beech with metal hook, Metal Grey colour L.40 - H.29.3 cm		
31107946	Men's clothes hanger with trouser rail in Wengé colour beech with metal hook, Metal Grey colour L.45 - H.25.7 cm		
31107947	Skirt hanger in Wengé colour beech with metal hook, Metal Grey colour L.39 - H.20 cm		
31107948	Bag hanger in Wengé colour beech with metal hook, Metal Grey colour L.8.9 - H.18.5 cm		
31107949	Scarf ring in Wengé colour beech with metal hook, Metal Grey colour L.15 - H.24.5 cm		



Code	Description	Image
31107950	Hanger rod in Wengé colour beech (screw the rod into the seat provided in the hanger) L.84 cm	
31107951	Grabber for hangers in Wengé colour beech with metal hook, Metal Grey colour L.97 cm	





MIDWAY UNITS




“Allinea” accessory-holder bar



“Allinea” Satin finish Steel accessory-holder bar.

Code	Description	Drawing
31106922	Ladle rail L. 70 cm	
31106923	Ladle rail L. 100 cm	
31106924	Pack of 3 hooks	



“Country” midway accessories

Example of ladle rail with hooks and jar rack



“Country” midway accessories in **Antique Brass** finish metal.

The shelf bracket can be used in 2 solutions:

shelf bracket solution:

combined with shelf D.17 to be ordered separately;

midway unit solution:

element to be fitted to the bottom of the wall unit.








For both solutions, the ladle rail can be installed.


The load capacity for each individual shelf bracket is 20 kg including the shelf.

The ladle rail can be installed on a shelf bracket or directly on the wall.

Example of kitchen roll holder, shelf bracket and ladle rail with hooks



Code	Description	Image	Drawing
31105418	Metal kitchen roll holder		
31105419	Metal jar rack		
31105420	Pack of 60 cm ladle rail with 4 hooks		
31105421	Pack of 90 cm ladle rail with 4 hooks		
31105422	Pack of 120 cm ladle rail with 4 hooks		
31105423	Shelf bracket/midway unit		



“K-Concept” illuminated wall panel

Example of wall panel with metal shelf, glass shelf, 2 hooks and power outlet block















‘K-Concept’ LED illuminated Plexiglas wall panel **H.38 cm**. K-Concept is an illuminated panel which, when used as a wall panel, allows you to illuminate the worktop. The Emotion Dual Color LED light source allows you to vary the colour temperature from 3000°K to 4000°K. Order the ‘Meccano’ power supply for the electrical connection. Each wall panel has 3 power cables to connect to the power supply, envisage ‘Meccano’ components with a sufficient amount of inputs. **N.B.** The wall panel is in Plexiglas, in the presence of hobs, insert flame-guard panels code 31107580/81 to protect it. The wall panels vary in size and can be combined. For wall mounting the power outlet block, envisage a 62 mm clearance between the wall panels placed side-by-side.


Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using the components of the “Meccano” system purchased separately
Dimming	Using the components of the “Meccano” system purchased separately
Colour temperature	Fixed at 4000°K or 3000°K determined during assembly.
Luminous flux	600 lm 3000°K - 640 lm 4000°K
Cable length	270 cm

Code	Width (L)	Absorption	Image	Drawing
31107564	50 cm	17.3W		
31107565	60 cm	21.2W		
31107566	70 cm	25.1W		
31107567	80 cm	29W		
31107568	90 cm	32.9W		
31107569	120 cm	44.6W		
31107570	150 cm	56.3W		
31107571	180 cm	68W		
31107572	240 cm	91.4W		
31107573	270 cm	103.1W		
31107574	300 cm	114.8W		



Accessories for “K-Concept” illuminated wall panel

Code	Description	Image	Drawing
31107575	Power outlet block with 2 Schuko sockets and 2 USB sockets		
31107576	Hook for wall panel		
31107577	Metal and wood shelf		
31107578	Glass shelf		
31107579	Kitchen roll holder in wood and metal		
31107580	Flame-guard panel in transparent tempered glass L.65		
31107581	Flame-guard panel in transparent tempered glass L.95		



“Orizzonte” illuminated glass wall panel



Illuminated glass wall panel with LED strip inserted in the upper edging.

The wall panel is only available in White **polished glass** with aluminium perimeter profile available in Steel finish Aluminium or matt White.

The maximum size is 320x120 cm.

Wall mounting is via a magnet system. The “Orizzonte and Magneto” series of midway accessories can be magnetically attached to the wall panel.

Power on/off can be controlled using the components of the “Meccano” system or using the “Smart Moving” system thanks to hand motion sensors.

Warning:

The wall panel cannot be combined with the standard wall panel in Prestige White polished glass. The brightness cannot be adjusted using an external dimmer on the main 110/220V line.

Code	75062129
Power supply	24V order the “Meccano” power supply with a power rating appropriate for absorption
Power on/off	Using the components of the “Meccano” system purchased separately or “Smart Moving” function
Dimming	Using the components of the “Meccano” system purchased separately or “Smart Moving” function
Colour temperature	Warm light 3000°K / natural light 4000°K
Absorption	13W per metre
Luminous flux	1280 – 1300 lm
Cable length	300 cm



“Orizzonte More” illuminated glass wall panel



Illuminated glass wall panel with LED strip inserted in the upper edging.

The wall panel is only available in White **matt glass** with aluminium perimeter profile available in Steel finish Aluminium, Anthracite or matt White.

The maximum size is 320x120 cm.

Wall mounting is via a magnet system. The “Orizzonte and Magneto” series of midway accessories can be magnetically attached to the wall panel.

Power on/off can be controlled using the components of the “Meccano” system or using the “Smart Moving” system thanks to hand motion sensors.


Warning:

The wall panel cannot be combined with the standard wall panel in Prestige White matt glass.

The brightness cannot be adjusted using an external dimmer on the main 110/220V line.

Code	75062127
------	----------

Power supply	24V order the “Meccano” power supply with a power rating appropriate for absorption
Power on/off	Using the components of the “Meccano” system purchased separately or “Smart Moving” function
Dimming	Using the components of the “Meccano” system purchased separately or “Smart Moving” function
Colour temperature	Warm light 3000°K / natural light 4000°K
Absorption	13W per metre
Luminous flux	1280 – 1300
Cable length	300 cm



“Orizzonte Up” magnetic wall panel



Magnetic wall panel in Stratified Laminate, in Stratified Fenix NTM®, in Porcelain Stoneware and in Dekton with LED strip inserted in the upper edging.

The wall panel is available with LED strip inserted in the upper edging, or without a light.

Maximum length of wall panel 320 cm.

Height included between 45 and 60 cm; for different heights, contact our Sales Dept. for feasibility.

N.B. The “Orizzonte and Magneto” series of accessories can be magnetically attached to the wall panel.

In the presence of a hob, we recommend you provide protective accessories.

Warning:

The brightness cannot be adjusted using an external dimmer on the main 110/220V line.

Code	75062128
------	----------


Power supply	24V order the “Meccano” power supply with a power rating appropriate for absorption
Power on/off	Using the components of the “Meccano” system purchased separately
Dimming	Using the components of the “Meccano” system purchased separately
Colour temperature	Warm light 3000°K / natural light 4000°K
Absorption	13W per metre
Luminous flux	1280 - 1300 lm
Cable length	300 cm









“Orizzonte” series of magnetic accessories



“Orizzonte” series of magnetic accessories, in **satin finish Steel** for “Orizzonte” wall panels.



Code	Description	Drawing
31106932	Accessory-holder bar complete with 5 hooks.	
31106933	Accessory-holder bar complete with 10 hooks.	
31106936	Book/tablet shelf support.	
31106934	Storage shelf.	
31106935	Kitchen roll holder shelf with beech rod.	




“Magneto” series of magnetic accessories




“Magneto” series of magnetic accessories in **White** or **Anthracite** painted metal, for “Orizzonte” wall panels.















Anthracite



White



Code	Description	Image	Drawing
31108014	2 cm thick White metal open-fronted element		
31108015	2 cm thick Anthracite metal open-fronted element		
31108016	2 cm thick White metal open-fronted element		
31108017	2 cm thick Anthracite metal open-fronted element		
31108019	Metal shelf, White		
31108018	Metal shelf, Anthracite		
31108021	Metal shelf with hooks, White		
31108020	Metal shelf with hooks, Anthracite		
31108023	Metal kitchen roll holder, White		
31108022	Metal kitchen roll holder, Anthracite		
31108025	Metal kitchen roll holder with shelf, White		
31108024	Metal kitchen roll holder with shelf, Anthracite		



“Ritmica” midway accessories




“Ritmica” midway accessories in **Chrome-finish metal**, in **Anthracite** or **Titanium** colour painted metal.





Chrome-finish




Titanium



Anthracite





Code	Description		Drawing
31106623	Bar L. 55 cm with 4 accessory-holder hooks in Chrome-finish metal		
31106624	Bar L. 85 cm with 4 accessory-holder hooks in Chrome-finish metal		
31106625	Bar L. 115 cm with 4 accessory-holder hooks in Chrome-finish metal		
31106630	Bar L. 55 cm with 4 accessory-holder hooks in Anthracite finish metal		
31106631	Bar L. 85 cm with 4 accessory-holder hooks in Anthracite finish metal		
31106632	Bar L. 115 cm with 4 accessory-holder hooks in Anthracite finish metal		
31107475	Bar L. 55 cm with 4 accessory-holder hooks in Titanium finish metal		
31107476	Bar L. 85 cm with 4 accessory-holder hooks in Titanium finish metal		
31107477	Bar L. 115 cm with 4 accessory-holder hooks in Titanium finish metal		
31106626	Jar rack in Chrome-finish metal with transparent polycarbonate bowl		
31106633	Jar rack in Anthracite finish metal with transparent polycarbonate bowl		
31107478	Jar rack in Titanium finish metal with transparent polycarbonate bowl		
31106627	Spice rack in Chrome-finish metal with transparent polycarbonate bowl		
31106634	Spice rack in Anthracite finish metal with transparent polycarbonate bowl		
31107479	Spice rack in Titanium finish metal with transparent polycarbonate bowl		
31106628	Chrome-finish metal kitchen roll holder		
31106635	Anthracite finish metal kitchen roll holder		
31107480	Titanium finish metal kitchen roll holder		
31106629	Pack of 4 accessory hooks in Chrome-finish metal		
31106636	Pack of 4 accessory hooks in Anthracite finish metal		
31107481	Pack of 4 accessory hooks in Titanium finish metal		



“System” midway accessories




“System” midway accessories in **Chrome-finish** or **Bronzed metal**.






Chrome-finish










Bronzed



Code	Description	Drawing
31100146	Linear 60 cm rail Ø 16 mm in Chrome-finish metal	
31100217	Linear 60 cm rail Ø 16 mm in Bronzed metal	
31100147	Linear 100 cm rail Ø 16 mm in Chrome-finish metal	
31100218	Linear 100 cm rail Ø 16 mm in Bronzed metal	
31100148	Linear 150 cm rail Ø 16 mm in Chrome-finish metal	
31100219	Linear 150 cm rail Ø 16 mm in Bronzed metal	
31100151	Wall-mounted support for Ø 16 mm rail in Chrome-finish metal	
31100222	Wall-mounted support for Ø 16 mm rail in Bronzed metal	
31100150	Wall unit vertical support for Ø 16 mm rail in Chrome-finish metal	
31100221	Wall unit vertical support for Ø 16 mm in Bronzed metal	
31100152	Plug for Ø 16 mm rail in Chrome-finish metal	
31100223	Plug for Ø 16 mm rail in Bronzed metal	
31100157	Spice rack L.23 cm in Chrome-finish metal	
31100228	Spice rack L.23 cm in Bronzed metal	
31100156	Spice rack L.35 cm in Chrome-finish metal	
31100227	Spice rack L.35 cm in Bronzed metal	
31100159	3-tier kitchen roll holder in Chrome-finish metal	
31100230	3-tier kitchen roll holder in Bronzed metal	
31100158	1-tier kitchen roll holder in Chrome-finish metal	
31100229	1-tier kitchen roll holder in Bronzed metal	



31100155	Sponge tidy in Chrome-finish metal	
31100226	Sponge tidy in Bronzed metal	
31100162	Container for kitchen utensils in Chrome-finish metal	
31100233	Container for kitchen utensils in Bronzed metal	
31100149	Corner 8x8 cm rail Ø 16 mm in Chrome-finish metal	
31100220	Corner 8x8 cm rail Ø 16 mm in Bronzed metal	
31100153	Hook for kitchen utensils in Chrome-finish metal	
31100224	Hook for kitchen utensils in Bronzed metal	
31100160	Corner basket in Chrome-finish metal	
31100231	Corner basket in Bronzed metal	
31100154	Jar rack basket in Chrome-finish metal	
31100225	Jar rack basket in Bronzed metal	



"Timeline" midway accessories



"Timeline" midway accessories in **Cast iron finish metal**.




Code	Description	Image	Drawing
31107122	Pack of 90 cm accessory-holder bar with 6 hooks		
31107123	Pack of 120 cm accessory-holder bar with 6 hooks		
31107125	30 cm shelf		
31107126	38 cm kitchen roll holder		
















"Titan" midway accessories



"Titan" midway accessories in **Steel finish metal**.



Code	Description	Image	Drawing
31105414	35 cm shelf		
31105415	50 cm shelf		
31105412	35 cm etched glass shelf		
31105413	50 cm etched glass shelf		
31105416	35 cm kitchen roll holder shelf		
31105417	35 cm ladle rail/cloth holder		
31105409	Pack of 60 cm bar with 3 hooks		
31105410	Pack of 90 cm bar with 3 hooks		
31105411	Pack of 120 cm bar with 3 hooks		
31105945	Pack of 3 hooks		




"Tonda" midway accessories




"Tonda" midway accessories in **satin finish** and **polished Stainless steel**.











Polished stainless steel



Satin finish stainless steel



Code	Description	Drawing
31105913	90 cm Satin finish stainless steel accessory-holder bar	
31105914	120 cm Satin finish stainless steel accessory-holder bar	
31105915	150 cm Satin finish stainless steel accessory-holder bar	
31105916	180 cm Satin finish stainless steel accessory-holder bar	
31105902	Satin finish stainless steel shelf	
31105903	Shelf with spice jars in polished stainless steel	
31105920	Kit of 3 lids for spice jars in polished stainless steel	
31105904	Satin finish stainless steel kitchen roll holder	
31105905	Pack of 3 hooks in satin finish stainless steel	
31105906	Knife rack in Polished stainless steel and black heat-proof plastic with magnet	



“Tonda” magnetic bar for wall panel



“Tonda” magnetic accessory-holder bar for wall panels.
L. max.400 cm. Can be installed on 1.2 and 2 cm thick wall panels

N.B.: the bar must either be placed between 2 separate wall panels (compulsory with 2 cm thick wall panels) or placed above a wall panel (only with 1.2 cm thick wall panel).

The bar cannot be secured to the front of the wall panel


Code	Drawing
31106455	







“Tonda Magnetica” midway accessories for “Tonda” magnetic bar



“Tonda Magnetica” midway accessories in **Polished stainless steel**.

Hook the accessories onto the “Tonda” bar using magnetic hooking.



Code	Description	Drawing
31106188	Polished stainless steel shelf	
31106189	Polished stainless steel kitchen roll holder	
31106190	Pack of 3 hooks in polished stainless steel	
31106191	Knife rack in Polished stainless steel and black heat-proof plastic with magnet	
31106192	Whole element with 4 hooks in polished stainless steel	
	Surcharge for wall panel processing for Tonda accessory-holder bar	



“Line System” system
















“Line System” system in **Dark Steel painted Aluminium**.




N.B. The upper profile cannot be positioned at a distance of less than 7 cm from the bottom of a wall unit or any object preventing the insertion of dedicated accessories.
If there is a wall panel underneath the accessory-holder profile, the Line System wall panel must be positioned above the accessory-holder bar to allow the bar to be fixed.


Code	Description	Image	Drawing
75061725	Line System 1.2 cm thick wall panel . Minimum height 12 cm (available in the following materials: Steel, Biomalta, Decorative Melamine, Fenix NTM, Porcelain Stoneware, Abitum Stoneware, Veneered, Lacquered, Metal Effect Lacquered, Laminate and Quarz)		
75061709	Lower profile for Line System wall		
75061711	Central profile for Line System wall		















Code	Description	Image	Drawing
75061713	Upper profile for Line System wall		
75061745 (3000°K light)	Upper profile with light Power supply: 24V, order the "Meccano" power supply with a power rating appropriate for absorption. Dimming: Using the components of the "Meccano" system purchased separately Colour temperature: 3000°K warm light - 4000°K natural light Absorption: 6.3W per metre. Luminous flux: 1230 lm/m Maximum length: 300 cm Cable length: 200 cm		
75061715 (4000°K light)			
75061717	Upper profile with channel for Line System wall		
75061719	Side profile for Line System wall		
75061721	Accessory-holder bar		
75061746 (3000°K light)	Accessory-holder bar with light Power supply: 24V, order the "Meccano" power supply with a power rating appropriate for absorption. Dimming: Using the components of the "Meccano" system purchased separately. Colour temperature: 3000°K warm light - 4000°K natural light Absorption: 6.3W per metre. Luminous flux: 1230 lm/m Maximum length: 300 cm Cable length: 200 cm		
75061723 (4000°K light)			
31107436	Shelf L.30 - D.13 cm		
31107437	Shelf L.45 - D.13 cm		
31107438	Shelf L.60 - D.13 cm		
31109325	Shelf L.30 - D.25 cm		
31109326	Shelf L.45 - D.25 cm		
31109327	Shelf L.60 - D.25 cm		



Code	Description	Image	Drawing
31107439	Container shelf H.5 cm		
31107440	Container shelf H.5 cm		
31107441	Tablet holder shelf		
31107442	Shelf with 2 bowls H.10		
31107443	Bottle rack		
31107444	Knife rack in dark wood		
31107445	Kitchen roll holder H.2.5 cm		
31107446	Double hook		



Code	Description	Image	Drawing
31107447	Triple hook		
31107448	Container		
31106203	Wiring hole plate		
31107488	Power outlet block and switch in Dark Steel coloured plastic		
31109365	Power outlet block with 2 sockets in Dark Steel coloured plastic		
41019199	Height-adjustable food-warming lamp in Dark Steel painted Aluminium N.B. The lamp is fitted with a switch, which does not need to be arranged on the wall. Its connection to the electricity mains is sufficient.		



“Opus” equipped wall panel

Silver Dark colour wall panel




“Opus” equipped wall panel in **Silver Dark** or **Desert painted metal**.



Desert colour wall panel

















Silver Dark












Desert



Code	Description	Image	Drawing
75090491	Wall panel L.45 - H.49.8 - 54.8 cm		
75090492	Wall panel L.45 - H.54.9 - 59.9 cm		
75090493	Wall panel L.45 - H.61.8 - 66.8 cm		
75090494	Wall panel L.45 - H.66.9 - 71.9 cm		
75090495	Wall panel L.45 - H.73.8 - 78.8 cm		
75090496	Wall panel L.60 - H.49.8 - 54.8 cm		
75090497	Wall panel L.60 - H.54.9 - 59.9 cm		
75090498	Wall panel L.60 - H.61.8 - 66.8 cm		
75090499	Wall panel L.60 - H.66.9 - 71.9 cm		
75090500	Wall panel L.60 - H.73.8 - 78.8 cm		
75090501	Wall panel L.90 - H.49.8 - 54.8 cm		
75090502	Wall panel L.90 - H.54.9 - 59.9 cm		
75090503	Wall panel L.90 - H.61.8 - 66.8 cm		
75090504	Wall panel L.90 - H.66.9 - 71.9 cm		
75090505	Wall panel L.90 - H.73.8 - 78.8 cm		
31107929	Stainless steel flame-guard L.89 - H.21 - th.0.9 cm		
31107932	Container shelf L.16.5 - H.13.5 cm		
31107930	Container shelf L.20 - H.12.8 cm		
31107931	Container shelf L.32 - H.9.7 cm		
31107934	Shelf L.38.5 cm		
31107933	Shelf L.53.6 cm		



Code	Description	Image	Drawing
31107935	Stemmed glass rack L.38.5 cm		
31107936	Bottle rack L.24		
31107937	Kitchen roll holder L.24 cm		
31107938	Pack of 4 hooks		



“Setup” System

Anthracite colour Setup System



“Setup System” equipped wall panel in **Anthracite** and **Dark Inox colour aluminium**. Available for all modern models.

The “Setup” System is designed to guarantee alignment with H 206.2 and 220 cm tall units.

The top panel and bottom of the Setup system are always in Metal.

Each shelf has a maximum load capacity of 10 kg distributed evenly.

If the Setup Element is in a wall-mounted position, the maximum load capacity permitted is 50 kg.

The accessories can only be used on “Setup” System elements.


Dark Inox colour Setup System




Anthracite



Dark Inox












Code	Description	Drawing
75061727 75061728 75061743 75061729 75061730	<p>45 cm element resting between top and wall unit in Anthracite finish Aluminium</p> <p>60 cm element resting between top and wall unit in Anthracite finish Aluminium</p> <p>75 cm element resting between top and wall unit in Anthracite finish Aluminium</p> <p>90 cm element resting between top and wall unit in Anthracite finish Aluminium</p> <p>120 cm element resting between top and wall unit in Anthracite finish Aluminium</p> <p>N.B. Tops can be installed:</p> <ul style="list-style-type: none"> - with 73.4 cm base unit usable top thickness: 1.2 - 2 - 3 - 4 - 5 - 6 - 7 cm - with 76.4 cm base unit usable top thickness: 1.2 - 2 - 3 - 4 - 5 - 6 cm - with 80 cm base unit usable top thickness: 1.2 - 2 - 3 - 4 - 5 - 6 - 7 cm 	
75061731 75061732 75061744 75061733	<p>45 cm element resting between top and tall/larder unit in Anthracite finish Aluminium</p> <p>60 cm element resting between top and tall/larder unit in Anthracite finish Aluminium</p> <p>75 cm element resting between top and tall/larder unit in Anthracite finish Aluminium</p> <p>90 cm element resting between top and tall/larder unit in Anthracite finish Aluminium</p> <p>N.B. Tops can be installed:</p> <ul style="list-style-type: none"> - with 73.4 cm base unit usable top thickness: 1.2 - 2 - 3 - 4 - 5 - 6 - 7 cm - with 76.4 cm base unit usable top thickness: 1.2 - 2 - 3 - 4 - 5 - 6 cm - with 80 cm base unit usable top thickness: 1.2 - 2 - 3 - 4 - 5 - 6 - 7 cm 	
75061735 75061736 75061737	<p>Setup element between 30 and 45 cm with variable height between 20 and 220 cm in Anthracite or Dark Inox colour Aluminium</p> <p>Setup element between 46 and 60 cm with variable height between 20 and 220 cm in Anthracite or Dark Inox colour Aluminium</p> <p>Setup element between 61 and 90 cm with variable height between 20 and 220 cm in Anthracite or Dark Inox colour Aluminium</p>	
75061735 75061736 75061737	<p>Setup element between 30 and 45 cm with variable height between 20 and 220 cm in Anthracite or Dark Inox colour Aluminium with finished shelf</p> <p>Setup element between 46 and 60 cm with variable height between 20 and 220 cm in Anthracite or Dark Inox colour Aluminium with finished shelf</p> <p>Setup element between 61 and 90 cm with variable height between 20 and 220 cm in Anthracite or Dark Inox colour Aluminium with finished shelf</p> <p>Available shelf versions:</p> <ul style="list-style-type: none"> - Aluminium - Decorative melamine - Glossy lacquered - Matt lacquered 	




Code	Description	Image	Drawing
31108046	60 cm island element in Anthracite colour		
31108047	90 cm island element in Anthracite colour		
31107127	Pack of 3 hooks in Anthracite colour Aluminium		
31108772	Pack of 3 hooks in Dark Inox colour Aluminium		
31107129	Tablet holder in Anthracite colour Aluminium		
31108774	Tablet holder in Dark Inox colour Aluminium		
31107130	Container holder in Anthracite colour Aluminium		
31108775	Container holder in Dark Inox colour Aluminium		
31107132	Glass/ Anthracite colour aluminium shelf N.B. Cannot be installed on 60-90 cm island element		
31108777	Glass/ Dark Inox colour aluminium shelf N.B. Cannot be installed on 60-90 cm island element		
31107128	Kitchen roll holder in Anthracite colour Aluminium		
31108773	Kitchen roll holder in Dark Inox colour Aluminium		



Code	Description	Image	Drawing
31107135	4 stemmed glass rack in Anthracite colour aluminium		
31108778	4 stemmed glass rack in Dark Inox colour aluminium		
31107131	6 stemmed glass rack in Anthracite colour aluminium		
31108776	6 stemmed glass rack in Dark Inox colour aluminium		
31108048 31108051	60 cm container bowl in Anthracite colour Aluminium 90 cm container bowl in Anthracite colour Aluminium		
31108779 31108780	60 cm container bowl in Dark Inox colour Aluminium 90 cm container bowl in Dark Inox colour Aluminium		

Element for island




“Setup” system with sliding doors




Setup element with variable height between 54 and 60 cm in Anthracite colour Aluminium with sliding doors, resting or hanging
The top panel and bottom of the Setup system are always in Metal.
Each shelf has a maximum load capacity of 10 kg distributed evenly. If the Setup Element is in a wall-mounted position, the maximum load capacity permitted is 40 kg.

- Available shelf versions:**
- Shelf with Round wire mesh available with Round wire mesh door
 - Smoked glass shelf available with Smoked glass door and Linear wire mesh door



Available sliding door versions



Code	Description			
75061901	90 cm element	Without light	With 3000°K light	With 4000°K light
75061903	120 cm element			
75061905	150 cm element			

Dimension (L)	Absorption
3000°K - 4000°K Light for 90 cm element	9.8W
3000°K - 4000°K Light for 120 cm element	13.1W
3000°K - 4000°K Light for 150 cm element	16.4W

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using the components of the “Meccano” system purchased separately
Dimming	Using the components of the “Meccano system
Colour temperature	Double colour temperature Warm light 3000°K Natural light 4000°K
Luminous flux	874 lm/m lamp with 3000°K light 949 lm/m lamp with 4000°K light
Cable length	200 cm



“Sign” accessory-holder bar with LED light




Bar in **Black aluminium** for wall-mounted installation. This bar contains LED lights in both the upper and lower parts. The LED lights in the lower profile are brighter than those in the upper profile, better to illuminate the worktop. Maximum length 300 cm.


For installation without visible cables, drill a wiring hole behind the bar on the left within the first 10 cm. Alternatively, we recommend you envisage a visible wiring hole hidden behind a nearby element.

N.B. No elements (e.g. wall panels) can be installed above or below the Sign bar.

The power cable exits the left side of the bar and measures 3 metres in length. Should you want the power supply to be on the opposite side, by inserting the cable inside the bar or in some other way, consider purchasing the extension cable code 31108313.





Code	31109324
Power supply	24V order the “Meccano” power supply with a power rating appropriate for absorption
Power on/off	Using the components of the “Meccano” system purchased separately or with a wall switch
Dimming	Using the components of the “Meccano” system purchased separately
Colour temperature	Warm light 3000°K / natural light 4000°K
Absorption	31W per metre
Luminous flux	680 lm/m
Cable length	300 cm
















Accessories for “Sign” bar











Accessories and modules available for the “Sign” bar in **Black aluminium**.



Code	Description - Dimensions (L x D x H)	Drawing	Image
31109306 31109307 31109308	Horizontal 1-compartment module: 30 x 15 x 40 cm 45 x 15 x 40 cm 60 x 15 x 40 cm		
31109309	Horizontal 2-compartment module: 90 x 15 x 40 cm		
31109310	Horizontal 3-compartment module: 120 x 15 x 40 cm		
31109312 31109313 31109314	Vertical upper module: 45 x 15 x 88 cm 60 x 15 x 88 cm 90 x 15 x 88 cm		
31109315 31109316 31109317 31109318	Vertical upper module: 45 x 15 x 130 cm 60 x 15 x 130 cm 90 x 15 x 130 cm 120 x 15 x 130 cm		
31109319 31109320	Shelves: L.28.6 cm L.43.6 cm		




Code	Description	Drawing	Image
31109321	Tablet shelf		
31109322	Kitchen roll holder		
31109323	6 stemmed glass rack		
31109311	Set of 4 hooks		



LAMPS



COLOUR OF LIGHT IN °K



The colour temperature is expressed in units referred to as degrees Kelvin: this value determines whether the light bulbs produce warm or cold light. This diagram shows how energy-saving LED light bulbs can have different colour temperatures.

Light bulbs with a low value of degrees Kelvin produce a warm yellow light, which is more welcoming, whereas those with a higher value of degrees Kelvin produce a more energising, cool blue light.

LUMEN- WATTS

WATTS (W) indicate the quantity of energy a light bulb consumes to produce light.



LUMEN (lm) are the unit used to measure the emission and luminous intensity of a light bulb.

LED light bulbs have a luminous power (in lumen) of a classic light bulb, but with a lower wattage.

LUMENS	INC	TH	T8	LED
2000 lm	150W		25W	25-28 W
1600 lm	100W	72W	20-23 W	16-20 W
1100 lm	75W	53W	16-19 W	9-16 W
800 lm	60W	43W	13-14 W	8-12 W
450 lm	40W	29W	9-10 W	6-9 W
330 lm	25W			4W
250 lm	20W			3W


INC: STANDARD INCANDESCENT
TH: HALOGEN
T8: NEON
LED: LED

THE VALUES ARE TO BE CONSIDERED TO BE PURELY INDICATIVE AND VARIABLE ACCORDING TO THE BRAND AND COLOUR TEMPERATURE

CERTIFICATIONS	
	The product conforms to the essential requirements envisaged by European directives.
	<p>Class II appliances, which are also referred to as double insulated, are designed not to require (and therefore they do not need to have) an earthing connection.</p> <p>They are built so that a single fault cannot cause contact with dangerous voltage levels by the user. This is generally achieved by making the casing of the container with insulating materials, or in any case ensuring that any live parts are surrounded by a double layer of insulating material (main insulation + supplementary insulation) or using reinforced insulation.</p> <p>In Europe, this kind of appliance must be marked "Class II" or with the double insulation symbol (two concentric squares).</p>
EN 62031	Sets out the general and safety provisions for light-emitting diode (LED) modules.
ENEC05	<p>This is a European certification mark with superior technical value based on strict certification criteria.</p> <p>This mark offers the end user the utmost guarantee as to the procedures applied during the product manufacturing process. Since 1993, luminaires can circulate across the whole of Europe with the ENEC mark, which certifies that a product conforms to EN 60 598 regulations.</p>
ETL Electrical Testing Laboratories	The ETL Listed mark indicates the product was tested by an accredited third-party laboratory, in compliance with the applicable product standards and the minimum safety requirements, to be sold and distributed in North America. ETL is a private independent organisation, which has been in business for over 100 years in the measurements field, and it was originally founded by Thomas Alva Edison in 1896.
PHOTOBIOLOGICAL EN 62471	Defines the risk classes, the emission limits and the absolute exposure limits for the surface of the skin and cornea.
IP International Protection	<p>Degree of protection: the prefix IP followed by two digits indicates the resistance of the appliance to penetration by solids and liquids.</p> <p>The first digit indicates the resistance to the penetration of solid bodies and contact with live elements.</p> <p>The second digit indicates the resistance to the penetration of liquids.</p>
IP20	Protected against the penetration of solid bodies with a diameter greater than 12 mm and not protected against liquids.
IP44	Protected against the penetration of solid bodies with a diameter greater than 1 mm and against water spray.
UL Underwriters Laboratories Inc -	<p>This is the most popular mark testifying to the conformity of electrical and electronic items with safety regulations in USA and Canada.</p> <p>The UL Safety Mark is a voluntary product certification. Nevertheless, it constitutes an important distinguishing feature which signals product reliability.</p>



“Meccano” System



The “Meccano” system is a device for use with all types of LED lights. It consists of a single connection for each light, so combining each light with its specific power supply will no longer be necessary. Customers will be able to insert a single “Meccano” power supply to connect and power even several lighting systems together.


It can be connected to a series of modules for the remote control of each lighting control function: power on, off, dimming or colour change (for lines set up for this function). All these functions can be achieved using various controls: remote control, smartphones, voice control systems and presence sensors.

The “Meccano” system is multi-voltage, meaning it can operate with a mains supply varying from 100 to 240 Volts; this is why it can be used in many countries (for example in the United States where the mains supply is 110 V) and comes with the main certificates of conformity and the main types of electrical plugs.



“Meccano” distributor module


The distributor module makes it possible to connect up to 8 lines to the power supply.

Code	Supply Power	Drawing
31108208	72W (single line) 120W (maximum total absorption) - 24V	



"Meccano" Smart 1 8-way module

Makes it possible to connect up to 8 lines to the power supply and simultaneously to control, in combination with the remote controls available, the power-on/off and the luminous intensity.

Code	Supply Power	Drawing
31108305	72W (single line) 120W (maximum total absorption) - 24V	




“Meccano” Smart 4 Mono 4-way module

Makes it possible to connect up to 4 lines to the power supply and separately to control, in combination with the remote controls available, the power-on/off and the luminous intensity.

Code	Supply Power	Drawing
31108306	72W (single line) 120W (maximum total absorption) - 24V	

“Meccano” Blue Smart 4-way module


Makes it possible to connect up to 4 lines to the power supply and separately to control the power-on/off, the luminous intensity using the dedicated App available for download from App Store and Google Play, or using the remote controls available.

Code	Supply Power	Drawing
31108307	72W (single line) 120W (maximum total absorption) - 24V	



“Meccano” Smarty Voice module


Makes it possible to connect up to 8 lines to the power supply and simultaneously to control the power-on/off, the luminous intensity via voice control (compatible with Alexa and Google Home systems) or using the remote controls available or using the specific App downloaded to your smartphone from App Store or Google Play.

Code	Supply Power	Drawing
31108209	72W (single line) 120W (maximum total absorption) - 24V	



“Meccano” Smartmusic module with 1 speaker - 24V

Makes it possible to play the audio signal from your smartphone via two exciters, active speakers which, when applied to the inside of cabinets or behind mirrors, turn the surfaces into loudspeakers. For installation on surfaces of up to 2 square metres.

Code	Drawing
31108303	




"Meccano" Smartmusic module with 2 speakers - 24V

Makes it possible to play the audio signal from your smartphone via the exciters, active speakers which, when applied to the inside of cabinets or behind mirrors, turn the surfaces into loudspeakers.

For installation on surfaces larger than 2 square metres.

Code	Drawing
31108304	


"Meccano" Smart Up 1 Remote Control

Wireless remote control with power on/off and luminous intensity adjustment functions.

Compatible with all SMART modules.

CR2450 battery provided (lasts 3 years)

Code	Drawing
31108300	


"Meccano" Mono remote control with sensor

Presence sensor or wireless touch remote control with power on/off and luminous intensity adjustment functions.


Compatible with all SMART modules

CR2450 battery provided (lasts 3 years)

Code	Drawing
31108310	

“Meccano” Smart 4 Mono Remote control


Wireless remote control with the possibility of controlling up to 4 independent lines.
With power on/off and luminous intensity adjustment functions. Compatible with all SMART modules.
CR2450 battery provided (lasts 3 years)

Code	Drawing
31108311	




“Meccano”multiple 6-way distributor

Accessory designed to increase by a further 5 units the number of lights which can be connected to each output of the various modules available


Code	Power	Drawing
31108312	72W (single line) 120W (maximum total absorption)	



This accessory is designed to extend the line cable by 220 cm in order to connect lines which are far apart to a single power supply.
Code 31108313



**Connection and control via voice controls on the “Meccano” system.
Example of connection and control with SMARTY VOICE voice control system.**



Connection and control with voice controls of the light on the Task Bar and of the Show 2.0 recessed lamp

1) Calculate the total power absorption of the lights in the composition to be connected to a single power supply:

Task Bar light: 2.4 m x 11.4W= **27.36W**

Show 2.0 lamp: 0.6 m x 12.5W= **3.78W**

Total power absorption **31.14W**

2) Choose the power supply according to the total power absorption: Power supply **36W**

To manage the two lights separately, connect a **SMARTY VOICE** module to each one

By interfacing the two modules to a voice control system, e.g. BTicino Living Now Voice Control Assistant (or other system compatible with Alexa and Google Home), you can control the two lighting zones independently by switching the lights on/off or dimming them. In order to be able to control the lighting even with the temporary absence of the Wi-Fi network, it is advisable also to have a “Meccano” Smart 4 Mono remote control.



PLUG
Mains connection
plug



DRIVER
Power supply
with appropriate
power rating

+



SMART VOICE
Module for voice control
and connection to the
TASK BAR

+



SMART VOICE
Module for voice
control and connection
to the Show 2.0 light

+



SMART 4 MONO
Remote control
with separate
functions on 4 lines




SMARTPHONE
Control by L&S
APP



**VOICE CONTROL
SYSTEM**

Connection and control of lights via the “Meccano” system. Example of connection and control with SMART 1 module.



Connection and control of Magical 2.0 lines (inside glass fronted wall units) and Easylight midway lamp.

1) Calculate the total power absorption of the lights in the composition to be connected to a single power supply:

Magical 2.0 lamp: $0.7\text{m} \times 7\text{W} \times 6 = \mathbf{29,4W}$

Easylight lamp: $1.8\text{m} \times 19.7\text{W} = \mathbf{35.46W}$

Total power absorption **64.86W**

2) Choose the power supply according to the total power absorption: Power supply **90W**

To switch on the Magical 2.0 lines inside the glass fronted wall units (since they do not have a sensor for automatic switch-on), connect the Smart 1 module managed with the Smart 1 Controller to the power supply.

For the Easylight lamp with touch switch, use the “Y” cable



PLUG
Mains connection
plug



DRIVER
Power supply

+



SMART 1 MODULE
Module for control and
power supply to the
Magical 2.0 lights

+




SMART UP 1
Remote control to
control the Magical 2.0
lamp power on/off

+



“Y” CABLE
Easylight lamp
power cable

Connection and control of lights via the “Meccano” system. Example of connection and control on BLUE SMART module.



Connection and control of the Show 2.0 lamp in the “Fluida” Wall System, of the Show 2.0 recessed midway lamp and of the Magical 2.0 lines for the glass fronted wall unit

1) Calculate the total power absorption of the lights in the composition to be connected to a single power supply:

“Fluida” Wall System Show 2.0 Lines: $0.9 \text{ m} \times 6.3\text{W} \times 6 = \mathbf{34.02\text{W}}$

Show 2.0 midway unit lines: $0.9 \text{ m} \times 6.3\text{W} \times 3 = \mathbf{17.01\text{W}}$

Magical 2.0 lines for glass-fronted wall unit: $0.6 \text{ m} \times 7\text{W} \times 1 = \mathbf{4.2\text{W}}$

Total power absorption **55.23W.**

2) Choose the power supply according to the total power absorption: Power supply **120W**

Using the multiple distributor, the 6 Show 2.0 lines in the Fluida Wall System will be connected to the first channel of the Blue Smart module.

The Show 2.0 recessed midway lines will be connected using another multiple distributor to the second channel of the Blue Smart module

The Show 2.0 lamp on the top panel of the glass fronted wall unit will be connected to the third channel of the Blue Smart module.

The 3 separate zones can therefore be controlled using a Smart 4 Mono multi-channel remote control.



PLUG
Mains connection
plug



DRIVER
Power supply

+



BLUE SMART
Module for
Bluetooth control
on 4 independent
connections

+



MULTIPLE DISTRIBUTOR
connects the 6 lines of
the “Fluida” Wall System
to a single Bluetooth
channel

+



MULTIPLE DISTRIBUTOR
connects the 3 lines
of the wall units to a
single Bluetooth channel


+



**SMARTPHONE or SMART 4
MONO**
for light control



**Connection and control of lights with presence sensors via the “Meccano” system.
Example of connection and control with SMART 1 module and SMART SENSOR remote control.**



Connection and control with presence sensors of the Show 2.0 lines in the Fluida Wall System

1) Calculate the total power absorption of the lights in the composition to be connected to a single power supply:

90 cm compartment Show 2.0 lines: $0.9 \text{ m} \times 6.3\text{W} \times 8 = \mathbf{45.36\text{W}}$

Corner compartment Show 2.0 lines: $1.4 \text{ m} \times 12.5\text{W} + 0.9 \text{ m} \times 12.5\text{W} = \mathbf{14.49\text{W}}$

Total power absorption **59.85W**

2) Choose the power supply according to the total power absorption: Power supply **120W**

The 10 lines in the “Fluida” Wall System will be connected using the multiple distributor.

6 Show 2.0 lines will be connected directly to the 6 inputs of the Smart1 module and the other 4 lines via a multiple distributor to another input.

The simultaneous switching on and off of all the lights is controlled by the presence sensor built into the remote control. The intensity and colour can also be adjusted with the keys on the remote control.



PLUG
Mains connection
plug



DRIVER
Power supply

+



SMART 1 MODULE
Module for control
and power supply to
the Magical 2.0 lights

+



MULTIPLE DISTRIBUTOR
used to increase the
number of lines that
can be connected to the
Smart1 module


+



SMART SENSOR
Remote control for line
control with presence
sensor

Connection and control of lights via the “Meccano” system.

Example of connection and control of two separate zones, with BLUE SMART modules.



Connection and control via smartphone or remote control of the Show 2.0 lines in the “Fluida” Wall System in the living room and of the Show 2.0 lines in the kitchen wall units.

Since there are 2 separate compositions, 2 separate power supplies must be envisaged.

1) Calculate the total power absorption of the lines in the living room to be connected to a single power supply:

“Fluida” Wall System Show 2.0 lines: 45 cm compartments ($0.45\text{m} \times 6.3\text{W} \times 8 = 22.66\text{W}$) + TV compartment ($1.8\text{m} \times 6.3\text{W} = 11.34\text{W}$).

Total power absorption **34W**

2) Choose the power supply according to the total power absorption: Power supply **36W**

3) Calculate the total power absorption of the lines in the kitchen to be connected to a single power supply:

Show 2.0 kitchen midway lines: $0.60\text{m} \times 6.3\text{W} \times 2$


Total power absorption **7.56W**

4) Choose the power supply according to the total power absorption: Power supply **18W**

The Show 2.0 lines in the kitchen wall units are connected to a system consisting of a driver + 1 Blue Smart module. (zone 1)

The Show 2.0 lines in the living room are connected to another system consisting of a driver + 1 Blue Smart module to which the TV compartment light will be connected to one channel (zone 2) while the Show 2.0 lines in the “Fluida” Wall System will be connected to another channel (zone 3) via a multiple distributor. By interfacing the two Blue Smart modules to a Smartphone (or alternatively to a Smart 4 Mono remote control), the 3 ambient lighting zones can be managed separately.

KITCHEN




Example of the various control possibilities for the same composition



This kitchen has 2 Line System bars in two separate zones. The 2 bars can be connected to the power supply of appropriate power, in several ways; below is an example and comparison of the various possibilities:


1) Direct switching on/off control of both lights **via standard wall switch.**

The two lines are connected by the "Y" cable to the power supply which, in turn, will be connected to a power supply line from a wall switch.



2) Switching on/off control of both lights simultaneously **via Smart 1 remote control.**

The two lines will be connected via the Smart1 module to the power supply and, using the SMART 1 remote control, you can switch on/off or dim the two lights simultaneously.



3) Power on/off control of the two lights independently via the Smart 4 Mono remote control

The two lines will be connected via the Smart 4 Mono module to the power supply and, using the Smart 4 Mono remote control, you can switch on/off or dim the light on the left wall independently from the light on the right wall.



PLUG

Mains connection plug



DRIVER

Power supply

+



SMART 4 MODULE

Module for control and power supply of the lights.

+



SMART 4 MONO

Remote control to control the lights

4) Power on/off control of the two lights independently via smartphone

The two lines will be connected via the Blue Smart module to the power supply and, using the app downloaded to your smartphone from either App Store or Google Play, you can switch on/off or dim the light on the left wall independently from the light on the right wall.



PLUG

Mains connection plug



DRIVER

Power supply

+



BLUE SMART

Module for Bluetooth control on 4 independent connections

+



SMARTPHONE

Control by L&S APP

5) Power on/off control of the two lights independently via smartphone

The two lines will be connected via the Blue Smart module to the power supply and, using the app downloaded to your smartphone from either App Store or Google Play, you can switch on/off or dim the light on the left wall independently from the light on the right wall.



PLUG

Mains connection plug



DRIVER

Power supply

+





























SMART VOICE MODULE

Module for Bluetooth control on 4 independent connections

+




	CONNECTIONS FOR LIGHTS		CONTROL FUNCTIONS					
								
	Number of connections	Separate control	ON - OFF with mains switch or built into the lamp	Compatible with radio controls	ON - OFF and dimmer	Bluetooth connection via smartphone	Compatible with Amazon Alexa	Compatible with Google Home
"Y" DISTRIBUTOR 	2							
DISTRIBUTOR 	8							
SMART 1 	8							
SMART 4 	4							
BLUESMART 	4							
SMART VOICE 	8							



Container for cabinet internal transformer



White or Grey plastic transformer container.
The container can be placed inside a tall unit or a wall unit, fastening it to the top panel of the cabinet; a transformer/power supply can be placed inside the container.



Code	Description
31108045	Grey RAL7030 container
31108052	White pack

“Blow” midway lamp



“Blow” LED midway lamp in Lead colour aluminium.

Caution:


Rest your finger on the Touch switch for longer than 5 seconds to switch from the 3000°K light to the 4000°K one and vice-versa.

The brightness cannot be adjusted using an external dimmer on the main 110/220V line.

Not compatible with “Meccano” remote control systems.



Codes	Dimension (L)	Absorption
31107482	45 cm	4.18W
31107483	60 cm	5.7W
31107484	90 cm	9.12W
31109342	75 cm	6.84W
31107485	120 cm	12.54W
31107486	150 cm	15.96W
31107487	180 cm	19.38W



Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via Touch switch
Dimming	NO
Colour temperature	Double colour temperature Warm light 3000°K Natural light 4000°K
Luminous flux	1050 lm/m
Cable length	200 cm



“Crop” LED lamp for inside wall units and larder units



“Crop” LED lamp for inside wall units and larder units in Aluminium.

The lamp is turned on when the door opens and stays on until movement is detected, 30 seconds after the last movement is detected the lamp is turned off. The range of detection of the sensor must be free from any obstacles which could hinder proper operation. Can only be installed inside elements with doors.


Warning:

The brightness cannot be adjusted using an external dimmer on the main 110/220V line. Not compatible with “Meccano” remote control systems.



Codes	Dimension (L)	Absorption
31106359	41 cm (for size 45 element)	4W
31106360	56 cm (for size 60 element)	5W
31106361	86 cm (for size 90 element)	8W
31106362	116 cm (for size 120 element)	11W

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via infrared sensor
Dimming	NO
Colour temperature	Natural light 4000°K
Luminous flux	075 lm/m
Cable length	280 cm



"D.55" wall lamp




"D.55" LED wall lamp with matt White or matt Black Metal frame.




Codes	Colour
31108251	Matt white
31108250	Matt black

Power supply	220 V
Power on/off	Via wall switch
Dimming	NO
Colour temperature	Natural light 4000°K
Absorption	7W
Luminous flux	550 lm
Cable length	50 cm



“Dot” recessed spotlight




“Dot” round recessed LED spotlight in satin finish Nickel.

The spotlight cannot be installed in the midway position, but it can be installed on shelves, wall unit top panels, wall unit bottoms (facing the worktop) and on the top panel of larder units H.127-133-140 cm.

To cover the connecting lead, if necessary, order the wiring hole cable duct code 31108330.

Warning:

The brightness cannot be adjusted using an external dimmer on the main 110/220V line.



Code	31108328
Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using the components of the “Meccano system purchased separately
Dimming	Using the components of the “Meccano system purchased separately
Colour temperature	Defined during assembly - set to 3000°K or 4000°K
Absorption	2.5W
Luminous flux	332 lm
Cable length	250 cm
Cut-out dimensions	Diam.5.8 cm - D.1.2 cm

“Dot” external spotlight




“Dot” round LED spotlight in satin finish Nickel.

For installation on top panel or on the bottom of wall units or inside larder units; can be installed on shelves, cornice shelves, midway units or inside units. To cover the connecting lead, if necessary, order the wiring hole cable duct code 31108330.

Warning:

The brightness cannot be adjusted using an external dimmer on the main 110/220V line.



Code	31108329
Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using the components of the “Meccano” system purchased separately
Dimming	Using the components of the “Meccano” system purchased separately
Colour temperature	Defined during assembly - set to 3000°K or 4000°K
Absorption	2.5W
Luminous flux	332 lm
Cable length	250 cm



“EasyLight” midway lamp



“EasyLight” Aluminium LED midway lamp with dual luminous intensity.

Caution:

To avoid any kind of operating problem with the touch control, the bar must not come into contact with metal parts. For the lamp per cm, the minimum size is 20 cm, the maximum size is 300 cm. Lamp with electronic touch control to switch the device on and off and adjust the brightness from maximum to medium.


The brightness cannot be adjusted using an external dimmer on the main 110/220V line.

Not compatible with “Meccano” remote control systems.



Codes	Size	Absorption	Colour temperature
31106080	L.45 cm	9W	4000°K
31106081	L.60 cm	12W	4000°K
31109331	L.75 cm	15W	4000°K
31106082	L.90 cm	18W	4000°K
31106083	L.120 cm	24W	4000°K
31106084	L.150 cm	30W	4000°K
31106085	L.180 cm	36W	4000°K
31107085	L. custom-sized	20W per m	4000°K
31106436	L.45 cm	9W	3000°K
31106437	L.60 cm	12W	3000°K
31106438	L.90 cm	18W	3000°K
31106439	L.120 cm	24W	3000°K
31106440	L.150 cm	30W	3000°K
31106441	L.180 cm	36W	3000°K
31107086	L. custom-sized	20W per m	3000°K


Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via Touch switch
Dimming	NO
Luminous flux	2700 lm/m 4000K - 2580 lm/m 3000K
Cable length	280 cm



"Fancy" suspension lamp



"Fancy" LED suspension lamp in Black or White aluminium.



Codes	Colour	Absorption
31109450	White	3W
31109451	Black	3W

Power supply	220V (built-in power supply)
Power on/off	Via a wall switch
Dimming	NO
Colour temperature	Warm light 3000°K
Luminous flux	250 lm
Cable length	95 cm



“Ghibli” midway lamp



“Ghibli” LED midway lamp in Black aluminium. The lamp is customisable with a line of storage shelves designed for optimal organisation of your workspace.


Warning:

Not compatible with “Meccano” remote control systems. The brightness cannot be adjusted using an external dimmer on the main 110/220V line.



Codes	Dimension (L)	Absorption
31108338	45 cm	5.6W
31108339	60 cm	7.5W
31108340	90 cm	11.4W
31108341	120 cm	15.3W
31108342	180 cm	23.1W
31108343	240 cm	30.9W

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via infrared sensor
Dimming	NO
Colour temperature	Double colour temperature Warm light 3000°K Natural light 4000°K
Luminous flux	479 lm
Cable length	300 cm



Shelves for “Ghibli” lamp



Code	Description	Drawing
31107563	Shelf in Black Aluminium for Ghibli lamp.	
31107562	Shelf in Black Aluminium for Ghibli lamp.	




“Key Dot” midway lamp





“Key Dot” LED midway lamp with aluminium profile and polycarbonate end cap, Black or White screen-printed glossy polycarbonate screen.

Warning:

The lamps are controlled from a single touch switch situated in one of the lamps in the pack. The lamp can be used either as a midway lamp or under a shelf.



Codes	Description	Absorption
31106950	2 White lamps	14W
31106952	2 Black lamps	14W
31106951	3 White lamps	25W
31106953	3 Black lamps	25W
Power supply	24V (includes power supply)	
Power on/off	Via touch switch	
Dimming	Via touch switch	
Colour temperature	Natural light 4000°K	
Luminous flux	510 lm	
Cable length	220 cm	



Power supply included with the lamp packs



“Kiton” LED lamp for base units and base units with pull-out baskets



“Kiton” LED lamp for base units and base units with pull-out baskets in Aluminium.

Warning:

Automatic on/off when the drawer is opened and closed. Colour temperature adjustment after four rapid consecutive openings.

The brightness cannot be adjusted using an external dimmer on the main 110/220V line.


Cannot be installed in appliance base units H.73 on Merivobox type upper drawer. (there isn't enough room).

Not compatible with “Meccano” remote control systems.



Codes	Dimension (L)	Absorption
31108332	41.1 cm for 45 cm base unit	4.6W
31108333	46.1 cm for 50 cm base unit	5.2W
31108334	56.1 cm for 60 cm base unit	6.5W
31109344	71.1 cm for 75 cm base unit	9.3W
31108335	76.1 cm for 80 cm base unit	9.1W
31108336	86.1 cm for 90 cm base unit	10.4W
31108337	116.1 cm for 120 cm base unit	14.3W

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via infrared sensor
Dimming	NO
Colour temperature	Double colour temperature Warm light 3000°K Natural light 4000°K
Luminous flux	520 lm/m
Cable length	300 cm




“Nanda” ceiling lamp



“Nanda” matt black painted Aluminium LED ceiling lamp with thermoplastic polymer screen.

N.B. The support cables have a variable length of min 1 cm to max 100 cm.

This length can be determined during installation.



Code	31108252
Power supply	220V (built-in power supply)
Power on/off	Via a wall switch
Dimming	NO
Colour temperature	Natural light 4000°K
Absorption	16.8W
Luminous flux	630 lm
Cable length	-

“Net XT” midway lamp



“Net XT” Aluminium LED midway lamp.


Warning:

The colour temperature is changed by resting your finger on the touch switch for 5 seconds.
The lamp is supplied with a 200 cm power cable.
The brightness cannot be adjusted using an external dimmer on the main 110/220V line.
Not compatible with “Meccano” remote control systems.



Codes	Size	Absorption
31106394	L.45 cm	5.7W
31106395	L.60 cm	9.5W
31109332	L.75 cm	12W
31106396	L.90 cm	15.2W
31106397	L.120 cm	20.9W

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via illuminated Touch switch
Dimming	NO
Colour temperature	double colour temperature Warm light 3000°K Natural light 4000°K
Luminous flux	975 lm/m
Cable length	200 cm




“Polar SE” midway lamp



“Polar SE” Aluminium LED lamp, without on/off sensor.

Warning:

The brightness cannot be adjusted using an external dimmer on the main 110/220V line.



Codes	Colour temperature
31107627	Natural light 3900°K
31107628	Warm light 3000°K


Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using the components of the “Meccano” system purchased separately
Dimming	Using the components of the “Meccano” system purchased separately
Absorption	5W
Luminous flux	325 lm
Cable length	200 cm

“Polar SE SDM” midway lamp



“Polar SE SDM” Aluminium LED midway lamp.

Warning:
The brightness cannot be adjusted using an external dimmer on the main 110/220V line.



Codes	Colour temperature
31107629	Natural light 3900°K
31107630	Warm light 3000°K

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via infrared sensor
Dimming	Via infrared sensor
Absorption	5W
Luminous flux	325 lm
Cable length	200 cm




“Polar XS SE” midway lamp



“Polar XS SE” Aluminium LED midway lamp, without on/off sensor.

Warning:

The brightness cannot be adjusted using an external dimmer on the main 110/220V line.



Codes	Colour temperature
31107631	Natural light 3900°K
31107632	Warm light 3000°K

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using the components of the “Meccano” system purchased separately
Dimming	Using the components of the “Meccano” system purchased separately
Absorption	5W
Luminous flux	325 lm
Cable length	200 cm

“Qi” suspension lamp



“Qi” LED suspension lamp with 14 cm cylindrical aluminium lampshade painted Solid White with fitted cable.


LED light bulb with E14 fitting.

Warning:

The 110V version is supplied without a light bulb



Codes	31106801 (220V)
	31106814 (110V)
Power on/off	Via a wall switch
Dimming	NO
Colour temperature	natural light 4000°K
Absorption	6W
Luminous flux	470 lm
Cable length	240 cm



“Qi” wall lamp



“Qi” wall lamp with 14 cm cylindrical aluminium lampshade painted Solid White.
LED light bulb with E14 fitting.


Warning:

The 110V version is supplied without a light bulb.



Codes	31106802 (220V)
	31106815 (110V)

Power on/off	Via a wall switch
Dimming	NO
Colour temperature	natural light 4000°K
Absorption	6W
Luminous flux	470 lm
Cable length	20 cm




“Saturn” recessed spotlight

Polished Chrome-finish spotlight



“Saturn” round metal LED spotlight.

The spotlights can be installed on shelves, on wall unit top panels, on wall unit bottoms (facing the top) and on the top panel of larder units H.127 cm. The relating processing is never continuous, the power cable comes out of the back.



Polished Gold finish spotlight



Codes	Description
31106954	Polished Gold finish
31106955	Polished chrome-finish

Power supply	12V (order power supply code 31106956)
Power on/off	Using a wall switch or a remote controlled switch (code 31106703)
Dimming	NO
Colour temperature	Natural light 4300°K
Absorption	3.4W
Luminous flux	390 lm
Cable length	200 cm
Cut-out dimensions	Diam.6.8 cm - D.1.4 cm


12-way power supply (31106956)
15W- 220V




Remote controlled switch (code 31106703)
for 220 V line



“Sun” midway spotlight



“Sun” midway LED spotlight in Stainless Steel.




Codes	Description	Absorption
31106194	Pack of 2 spotlights	2 spotlights 7W (3.5W x 2)
31106195	Pack of 3 spotlights	3 spotlights 10.5W (3.5W x 3)

Power supply	12V (includes transformer)
Power on/off	Via a wall switch or a remote controlled switch (code 31106703)
Colour temperature	Natural light 4000°K
Dimming	NO
Luminous flux	140 lm
Cable length	190 cm

Remote controlled switch (code 31106703) for **220V** power supply line



"Thea She Td" midway lamp




"Thea She Td" Aluminium LED midway lamp with variable luminous intensity and electronic touch control to switch the device on and off and adjust the brightness.

Warning: The brightness cannot be adjusted using an external dimmer on the main 110/220V line. Not compatible with "Meccano" remote control systems.



Codes	Dimension (L)	Colour	Absorption
31108006	45 cm	Matt black	6.2W
31108010	45 cm	Dark Inox	6.2W
31108007	60 cm	Matt black	8.2W
31108011	60 cm	Dark Inox	8.2W
31108008	90 cm	Matt black	12.5W
31108012	90 cm	Dark Inox	12.5W
31108009	120 cm	Matt black	16.8W
31108013	120 cm	Dark Inox	16.8W

Power supply	24V (order the "Meccano" power supply with a power rating appropriate for absorption)
Power on/off	Via Touch switch
Dimming	Via Touch switch
Colour temperature	Natural light 4000°K
Luminous flux	1180 lm/m
Cable length	200 cm




“Underscore” midway lamp



“Underscore” Aluminium LED midway lamp.

Warning: The custom-sized lamp measures between 20 and 300 cm



POWER ON/OFF WITH TOUCH SWITCH				
Codes	Dimension (L)	Colour	Absorption	Colour temperature
31108217	45 cm	Black	9W	4000°K
31108224	45 cm	Silver	9W	4000°K
31108218	60 cm	Black	12W	4000°K
31108225	60 cm	Silver	12W	4000°K
31108219	90 cm	Black	18W	4000°K
31108226	90 cm	Silver	18W	4000°K
31108220	120 cm	Black	23W	4000°K
31108227	120 cm	Silver	23W	4000°K
31108221	150 cm	Black	29W	4000°K
31108228	150 cm	Silver	29W	4000°K
31108222	180 cm	Black	35W	4000°K
31108229	180 cm	Silver	35W	4000°K
31108245	custom-sized	Black	20W/m	4000°K
31108246	custom-sized	Silver	20W/m	4000°K
31108231	45 cm	Black	9W	3000°K
31108238	45 cm	Silver	9W	3000°K
31108232	60 cm	Black	12W	3000°K
31108239	60 cm	Silver	12W	3000°K
31108233	90 cm	Black	18W	3000°K
31108240	90 cm	Silver	18W	3000°K
31108234	120 cm	Black	23W	3000°K
31108241	120 cm	Silver	23W	3000°K
31108235	150 cm	Black	29W	3000°K
31108242	150 cm	Silver	29W	3000°K
31108236	180 cm	Black	35W	3000°K
31108243	180 cm	Silver	35W	3000°K
31108247	custom-sized	Black	20W/m	3000°K
31108248	custom-sized	Silver	20W/m	3000°K

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via Touch switch that turns on and off when touched and adjusts the intensity when pressed down
Dimming	Via Touch switch
Luminous flux	2100 lm/m
Cable length	300 cm

POWER ON/OFF WITH EXTERNAL SWITCH				
Codes	Dimension (L)	Colour	Absorption	Colour temperature
31108344	45 cm	Black	9W	4000°K
31108351	45 cm	Silver	9W	4000°K
31108345	60 cm	Black	12W	4000°K
31108352	60 cm	Silver	12W	4000°K
31108346	90 cm	Black	18W	4000°K
31108353	90 cm	Silver	18W	4000°K
31108347	90 cm	Black	23W	4000°K
31108354	120 cm	Silver	23W	4000°K
31108348	150 cm	Black	29W	4000°K
31108355	150 cm	Silver	29W	4000°K
31108349	180 cm	Black	35W	4000°K
31108356	180 cm	Silver	35W	4000°K
31108372	custom-sized	Black	20W/m	4000°K
31108373	custom-sized	Silver	20W/m	4000°K
31108358	45 cm	Black	9W	3000°K
31108365	45 cm	Silver	9W	3000°K
31108359	60 cm	Black	12W	3000°K
31108366	60 cm	Silver	12W	3000°K
31108360	90 cm	Black	18W	3000°K
31108367	90 cm	Silver	18W	3000°K
31108361	120 cm	Black	23W	3000°K
31108368	120 cm	Silver	23W	3000°K
31108369	150 cm	Black	29W	3000°K
31108227	150 cm	Silver	29W	3000°K
31108363	180 cm	Black	35W	3000°K
31108370	180 cm	Silver	35W	3000°K
31108374	custom-sized	Black	20W/m	3000°K
31108375	custom-sized	Silver	20W/m	3000°K

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using the components of the “Meccano” system purchased separately
Dimming	Using the components of the “Meccano” system purchased separately
Luminous flux	2100 lm/m
Cable length	300 cm



“Vigo” wall lamp

Example of lamp with left support



“Vigo” matt black painted Aluminium LED wall lamp with opal methacrylate screen.


N.B. The lamp is available with a **central, left or right support**.

Warning: Using the universal bracket supplied, it can be wall mounted or fitted directly on the edging of a mirror profile.



Codes	Dimension (L)	Absorption
31108253	70 cm (central support)	13W
31108254	90 cm (central support)	15W
31108255	90 cm (RH support)	15W
31108256	90 cm (LH support)	15W

Power supply	220V (includes transformer)
Power on/off	Via wall switch
Dimming	NO
Colour temperature	Natural light 4000°K
Luminous flux	80 lm/W
Cable length	80 cm



“Easy” drainer unit lamp




“Easy” Polycarbonate and aluminium LED lamp for drainer units D.2.2 cm.

Warning: Can be installed in the aluminium frame at the rear with a quick attachment clip.
Certified IP44.
Only for installation in Easy line drainer units.



Codes	Dimension (L)	Absorption
31106363	40.1 cm for size 45 element	2.4W
31106364	55.1 cm for size 60 element	3.9W
31106365	85.1 cm for size 90 element	5.8W

Power supply	12V (includes power supply)
Power on/off	Via illuminated Touch switch
Dimming	NO
Colour temperature	Natural light 4000°K
Luminous flux	1080 lm/m
Cable length	240 cm



“Wand 2.0” drainer unit lamp



Aluminium LED lamp for drainer units.


The lamp is inserted in an aluminium profile with a switch and IP54 protection. Rest your finger on the Touch switch for longer than 5 seconds to switch from the 3000°K light to the 4000°K one and vice-versa. Supplied with a quick attachment clip to the rear profile of the drainer unit. It is perfectly integrated as it covers the rear space of the aluminium profile like a casing, but with flush-fit light.

Caution:

Cannot be installed on drainer units from the Easy line and cannot be installed on drainer units code 71011085-86.


N.B. order a power supply with a power rating appropriate for the absorption of the lamps to be connected and any “Meccano” system management components. The brightness cannot be adjusted using an external dimmer on the main 110/220V line.

Not compatible with “Meccano” remote control systems.



Codes	Dimension (L)	Absorption
31109117	40.8 cm for size 45 element	4W
31109118	55.8 cm for size 60 element	6W
31109120	70.8 cm for size 75 element	8W
31109330	75.5 cm for size 80 element	9W
31109119	85.8 cm for size 90 element	10W
31109121	115.8 cm for size 120 element	14W

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via illuminated Touch switch
Dimming	NO
Colour temperature	Double colour temperature: Warm light 3000°K Natural light 4000°K
Luminous flux	479 lm/m
Cable length	300 cm



“Magical 2.0” built-in lamp



Vertical built-in LED lamp for side panels.

The lamp can be fitted in base units with hinged door (except for sink base units), in wall units with hinged door (except for drainer units and hoods), in larder units with hinged door (except for those with inner baskets) and in corner larder units. The sensor is available: White, Anthracite and Grey.

Caution:

The brightness cannot be adjusted using an external dimmer on the main 110/220V line.

Magical 2.0 lights inserted in elements with glass doors can be controlled (on/off, dimmer) using the “Meccano” system

N.B. Order Meccano power supply.

Lamp table with sensor


Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via on/off sensor
Dimming	NO
Colour temperature	Natural light 4000°K Warm light 3000°K
Absorption	7W per metre
Luminous flux	1240 lm/m
Cable length	300 cm

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using a wall switch or “Meccano” remote control systems purchased separately
Dimming	Using the components of the “Meccano” system purchased separately
Colour temperature	Natural light 4000°K Warm light 3000°K
Absorption	7W per metre
Luminous flux	1240 lm/m
Cable length	300 cm

Detail of Light



Detail of White sensor



“Show 2.0” built-in lamp




LED light-pelmet with and without switch.

The lamp can be fitted on laminate, lacquered and veneered shelves, on “Fluida” wall system and “Status” wall system shelves, on the bottom or top panel of wall units (including L.120 cm) and on the bottom of corner wall units and open-fronted elements th.18 mm.

Cannot be installed in hoods and in drainer units. If the light is teamed with a visible shelf, the lamp cannot be the same length as the shelf, but it will be 18 mm shorter per side.

Caution:

The brightness cannot be adjusted using an external dimmer on the main 110/220V line.



Lamp without switch

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using a wall switch or “Meccano” remote control systems purchased separately
Dimming	Using the components of the “Meccano” system purchased separately
Colour temperature	Natural light 4000°K Warm light 3000°K
Absorption	6.3W per metre
Luminous flux	1070 lm/m
Cable length	300 cm

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via built-in Touch switch
Dimming	Via built-in Touch switch
Colour temperature	Natural light 4000°K Warm light 3000°K
Absorption	6.3W per metre
Luminous flux	1070 lm/m
Cable length	300 cm



Bottom board with integrated LED lighting for wall units



Bottom board with integrated LED lighting for wall units in anodised aluminium and etched tempered glass.

Power on/off via infrared switch, which also allows you to switch from natural light (4000°K) to warm light (3000°K).

N.B. Supplied with power supply.

Cannot be installed in: wall unit with sliding doors, wall unit top boxes, wall units for boiler, microwave wall unit, corner wall unit, end wall unit, drainer units, curved wall units and drainer units. When fitted with bottom board with integrated lighting, light pelmets cannot be installed. Element already fitted in the unit.

Capacity of bottom board with integrated lighting in kg distributed evenly:

- for 45 cm wall unit: 8.5 kg
- for 60 cm wall unit: 11.5 kg
- for 90 cm wall unit: 17.5 kg
- for 120 cm wall unit: 23.5 kg


Width (cm)	Power supply	Absorption
45	220V - 110V	5W
60	220V - 110V	5.8W
90	220V - 110V	11.5W
120	220V - 110V	14.4W

“Push Pull” pull-out power outlet tower - built-in flush-mount



“Push Pull” pull-out power outlet tower- built-in flush-mount in Silver finish Aluminium with Steel finish cover. 180 cm power cable

N.B. The tower cannot be installed where there are base units with drawers or baskets. The top-recessed power outlet must be at least 60 cm from the edging of the sink. Make sure the wiring system has a differential circuit-breaker.



Code	Description
31106187	3 Schuko sockets
31106200	3 sockets for the Swiss market



Built-in top-recessed power outlet

Example of power outlet with Black frame and cover




Built-in top-recessed power outlet with 2 Schuko sockets and 2 USB sockets with Black frame and cover or stainless steel frame and cover.

The power outlet consists of a frame with cover and the electrified insert. It has a water protection index of IP20 so it cannot be installed near sinks.


The top-recessed power outlet must be at least 60 cm from the edging of the sink.

Make sure the wiring system has a differential circuit-breaker.



Code	Description
31106940	Black frame and cover
31106941	Stainless steel frame and cover

Example of power outlet with Stainless steel frame and cover




“Plural” built-in top-recessed power outlet

Example of power outlet with Black frame and cover



Built-in top-recessed power outlet with 2 Schuko sockets and 2 USB sockets with Black frame and cover or stainless steel frame and cover.
The power outlet consists of a frame with cover and the electrified insert. It has a water protection index of IP20 so it cannot be installed near sinks.
The top-recessed power outlet must be at least 60 cm from the edging of the sink.
Make sure the wiring system has a differential circuit-breaker.



Code	Description
31107174	Black frame and cover
31107175	Stainless steel frame and cover

Example of power outlet with Stainless steel frame and cover




“Extra” built-in top-recessed power outlet



Built-in top-recessed power outlet with 1 Schuko socket.
Brushed Stainless Steel frame and cover.

L.12.3 - D.6 - TH.0.2 cm.

The power outlet consists of a frame with cover and the electrified insert. It has a water protection index of IP54. (with the covers closed).



Code
31107588




“Extra” built-in top-recessed USB socket



Built-in top-recessed power outlet with USB socket.
Brushed Stainless Steel frame and cover.

L.12.3 - D.6 - TH.0.2 cm.

The power outlet consists of a frame with cover and the electrified insert. It has a water protection index of IP54 (with the covers closed).



Code
31107589




“Extra” Built-in top-recessed wireless charger



Wireless charger \varnothing 8.8 - Th. 0.13 cm to charge smartphones, White or Brushed Stainless steel finish.

The wireless charger with Qi technology constitutes the perfect solution for charging smartphones; simply place it on the charging base, without needing to connect any cables. Charging begins with the emission of an acoustic signal and charging status is indicated by the blue LED lit for the duration of charging.




Code
31107590

“Corner double socket” corner modular profile



“Corner double Socket” corner modular profile with Schuko socket and three-pin socket with 200 cm power cable.




Code
31105322

Cable duct



Cable duct in Black, White and Grey plastic.
60 cm long to be cut to size at the time of assembly.
Complete with double-sided tape for assembly.




Code	Colour
31108330	Black
31109115	White
31109116	Grey

Infrared remote control signal kit



Infrared remote control signal kit.
Equipped with:
- receiver (for recessed or external installation)
- control unit
- transmitter



Code
31106462

COMPOSITION ACCESSORIES



‘Qi’ storage basket



“Qi” storage basket in Solid White painted polyurethane.


Code	Description	Drawing
31106831	Storage basket H.18 cm L.52 cm with cover	
31106799	Storage basket H.18 cm L.52 cm without cover	
31106800	Cover for storage basket	



Hanging rack for island



Hanging rack in Satin finish stainless steel for island.




Code	Description
31105129	120 cm hanging rack
31105130	150 cm hanging rack
31105131	180 cm hanging rack
31105132	210 cm hanging rack

Steel Shelf



Steel shelf **D.34** cm th.6 cm.
Complete with shelf bracket.



Code	Description
31105133	60 cm shelf
31105134	90 cm shelf



Square open-fronted feet



Pack of satin finish Steel open-fronted feet.

Code	Description	Drawing
31105177	Pack of 2 connected feet for base unit/larder units	A technical line drawing of a connected foot assembly. It shows two rectangular feet joined by a horizontal bar. Dimensions are indicated: a length of 56.3/34 and a width of 4.
31105179	Pack of 2 connected feet for tall refrigerator unit	
31105180	Pack of 2 connected feet for larder units D.36 cm	
31105178	Pack of one foot for corner base unit	A technical line drawing of a corner foot assembly. It shows two rectangular feet joined at a 90-degree angle. A dimension of 15 is indicated for the height of the feet.



Height-adjustable plastic foot



Concealed plastic foot, height adjustable from H.13 to 19 cm.

Code
31106332

Metal foot

Steel foot



Pack of 2 Slender open-fronted feet H.15 cm in Bronze and Steel finish metal.

Bronze foot



Code	Description
31106931	Steel finish
31107018	Bronze finish




Transparent glass partition



Tempered transparent glass partition with aluminium supports.

For installation in island and peninsula tops with D. above 60 cm. The partition panel should be placed behind the hob on islands and peninsulas.




Code	Dimensions
31106451	L.80 cm H.20 cm th.0.8 cm
31106452	L.100 cm H.20 cm th.0.8 cm

Glass flame-guard wall panel



Flame-guard wall panel in Light Grey SCAV 302 polished tempered glass or Iron Grey SCAV 374 for hob



Code	Description
31107886	L.50 cm H.20 cm Th.1 cm Light Grey for 60 cm hob
31107883	L.50 cm H.20 cm Th.1 cm Iron Grey for 60 cm hob
31107887	L.68 cm H.20 cm Th.1 cm Light Grey for 70/75 cm hob
31107884	L.68 cm H.20 cm Th.1 cm Iron Grey for 70/75 cm hob
31107888	L.90 cm H.20 cm Th.1 cm Light Grey for 90 cm hob
31107885	L.90 cm H.20 cm Th.1 cm Iron Grey for 90 cm hob



Dishwasher side panel protection profile



Aluminium dishwasher side panel protection profile.

The profile is applied using double-sided tape on the side panel of the base units adjacent to the dishwasher base units to avoid the side panels swelling with heat released at the end of the dishwasher washing cycle.

Code	Dimensions
31109453	Set of 2 profiles for base units H.73/76 cm with recessed grip profile
31109454	Set of 2 profiles for base units H.73 cm
31109455	Set of 2 profiles for base units H.80 cm with recessed grip profile
31109456	Set of 2 profiles for base units H.80 cm




Steel casing H.15 cm



Steel plinth with two sides, for open-fronted feet under undermount appliances

For use in compositions with open-fronted feet.



Code	Dimensions
31105162	45 cm
31105163	60 cm

Magnetic hook for plinth fastening



Magnetic hook for plinth fastening

The characteristic of this hook is that it fastens the plinth to the feet by means of magnets. This allows you to attach/detach the plinth much more easily to make it easier to clean under the kitchen base units. It also makes it much more simple to arrange the plinth itself at the beginning.

Depending on individual circumstances, to order the right amount consider at least two magnetic hooks for every piece of plinth and, in any case, around one magnetic hook per metre.

Code
31107896

Fenix NTM door cleaning sponge



Fenix NTM door cleaning sponge.

Code
31106464

Matt glass cleaning sponge



Matt glass surface cleaning sponge.

Code
31106578

Microfibre cloth



40x40 cm microfibre cloth.

Made with a combination of various synthetic materials and microfibre to provide in-depth cleaning. Excellent for use in the kitchen, as well as throughout the home.

Code

31100407

Pack of 5 “Clin & Clin” cloths



Disposable wipes for cleaning and protecting all stainless steel surfaces.

Pack of 5 steel care wipes.

Code

31100598



Liquid protector for granite, marble and composite tops



Imperston 0.5 litre pack

Oil- and water-repellent stain-proofing liquid specifically for kitchen and bathroom tops. Regular use helps restore the top's gloss and resistance to water, oil and stains.

Code
31105233

Bottle for cleaning laminate and melamine surfaces



800 ml spray can

Consists of a mixture of surfactants, solvents and adjuvants in a handy spray can. Recommended for cleaning laminate and melamine panels.

Code
31100398



“Franke” paste for cleaning stainless steel sinks



Paste for cleaning “Franke” stainless steel sinks.

Multi-purpose cream ideal for cleaning all types of stainless steel, synthetic or enameled sinks and hobs. Also especially recommended for silver, copper and brass objects.

Code
41003235

Detergent for cleaning Quarz tops



Detergent for cleaning Quarz tops.

Code
31106449



Reinforcing front profile for shelf



Reinforcing front profile in Silver finish aluminium H.3 cm for 1.8 cm thick shelf.
 Clicks into place onto the front end of the shelf to diminish bending under concentrated loads.
 The 120 cm profile code 31106822 can be installed on:

- 120 cm linear base units
- 125x65 cm corner base units
- 122 cm corner larger units

The 120 cm profile code 31106829 can be installed on:

- 120x60 cm corner base units




Code	for base unit
31106818	30
31106819	45
31106820	60
31106821	90
31106822	120
31106829	120

Table accessories



Plywood chopping board.




Code
31105169



“StepByStep” stepladder



Folding ladder in Anthracite painted Aluminium with 2 non-slip steps.
Maximum load capacity 150 kg.



Code
31109465



ACCESSORIES FOR ELEMENTS ASSEMBLY




Wall unit fixing bar



Galvanised iron wall unit fixing bar for tiled walls.

Maximum length 2.6 m. The load capacity is 100 kg per metre.



Code
31105240

Fixing dowels



Code	Description
31105161	Pack of 10 dowels with screw for wall unit fastener bar fixing



Code	Description
31105160	Pack of 10 dowels with hook for wall unit fixing.



Floor-mounting pack for base units



Pack of floor-fixing anti-tilt hooks for island base units placed in the middle of the room.

N.B. Order in the event of base units with pull-out elements placed as island to avoid the risk of the base units tipping with the pull-out elements open.


Code	Description
31106479	Pack of hooks for base units with plinths H.10-15 cm
31107181	Pack of hooks for base units with plinths H.7 cm

Caps Ø 5 mm for shelf holes



Pack of 100 caps for shelves.

Code	Description
31105149	Pack of 100 White caps
31105150	Pack of 100 Tuga-Monza Walnut caps
31105151	Pack of 100 Aurora Cherry caps
31105152	Pack of 100 Antique Walnut caps
31105153	Pack of 100 Cream caps
31105154	Pack of 100 Accademia Cherry caps
31106390	Pack of 100 Anthracite caps
31106477	Pack of 100 Sand caps



Wall unit fixing plates



Pack of individual wall fixing plates.

The load capacity, for a vertical load, of the plates bridging two side panels is 140 kg, while the load capacity of plates on the external side panels of the composition is 70 kg.

Code	Description
31105399	Pack of 5 plates
31105400	Pack of 10 plates

Wall fastening pack for base units with drawers or baskets



Pack of **2** galvanised iron plates.

Order in the event of free-standing base units with drawers or baskets to avoid the risk of the base units tipping with the pull-outs open.

Code
31105560

Dowels for fitting units and shelf brackets



Pack of **20** expansion plugs **ø 8 mm** complete with fixing screws


The expansion plugs in this pack are suitable for concrete and solid and hollow brick walls (not for plasterboard) and are recommended in kitchens for the installation of “Tau” shelf brackets in particular.

Code
31106220


Pack of “Smove” stoppers



Pack of “Smove” stoppers for doors.



Code	Description
31105171	Pack of 10 “Smove” stoppers for 45 cm doors
31105299	Pack of 10 “Smove” stoppers for 60 cm doors
31105172	Pack of 5 “Smove” stoppers for 2 doors




“Guard” shelf bracket or shelf support



Silver finish shelf bracket or shelf support

This article can also be used as a support for cantilever island worktops, securing it to the island back panel or to the side panel of the base unit. The load capacity for each individual shelf bracket is 20 kg, including the shelf, when wall-mounted; it is 15 kg, including the shelf, when it is fitted to the back of cabinets.



Code
31107084


“Tau” adjustable concealed shelf bracket



Concealed shelf bracket for use with shelves with a minimum thickness of 3 cm and a minimum depth of 16 cm. The shelf bracket comes with 3 adjustments:

- vertically (0.5 cm)
- horizontally (1 cm)
- front tilt (0.6 cm) for shelves D.36 cm.

The load capacity of a single shelf bracket is 10 kg distributed evenly on a shelf D.36 cm.



Code
31106207


Concealed shelf bracket



Concealed shelf bracket

The load capacity for each individual shelf bracket is 5 kg including the shelf.

For use with shelves with a minimum thickness of 3 cm and a minimum depth of 14 cm.



Code

31105164

Adjustable concealed shelf bracket




Adjustable concealed shelf bracket

The load capacity for each individual shelf bracket is 7 kg including the shelf.

For use with shelves with a minimum thickness of 3 cm and a minimum depth of 16 cm.

The shelf bracket comes with 3 adjustments:

- to the right (0.2 cm)
- to the left (0.2 cm)
- front tilt (0.6 cm) for shelves D.36 cm.



Codice


31109527

“Tucano” shelf bracket



“Tucano” shelf bracket for shelves with a thickness of between 1.3 cm and 3.8 cm. The load capacity for each individual shelf bracket is 20 kg including the shelf.

N.B.: cannot be installed on glass shelves with a thickness of 1 cm.




Code	Description
31105155	Pack of 2 White lacquered shelf brackets
31105156	Pack of 2 Metallic Grey lacquered shelf brackets
31105158	Pack of 2 Bronze finish shelf brackets

Stainless steel steam guard




34 cm steam guard.

Protects the elements next to hoods.



Code
41003240

Gas connection pipe




Steel gas connection pipe, covered with plastic, compliant with EN14800.

Code	Description
41008852	Gas connection pipe with screw fitting- 100 cm
41008853	Gas connection pipe with screw fitting- 200 cm


Wiring hole conduit



Wiring hole conduit **L.20 - H.7.2 - Th.0.15** cm in Silver finish Aluminium with synthetic bristles.
N.B. Cannot be installed in glass wall panels and tops.




Code
31106463



Wiring hole plate for living room wall panel



Plastic wiring hole plate for living room wall panel



Code
31106203




Wall-mounted tie rods for shelves



System of shelf supporting wall-mounted tie rods comprising:

- 1 cable L.200 cm or L.300 cm - 1 long articulated cable tensioner with Satin finish Nickel canopy
- 1 Satin finish Nickel end kit to be fitted only on the lower shelf



The tie rods can be installed on any type of shelf fitted with concealed shelf brackets; the tie rods do not replace the shelf brackets, they just enhance their load capacity. Each tie rod should always be placed 3,5 cm away from the front edging of the shelf and at least 3.5 cm away from the side edging. An intermediate shelf kit is available separately (to be fitted onto each shelf through which the tie rod passes, except for the lower shelf).

Code	Description
31106836	Supporting tie rods with cable L.200 cm
31106837	Supporting tie rods with cable L.300 cm
31106840	Kit for intermediate shelf

Ceiling-mounted tie rods for shelves



System of shelf supporting tie rods comprising:

- 1 cable L.200 cm or L.300 cm
- 1 ceiling-mounted cable tensioner with Satin finish Nickel canopy
- 1 Satin finish Nickel end kit to be fitted only on the lower shelf.

The tie rods can be installed on any type of shelf fitted with concealed shelf brackets; the tie rods do not replace the shelf brackets, they just enhance their load capacity. Each tie rod should always be placed 3,5 cm away from the front edging of the shelf and at least 3.5 cm away from the side edging. An intermediate shelf kit is available separately (to be fitted onto each shelf through which the tie rod passes, except for the lower shelf).

Code	Description
31106838	Supporting tie rods with cable L.200 cm
31106839	Supporting tie rods with cable L.300 cm
31106840	Kit for intermediate shelf

