SCAVOLINI™

ACCESSORIES:
Functionally at
your disposal

Come and discover the world of Scavolini with your own eyes. At our authorised Dealers, you will find a wide range of products on display, along with our catalogues and a wealth of informative material.

Scavolini S.p.A. supplies this catalogue to its clientele, who are authorised to distribute it to members of the public with no restrictions. However, it may not be given, even in copied form, to anyone in business in the fitted kitchen sector (e.g. agents, dealers, etc.) anywhere in the world. Unless authorised in writing by Scavolini S.p.A. all breaches of the above conditions will result in prosecution.
The colours of the materials illustrated in the Catalogue herein do not always match the actual hue perfectly for comprehensible printing reasons. Colours and shades can be consulted at any Scavolini Point of Sale, directly on products and samples.
The design of Scavolini products is protected as permitted by law. In addition, some parts of the model and/or certain compositions may be subject to patents and/or registrations.
Scavolini S.p.A. has equipped its kitchens with a great number of accessories: more than four hundred high-tech elements which multiply the spaces and functions available, with an extraordinary variety of functional amenities providing a convenient solution to every smallest need.
The accessories and equipment which expand the functions of Scavolini kitchens are truly innovative in terms of technologies, materials and concept, and they are available for every model in a vast assortment giving the potential for thousands of different, convenient and practical solutions, tailored to all requirements.
Scavolini reserves all rights to make any changes intended to improve its products without notice. No responsibility is accepted in the event of inaccuracies in this Catalogue due to printing or typing errors.

Scavolini has a Quality Management System in compliance with the UNI EN ISO 9001 standard, as well as an Environmental Management System in compliance with the UNI EN ISO 14001 standard. That's not all. Scavolini is also the first Italian kitchen manufacturer to have implemented a Health and Safety Management System in compliance with the UNI EN ISO 45001 standard. All the Systems have been certified by the International Body SGS, who bestowed Scavolini with the prestigious Merit Award in recognition of the excellence achieved by the company in controlling quality, the environment and safety.

Scavolini has fulfilled its aim of autonomously producing green energy for its own plants. With a total surface area of 30,000 sq m of photovoltaic panels, the system can provide an annual production of approximately 4,300,000 kWh of clean energy to cover more than 85% of Scavolini’s energy demand and, when demand exceeds supply, of certified energy from renewable sources.

Scavolini has obtained the “Made in Italy” product, origin and quality Certification issued by COSMOB and CATAS, the two biggest testing and certification laboratories for wood-furnishings in Italy. This certification declares the Italian origin of furniture, including both the kitchens and living rooms range as well as Scavolini bathroom furnishings.

FSC® C168055

Scavolini is certified for the FSC Chain of Custody in the management of a transparent and sustainable supply chain, with responsible sourcing of raw wood materials from correctly-managed forestry sources.

Contents

EN

1 Equipped elements

1 Merivobox drawers and baskets
5 Pull-out baskets with “Chrome” and “Iron Grey” set-up
9 90x90 cm corner base unit with revolving baskets
10 90x90 cm corner base unit with revolving baskets
12 “Chrome” and “Iron Grey” baskets for Rational larder units
13 Baskets for 30 cm pull-out larder unit
14 Baskets for double pull-out larder unit
15 Pull-out baskets for larder unit with 2 baskets and drawer
16 Basket equipment for “Chrome Rolling” corner base units
17 Basket equipment for “Iron Grey Rolling” corner base units
18 Pull-out baskets with “Essence” set-up
22 Pull-out baskets with “Essence” set-up for Rational larder unit
23 Pull-out baskets with “Urban” set-up
29 Pull-out baskets with “Urban” set-up for
30 “Urban” pull-out baskets for double pull-out larder unit
31 “Fly Box” basket equipment for corner base units
32 “Fly Box” basket equipment for corner larder units
33 “Sous Chef” equipment for 30 cm pull-out base unit
34 “Sous chef” equipment for 45 cm pull-out base unit
35 Steel drainer units
36 Aluminium lining for drainer units
36 Steel lining for sink base units
37 Gas cylinder holder for base unit
37 "Pixo” pull-out table
38 “Assistant” equipped base unit
39 "Friendly" pull-out table for 90 cm base unit with drawers and basket
40 Ironing board for 45 cm base unit with drawers
40 Base unit with 4 inner drawers
41 Base unit with pull-out basket and 2 inner drawers
41 Base unit with 2 pull-out baskets and inner drawer
42 90x90 cm corner base unit with revolving shelves
42 Baskets for corner base unit
43 "Easygoing" basket equipment for 110 corner base units
43 “Easy Corner” pull-out equipment for 110x65 cm corner base unit
44 “Fly Moon Chrome” pull-out baskets for corner base units
44 “Essence Fly Moon” pull-out baskets for corner base units
45 “Essence Fly Moon” pull-out baskets for corner larder units
46 “Fly Moon Chrome” pull-out baskets for corner larder units
47 Set of baskets for broom cupboard
48 "Wineserver" pull-out bottle rack wine cellar
49 Larder unit with inner drawers and pull-out inner baskets
50 Larder unit with inner drawers and pull-out inner baskets
51 105x105 cm corner storage cupboard
53 Storage cupboard
58 Cupboard with upper roller door
59 Resting unit with roll-up door
60 Dresser for 90 cm base unit

2 Supports

61 “Blend” breakfast bench support
62 “Clever” breakfast bench support
63 “Flux Swing” breakfast bench support
64 “Haiku” breakfast bench support
65 “Hold Up” breakfast bench support
66 “Hold Up +” breakfast bench support
68 “Levity” glass breakfast bench support
69 “Mizu” breakfast bench support
70 Support for “Motus” table
71 Pack of 2 legs for "Motus“ table
72 “Network” breakfast bench support
73 “Network” intermediate support
73 “Network” universal top support
74 “Podium” breakfast bench support
75 “Slender“ breakfast bench support
76 “Sloper” breakfast bench support
77 “Summit” breakfast bench support
78 “Telescope” breakfast bench support
79 “NEW Telescope” breakfast bench support
80 “Infratop” support for 95x95 cm table

3 Sliding tops

81 “Covering” sliding top
82 “Diagonal” sliding top
83 “Diagonal Simple” sliding top
84 “Linear” sliding top
85 “Linear” sliding top
86 “Linear Simple” sliding top
87 “Linear Simple” sliding top

4 Washing areas

88 Pack of 2 filters for tap set connection
88 Metal waste bin
89 Plastic waste bin
89 Sliding waste bin
90 “Host 222” sliding waste bin
90 “Host 500” sliding metal waste bin
91 “Host 550” sliding waste bin
91 Sliding metal waste bin
92 “Home” sliding waste bin
92 “Swing 2.0” sliding waste bin
93 Merivobox drawers and baskets
97 “Basic Superior Stainless Steel” waste bin for 60 cm sink base unit with 2 pull-out baskets
97 “Linear Superior Stainless Steel” waste bin for 90 cm sink base unit with 2 pull-out baskets
98 “Linear Superior Stainless Steel” waste bin for 120 cm sink base unit with 2 pull-out baskets
98 “Multi” waste bin for 90 cm sink base unit with 2 pull-out baskets
99 Built-in "Grab 2.0" pull-out waste bin for 30 cm base unit
99 Built-in "Grab 2.0" pull-out waste bin for 45 cm base unit
100 Built-in "Grab 2.0" pull-out waste bin for 60 cm base unit
100 Built-in "Grab 2.0" pull-out waste bin for 75 cm base unit
101 “Block 2.0” sliding pull-out bin for 30 cm base unit
101 “Block 2.0” sliding pull-out bin for 45 cm base unit
102 Built-in "Simple 2.0" pull-out waste bin for 60 cm sink base unit
102 Sliding waste bin for 90x90 cm corner sink base unit

5 Hood Accessories

103 Air outlet styling accessories
105 Air outlet styling accessories

6 Accessories for wall units, base units and larder units

107 Pull-out baskets and drawers - Internal dimensions
108 “Kilter” cutlery tray
110 “Bold” cutlery tray
112 “Reset” cutlery tray
113 “Domino” cutlery tray

Contents

115 “Classy” pull-out basket and drawer accessories
120 “Classy Frame” accessory holder frames in Black painted Aluminium
124 “Helper” pull-out basket and drawer accessories
129 “Passe-Partout” pull-out basket and drawer accessories
135 “Passe-Partout” plate rack for pull-out baskets
136 “Passe-Partout” bottle and pan rack for pull-out baskets
137 “Passe-Partout” Open Space accessories for base units with basket
139 “Boxset” storage accessories
139 “Rack” plate rack for basket
140 Mats for “Merivobox” pull-out baskets/drawers
141 Rubber mats for base units and wall units
142 Mats for “Merivobox” sink base unit pull-out baskets
143 1 mm thick Satin finish steel side facing panels
144 4 mm thick Satin finish steel side facing panels and filler strips
145 Servo Drive for base units and larder units with pull-out baskets
145 Surcharge for Servo Drive 1 for 60-90-120 cm sink base units with pull-out baskets
146 Servo Drive for wall units, drainer units and hoods
146 Transformer pack
147 Lacquered bottom cover/ top panel cover for wall units
147 Aluminium larder unit bottom
148 “Plana” cloth holder

7 Sleeping area

149 “Harmony” inner accessories
152 “Support” inner accessories
156 “Assist” inner accessories

8 Midway units

157 “K-Concept” illuminated wall panel
159 “Solaris Back” illuminated wall panel
160 “Orizzonte” illuminated glass wall panel
161 “Orizzonte More” illuminated glass wall panel
162 “Orizzonte Up” magnetic wall panel
163 “Magneto” series of magnetic accessories
170 “Ritmica” midway accessories
172 “Rail” accessory-holder bar with LED light
173 Accessories available for the “Rail” bar
176 “Sign” accessory-holder bar with LED light
177 Accessories for “Sign” bar
180 “System” midway accessories
183 "Timeline" midway accessories
184 “Titan” midway accessories
186 “Line System” system
190 “Vertical System”
193 “Opus” equipped wall panel
196 “Setup” System
200 “Setup” system with sliding doors

9 Lamps

201 TECHNICAL INFORMATION
203 Meccano LT System
213 Container for cabinet internal transformer
214 “Crop” LED lamp for inside wall units and larder units
215 “D.55” wall lamp
216 “Dot” recessed spotlight
217 “Dot” external spotlight
218 “Fancy” suspension lamp
219 “Kiton” LED lamp for base units and base units with pull-out baskets
220 “Magnetilux” midway lamp
221 “Nanda” ceiling lamp
222 “Net XT” midway lamp
223 “Qi” suspension lamp
224 “Qi” wall lamp
225 “Ray” midway lamp
226 “Thea She Td” midway lamp
227 “Underscore” midway lamp
228 “Vigo” wall lamp
229 “Easy 2.0” drainer unit lamp
230 “Wand 2.0” drainer unit lamp
231 “Magical 2.0” built-in lamp
232 “Show 2.0” built-in lamp
233 Lighting system with “Action” magnetic spotlights
235 ‘NUBO’ lamp for back of shelf
236 “L_Trunk” push-pull pull-out power outlet tower
237 “L_Couple” built-in multiple power sockets
237 “L_Planner” built-in multiple power sockets
238 “L_Roof” built-in multiple power socket module
238 “L_Oblò” sit-on multiple power socket module
239 “Extra” built-in top-recessed power outlet
239 “Corner double socket” corner modular profile
240 Infrared remote control signal kit
240 Cable duct

10 Composition accessories

241 ‘Qi’ storage basket
242 Hanging rack for island
242 Steel Shelf
243 Square open-fronted feet
244 Height-adjustable plastic foot
244 Metal foot
245 “Mulo” foot adjustment kit
245 Magnetic hook for plinth fastening
246 Transparent glass partition
246 Glass flame-guard wall panel
247 Dishwasher side panel protection profile
248 Steel casing H.15 cm
248 Fenix NTM door cleaning sponge
249 Matt glass cleaning sponge
249 Microfibre cloth
250 Liquid protector for granite, marble and composite tops
250 Pack of 5 “Clin & Clin” cloths
251 “Franke” paste for cleaning stainless steel sinks
251 Bottle for cleaning laminate and melamine surfaces
252 Reinforcing front profile for shelf
252 Detergent for cleaning Quarz tops
253 “StepByStep” stepladder
253 Table accessories

11 Accessories for elements assembly

254 Wall unit fixing bar
254 Fixing dowels
255 Floor-mounting pack for base units
255 Caps Ø 5 mm for shelf holes
256 Wall unit fixing plates
256 Wall fastening pack for base units with drawers or baskets
257 Dowels for fitting units and shelf brackets
257 Pack of “Smove” stoppers
258 “Tau” concealed shelf bracket for shelves with a variable thickness between 1.8 cm and 2.3 cm
258 “Tau” concealed shelf bracket for shelves with a minimum thickness of 3 cm
259 Concealed shelf bracket
259 Adjustable concealed shelf bracket
260 “Guard” shelf bracket or shelf support
260 “Tucano” shelf bracket
261 Stainless steel steam guard
261 Wiring hole plate for living room wall panel
262 Wiring hole conduit
263 Ceiling-mounted tie rods for shelves
263 Wall-mounted tie rods for shelves
264 Gas connection pipe
264 Fixing plates for 18 mm thick open-fronted wall units and AIR-BOX wall units
265 Wall-mounted panel attachment system

EQUIPPED ELEMENTS

Merivobox "Pure" and drawers H.8.4 cm

Anthracite coloured sides

8.4 cm drawers for module H.73-76 cm.
Drawers and baskets have sides and back in painted metal; 1.6 cm thick decorative melamine base. Depth 50 cm.
Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg).
The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm,
the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.
The “Tip-on” push-latch opening system is fitted on certain models.

Silver coloured sides

Merivobox "Boxcover" and drawers H.8.4 cm

Silver coloured sides

8.4 cm drawers for module H.73-76 cm.
The drawers have sides and back in painted metal; 1.6 cm thick decorative melamine base. Depth 50 cm.
The baskets have sides in metal/Smoked glass and a 1.6 cm thick decorative melamine base. Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg).
The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm,
the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.
The “Tip-on” push-latch opening system is fitted on certain models.

Anthracite coloured sides

Merivobox "Pure" and drawers H.11.6 cm

Anthracite coloured sides

11.6 cm drawers for module H.80 cm.
Drawers and baskets have sides and back in painted metal and a 1.6 cm thick decorative melamine base. Depth 50 cm.
Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg).
The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm,
the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.
The “Tip-on” push-latch opening system is fitted on certain models.

Silver coloured sides

Merivobox "Boxcover" and drawers H.11.6 cm

Silver coloured sides

11.6 cm drawers for module H.80 cm.
The drawers have sides and back in painted metal and a 1.6 cm thick decorative melamine base; the baskets have sides in metal/Smoked glass and a 1.6 cm thick decorative melamine base. Depth 50 cm. Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg).
The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm,
the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.
The “Tip-on” push-latch opening system is fitted on certain models.

Anthracite coloured sides

Merivobox "Pure" and drawers H.8.4 - 11.6 cm

Anthracite coloured sides

Drawers H.8.4 and 11.6 cm for module H.80 cm.
Drawers and baskets have sides and back in painted metal; 1.6 cm thick decorative melamine base.
Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg). Depth 50 cm.
The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm,
the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.
The “Tip-on” push-latch opening system is fitted on certain models.

Silver coloured sides

Merivobox "Boxcover" and drawers H.8.4 - 11.6 cm

Silver coloured sides

Drawers H.8.4 and 11.6 cm for module H.80 cm.
The drawers have sides and back in painted metal and a 1.6 cm thick decorative melamine base; the basket has sides in metal/Smoked glass and a 1.6 cm thick decorative melamine base.
Depth 50 cm. Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg).
The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm,
the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.
The “Tip-on” push-latch opening system is fitted on certain models.

Anthracite coloured sides

Merivobox with edge rail and drawers H.8.4 cm

Anthracite coloured sides

8.4 cm drawers for module H.73-76 cm (Scavolini-Scavoli Easy).
The drawers have sides and back in painted metal; 1.6 cm thick decorative melamine base.
The baskets have painted metal sides with rails and a 1.6 cm thick decorative melamine base. Depth 50 cm.
Full-extraction sliding runners on the base unit side panels calibrated for a high dynamic load (40 kg).
The drawers and baskets are equipped with an anti-release system to prevent them from sliding off the runners, alongside the automatic closing system that intervenes in the last 4/6 cm, the "Blumotion" system that slows down and guides the drawer or basket as it closes to prevent knocks.
The “Tip-on” push-latch opening system is fitted on certain models.

“Merivobox” basket accessory (**side with Smoked glass**)

Silver coloured sides

“Merivobox” basket accessory (**side with Smoked glass**)

Pull-out baskets for 15 cm wall unit H.73/80 cm

Chrome basket

Pull-out baskets in chrome-finish metal, **"Chrome" set-up** or in painted metal, **"Iron Grey" set-up** with two containers with side sliding runners.

The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The maximum load capacity is 25 kg.

Iron Grey basket

LH/RH code	Description
71000015	**15** cm H.**73** cm
71000017/18	**15** cm H.**73** cm
71019411	**15** cm H.**73** cm
71019415	**15** cm H.**73** - D.45 cm
71043015	**15** cm H.**80** cm

Pull-out baskets for 15 cm wall unit H.103/120 cm

Chrome basket

Pull-out baskets in chrome-finish metal, **"Chrome" set-up** or in painted metal, **"Iron Grey" set-up** with three containers with side sliding runners.

The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming.
The maximum load capacity is 25 kg.

Iron Grey basket

LH/RH code	Description
71005015	**15** cm H.**103** cm
71019413	**15** cm H.**103** cm
71005017/18	**15** cm H.**103** cm
71019483	**15** cm H.**103** cm D.45 cm
71043625	**15** cm H.**120** cm

Pull-out baskets for 15 cm base unit

Chrome basket

Pull-out baskets in chrome-finish metal, **"Chrome" set-up** or in painted metal, **"Iron Grey" set-up** with two containers with side sliding runners.

The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming.
The maximum load capacity is 20 kg.

Iron Grey basket

LH/RH code	Description
71015015	**15** cm H.**73** cm
71015017/18	**15** cm H.**73** cm
71020025	**15** cm H.**76** cm
71046085	**15** cm H.**80** cm
71019519	**15** cm H.**88** cm D.34 cm
71019517	**15** cm H.**88** cm
71019431	**15** cm H.**88** cm
71019443	**15** cm H.**88** cm
71019435	**15** cm island H.**88** cm
71019521	**15** cm island D.90 - H.**88** cm
71019523	**15** cm island D.112 - H.**88** cm
71019433	**15** cm H.**106** cm

Pull-out baskets for 30-45 cm base units

Chrome basket on 30 cm base unit

Baskets in chrome-finish metal, **"Chrome" set-up** or in painted metal, **"Iron Grey" set-up** with two containers with side sliding runners.

The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming.
The maximum load capacity is 25 kg.

Iron Grey basket on 30 cm base unit

LH/RH code	Description
71017915	**30** cm H.**62** cm
71021513	**30** cm H.**65** cm
71015110	**30** cm H.**73** cm
71015111/12	**30** cm H.**73** cm
71020061	**30** cm H.**76** cm
71046115	**30** cm H.**80** cm
71015420	**45** cm H.**73** cm
71015421/22	**45** cm H.**73** cm
71020111	**45** cm H.**76** cm
71046183	**45** cm H.**80** cm

90x90 cm corner base unit with revolving baskets

Metal structure with 2 **Chrome-finish** metal revolving baskets.
Maximum load capacity 30 kg (15 kg per basket).

Code	Description
71016735/36	for **H.73** cm base unit
71020279/80	for **H.76** cm base unit
71046453/54	for **H.80** cm base unit

“Programma 92” inner basket for base units or larder units

Chrome basket

Pull-out single inner basket in **Chrome-finish** metal for base units or larder units.
The maximum load capacity for each individual basket is 30 kg distributed evenly.

Code	Description
31109241	basket width **45** cm
31109242	basket width **60** cm
31109243	basket width **90** cm

Iron Grey basket

Pull-out single inner basket in **Iron Grey** painted metal for base units or larder units.
The maximum load capacity for each individual basket is 30 kg distributed evenly.

Code	Description
31108492	basket width **45** cm
31108493	basket width **60** cm

WARNING:
For 45 cm pull-out baskets, order elements prepared for baskets:
- **45 cm base unit H.73.4** cm code **71015323/24** (3 baskets recommended)
- **45 cm base unit H.76.4** cm code **71020095/96** (3 baskets recommended)
- **45 cm base unit H.80** cm code **71046175/76** (3 baskets recommended)
- **45 cm larder unit H.127.2** cm code **71026139/40** (3 baskets recommended)
- **45 cm larder unit H.133.2** cm code **71039103/04** (3 baskets recommended)
- **45 cm larder unit H.140** cm code **71048843/44** (3 baskets recommended)
- **45 cm larder unit H.200** cm lower door aligned with base units code **71030159/60** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **45 cm larder unit H.200** cm upper door aligned with wall units code **71030157/58** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **45 cm larder unit H.200** cm full-length door code **71030173/74** (5 baskets recommended)
- **45 cm larder unit H.206** cm lower door aligned with base units code **71040215/16** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **45 cm larder unit H.206** cm upper door aligned with wall units code **71040213/14** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **45 cm larder unit H.206** cm full-length door code **71040217/18** (5 baskets recommended)
- **45 cm larder unit H.220** cm lower door aligned with base units **code 71049425/26** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **45 cm larder unit H.220** cm upper door aligned with wall units **code 71049423/24** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **45 cm larder unit H.220** cm full-length door **code 71049427/28** (5 baskets recommended)

For 60 cm pull-out baskets, order elements prepared for baskets:
- **60 cm base unit H.73.4** cm code **71015723/24** (3 baskets recommended)
- **60 cm base unit H.76.4** cm code **71020165/66** (3 baskets recommended)
- **60 cm base unit H.80** cm code **71046255/56** (3 baskets recommended)
- **60 cm larder unit H.127.2** cm code **71026239/40** (3 baskets recommended)
- **60 cm larder unit H.133.2** cm code **71039153/54** (3 baskets recommended)
- **60 cm larder unit H.140** cm code **71048883/84** (3 baskets recommended)
- **60 cm larder unit H.200** cm lower door aligned with base units code **71030299/00** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **60 cm larder unit H.200** cm upper door aligned with wall units **code 71030301/02 and 71030325/26** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **60 cm larder unit H.200** cm full-length door code **71030333/34** (5 baskets recommended)
- **60 cm larder unit H.206** cm lower door aligned with base units code **71040519/20** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **60 cm larder unit H.206** cm upper door aligned with wall units code **71040517/18 and 71040523/24** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **60 cm larder unit H.206** cm full-length door code **71040521/22** (5 baskets recommended)
- **60 cm larder unit H.220** cm lower door aligned with base units code **71049599/00** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **60 cm larder unit H.220** cm upper door aligned with wall units code **71049597/98 and 71049603/04** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **60 cm larder unit H.220** cm full-length door code **71049601/02** (5 baskets recommended)

For 90 cm pull-out baskets, order elements prepared for baskets:
- **90 cm base unit H.73.4** cm code **71016281** (3 baskets recommended)
- **90 cm base unit H.76.4** cm code **71020225** (3 baskets recommended)
- **90 cm base unit H.80** cm code **71046363** (3 baskets recommended)
- **90 cm larder unit H.127.2** cm code **71026473** (3 baskets recommended)
- **90 cm larder unit H.133.2** cm code **71039203** (3 baskets recommended)
- **90 cm larder unit H.140** cm code **71048923** (3 baskets recommended)
- **90 cm larder unit H.200** cm lower door aligned with base units code **71030535** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **90 cm larder unit H.200** cm upper door aligned with wall units code **71030531** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **90 cm larder unit H.200** cm full-length door code **71030553** (5 baskets recommended)
- **90 cm larder unit H.206** cm lower door aligned with base units code **71040757** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **90 cm larder unit H.206** cm upper door aligned with wall units code **71040755** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **90 cm larder unit H.206** cm full-length door code **71040759** (5 baskets recommended)
- **90 cm larder unit H.220** cm lower door aligned with base units code **71049757** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **90 cm larder unit H.220** cm upper door aligned with wall units code **71049755** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **90 cm larder unit H.220** cm full-length door code **71049759** (5 baskets recommended)

Baskets for Rational larder units

Chrome basket

Rational **45 - 60** cm larder unit with pull-out baskets attached to the door in **chrome-finish metal, "Chrome" set-up** or in painted metal, **"Iron Grey" set-up**.

The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming.
The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall.
The total maximum load capacity is 75 kg(15 kg per basket).

Iron Grey basket

Code	Description
71030353/54	**45** cm H.**200** cm lower door 127 cm
71030351/52	**45** cm H.**200** cm lower door 73 cm
71030349/50	**45** cm H.**200** cm full-length door
71040229/30	**45** cm H.**206** cm lower door 133 cm
71040233/34	**45** cm H.**206** cm lower door 73 cm
71040237/38	**45** cm H.**206** cm full-length door
71049443/44	**45** cm H.**220** cm lower door 140 cm
71049447/48	**45** cm H.**220** cm lower door 80 cm
71049451/52	**45** cm H.**220** cm full-length door
71057213/14	**45** cm H.**216** cm lower door 83 cm
71057217/18	**45** cm H.**216** cm full-length door
71057517/18	**45** cm H.**26** cm lower door 86 cm
71057521/22	**45** cm H.**226** cm full-length door
71030377/78	**60** cm H.**200** cm lower door 127 cm
71030375/76	**60** cm H.**200** cm lower door 73 cm
71030379/80	**60** cm H.**200** cm full-length door
71040535/36	**60** cm H.**206** cm lower door 133 cm
71040539/40	**60** cm H.**206** cm lower door 73 cm
71040543/44	**60** cm H.**206** cm full-length door
71049615/16	**60** cm H.**220** cm lower door 140 cm
71049619/20	**60** cm H.**220** cm lower door 80 cm
71049623/24	**60** cm H.**220** cm full-length door
71057253/54	**60** cm H.**216** cm lower door 83 cm
71057257/58	**60** cm H.**216** cm full-length door
71057553/54	**60** cm H.**26** cm lower door 86 cm
71057557/58	**60** cm H.**226** cm full-length door

Baskets for 30 cm pull-out larder unit

Chrome basket

Iron Grey basket

30 cm larder unit with pull-out baskets in **chrome-finish metal, "Chrome" set-up** or in painted metal, **"Iron Grey" set-up** with full extraction and soft closing.

The baskets are equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall.
The total maximum load capacity is 105 kg (15 kg per basket).

LH/RH code	Description
71030040	**30** cm H.**200** cm full-length door
71030043	**30** cm H.**200** cm lower door 127 cm
71030044	**30** cm H.**200** cm lower door 73 cm
71030045/46	**30** cm H.**200** cm lower door 127 cm
71030047/48	**30** cm H.**200** cm lower door 73 cm
71040057	**30** cm H.**206** cm lower door 80 cm
71040059/60	**30** cm H.**206** cm full-length door
71040061	**30** cm H.**206** cm lower door 73 cm
71040063/64	**30** cm H.**206** cm lower door 73 cm
71040065	**30** cm H.**206** cm full-length door
71040067/68	**30** cm H.**206** cm full-length door
71049297	**30** cm H.**220** cm lower door 140 cm
71049299/00	**30** cm H.**220** cm lower door 140 cm
71049301	**30** cm H.**220** cm lower door 80 cm
71049303/04	**30** cm H.**220** cm lower door 80 cm
71049305	**30** cm H.**220** cm full-length door
71049307/08	**30** cm H.**220** cm full-length door

Baskets for double pull-out larder unit

Chrome basket

Double pull-out larder unit with 12 baskets (6 inner- 6 external) in chrome-finish metal, **"Chrome" set-up** or in painted metal, **"Iron Grey" set-up**.

The load capacity for every single basket attached to the door is 2.5 kg and 5 kg for inner baskets. The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall.

Iron Grey basket

LH/RH code	Description
71030187/88	**45** cm H.**200** cm full-length door
71030163/64	**45** cm H.**200** cm lower door 127 cm
71030161/62	**45** cm H.**200** cm lower door 73 cm
71040241/42	**45** cm H.**206** cm full-length door
71040219/20	**45** cm H.**206** cm lower door 133 cm
71040223/24	**45** cm H.**206** cm lower door 73 cm
71049437/38	**45** cm H.**220** cm full-length door
71049429/30	**45** cm H.**220** cm lower door 140 cm
71049433/34	**45** cm H.**220** cm lower door 80 cm
71030343/44	**60** cm H.**200** cm full-length door
71030363/64	**60** cm H.**200** cm lower door 127 cm
71030361/62	**60** cm H.**200** cm lower door 73 cm
71040547/48	**60** cm H.**206** cm full-length door
71040525/26	**60** cm H.**206** cm lower door 133 cm
71040529/30	**60** cm H.**206** cm lower door 73 cm
71049627/28	**60** cm H.**220** cm full-length door
71049605/06	**60** cm H.**220** cm lower door 140 cm
71049609/10	**60** cm H.**220** cm lower door 80 cm
71030551	**90** cm H.**200** cm lower door 127 cm
71030550	**90** cm H.**200** cm lower door 73 cm
71040761	**90** cm H.**206** cm lower door 133 cm
71046763	**90** cm H.**206** cm lower door 73 cm
71049761	**90** cm H.**220** cm lower door 140 cm
71049765	**90** cm H.**220** cm lower door 80 cm

Pull-out baskets for larder unit with 2 baskets and drawer

Chrome basket

Iron Grey basket

45 cm larder unit comprising 2 doors with chrome-finish metal baskets, **"Chrome" set-up** or in painted metal, **"Iron Grey" set-up**.

Basket load capacity in upper compartment 64 kg distributed evenly, basket load capacity in lower compartment 25 kg distributed evenly. The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall.

LH/RH code	Description
71030191	**45** cm H.**200** cm lower door 55 cm
71040271	**45** cm H.**206** cm lower door 55 cm
71040273/74	**45** cm H.**206** cm lower door 55 cm
71049481	**45** cm H.**220** cm lower door 60 cm
71049483/4	**45** cm H.**220** cm lower door 60 cm

Basket equipment for “Chrome Rolling” corner base units

Equipment with **“Rolling Chrome” Chrome-finish** metal baskets for corner base units.

Maximum load capacity 40 kg (10 kg per basket). The basket is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.

Basket opening example.

LH/RH code	Description
71016833/34	**105x60** cm H.**73** cm
71016837/38/67/68	**110x65** cm H.**73** cm
71016835/36	**120x60** cm H.**73** cm
71016839/40/69/70	**125x65** cm H.**73** cm
71016841/42	**110x65** cm H.**76** cm
71016843/44	**125x65** cm H.**76** cm
71016849/50	Base **110x65** cm H.**80** cm
71048593/94	Base **110x65** cm H.**80** cm
71016851/52	Base **125x65** cm H.**80** cm
71048597/98	Base **125x65** cm H.**80** cm

Basket equipment for “Iron Grey Rolling” corner base units

Equipment with **“Sliding Corner Iron Grey” Iron Grey** painted metal baskets for corner base units.

Maximum load capacity 40 kg (10 kg per basket). The basket is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.

Basket opening example.

LH/RH code	Description
71016833/34	Base **105x60** cm H.**73** cm
71016837/38/67/68	Base **110x65** cm H.**73** cm
71016835/36	Base **120x60** cm H.**73** cm
71016839/40/69/70	Base **125x65** cm H.**73** cm
71016841/42	Base **110x65** cm H.**76** cm
71016843/44	Base **125x65** cm H.**76** cm
71016849/50	Base **110x65** cm H.**80** cm with recessed grip profile
71048593/94	Base **110x65** cm H.**80** cm
71016851/52	Base **125x65** cm H.**80** cm with recessed grip profile
71048597/98	Base **125x65** cm H.**80** cm

“Essence” pull-out baskets for 15 cm wall unit H.73/80 cm

Anthracite basket with **Satin finish Steel and Smoked glass sides, "Essence" set-up** for **15** cm **wall unit** with two containers and side sliding runners.

The basket is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
The maximum load capacity is 30 kg.

LH/RH code	Description
71000015	**15** cm H.**73** cm
71000017/18	**15** cm H.**73** cm
71019411	**15** cm H.**73** cm
71019415	**15** cm H.**73** - D.45 cm
71043015	**15** cm H.**80** cm

“Essence” pull-out baskets for 15 cm wall unit H.103/120 cm

Anthracite basket with **Satin finish Steel and Smoked glass sides, "Essence” set-up** for **15** cm **wall unit** with two containers and side sliding runners.

The basket is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
The maximum load capacity is 30 kg.

Code	Description
71005015	**15** cm H.**103** cm
71019413	**15** cm H.**103** cm
71005017/18	**15** cm H.**103** cm
71019483	**15** cm H.**103** cm - D.45 cm
71019501	**15** cm H.**119** cm
71019505	**15** cm H.**119** cm - D.45 cm
71043625	**15** cm H.**120** cm

“Essence” pull-out baskets for 15 cm base unit

Anthracite basket with **Satin finish Steel and Smoked glass sides, "Essence” set-up** for **15** cm **base unit** with two containers and side sliding runners.

The basket is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
The maximum load capacity is 25 kg.

LH/RH code	Description
71015015	**15** cm H.**73** cm
71015017/18	**15** cm H.**73** cm
71020025	**15** cm H.**76** cm
71046085	**15** cm H.**80** cm
71048483	**15** cm H.**80** cm
71019619	**15** cm H.**88** cm p.34 cm
71019617	**15** cm H.**88** cm
71019543	**15** cm H.**88** cm
71019630	**15** cm H.**88** cm
71019620	**15** cm isola H.**88** cm
71019545	**15** cm isola H.**88** cm
71019631	**15** cm isola H.**88** cm
71019521	**15** cm isola p.90 - H.**88** cm
71019623	**15** cm isola P.112 - H.**88** cm

“Essence” pull-out baskets for 30 cm base unit

Anthracite basket with **Satin finish Steel and Smoked glass sides,**
"Essence” set-up for **30** cm base unit with two containers and side sliding runners.

The basket is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
The maximum load capacity is 30 kg.

LH/RH code	Description
71015110	**30** cm H.**73** cm
71015111/12	**30** cm H.**73** cm
71020061	**30** cm H.**76** cm
71046115	**30** cm H.**80** cm

“Essence” pull-out baskets for 15 cm pull-out larder unit

Anthracite basket with **Satin finish Steel and Smoked glass sides, "Essence" set-up** for **15** cm larder unit with full extraction and soft closing.

Tall unit kit comprising frame and roller runners.
The baskets are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall.
The total maximum load capacity is 105 kg (15 kg per basket).

LH/RH code	Description
71040015	**15** cm H.**206** cm
71019585	**15** cm H.**215** cm
71019611	**15** cm H.**215** cm
71019613	**15** cm H.**245** cm
71019587	**15** cm H.**245** cm

“Essence” pull-out baskets for 30 cm pull-out larder unit

Anthracite basket with **Satin finish Steel and Smoked glass sides, "Essence" set-up** for **30** cm larder unit with full extraction and soft closing.

Tall unit kit comprising frame and roller runners.
The baskets are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder unit.
The total maximum load capacity is 105 kg (15 kg per basket).

LH/RH code	Description
71030040	**30** cm H.**200** cm full-length door
71030043	**30** cm H.**200** cm lower door 127 cm
71030044	**30** cm H.**200** cm lower door 73 cm
71030045/46	**30** cm H.**200** cm lower door 127 cm
71030047/48	**30** cm H.**200** cm lower door 73 cm
71040059/60	**30** cm H.**200** cm full-length door
71040061	**30** cm H.**200** cm lower door 127 cm
71040063/64	**30** cm H.**200** cm lower door 73 cm
71040065	**30** cm H.**200** cm lower door 127 cm
71040067/68	**30** cm H.**200** cm lower door 73 cm
71049297	**30** cm H.**206** cm lower door 133 cm
71049299/00	**30** cm H.**206** cm lower door 73 cm
71049301	**30** cm H.**206** cm lower door 73 cm
71049303/04	**30** cm H.**206** cm full-length door
71049305	**30** cm H.**206** cm full-length door
71049307/08	**30** cm H.**220** cm lower door 140 cm
71030191	**45** cm H.**200** cm lower door 55 cm
71040271	**45** cm H.**206** cm lower door 55 cm
71040273/74	**45** cm H.**206** cm lower door 55 cm
71049481	**45** cm H.**220** cm lower door 60 cm
71049483/84	**45** cm H.**220** cm lower door 60 cm

“Essence” pull-out baskets for Rational 45-60 cm larder unit

Pull-out Anthracite basket attached to the door with **Satin finish Steel and Smoked glass sides, "Essence" set-up** for Rational **45-60** cm larder unit.
Pull-out frame set up for 180° opening door.

The baskets are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder unit.
The maximum load capacity is 80 kg (distributed evenly).

LH/RH code	Description
71030353/54	**45** cm H.**200** cm lower door 127 cm
71030351/52	**45** cm H.**200** cm lower door 73 cm
71030349/50	**45** cm H.**200** cm full-length door
71040229/30	**45** cm H.**206** cm lower door 133 cm
71040233/34	**45** cm H.**206** cm lower door 73 cm
71040237/38	**45** cm H.**206** cm full-length door
71049443/44	**45** cm H.**220** cm lower door 140 cm
71049447/48	**45** cm H.**220** cm lower door 80 cm
71049451/52	**45** cm H.**220** cm full-length door
71057213/14	**45** cm H.**216** cm lower door 83 cm
71057217/18	**45** cm H.**216** cm full-length door
71057517/18	**45** cm H.**226** cm lower door 86 cm
71057521/22	**45** cm H.**226** cm full-length door
71030377/78	**60** cm H.**200** cm lower door 127 cm
71030375/76	**60** cm H.**200** cm lower door 73 cm
71030379/80	**60** cm H.**200** cm full-length door
71040535/36	**60** cm H.**206** cm lower door 133 cm
71040539/40	**60** cm H.**206** cm lower door 73 cm
71040543/44	**60** cm H.**206** cm full-length door
71049615/16	**60** cm H.**220** cm lower door 140 cm
71049619/20	**60** cm H.**220** cm lower door 80 cm
71049623/24	**60** cm H.**220** cm full-length door
71057253/54	**60** cm H.**216** cm anta inf. 83 cm
71057257/58	**60** cm H.**216** cm anta intera
71057553/54	**60** cm H.**226** cm anta inf. 86 cm
71057557/58	**60** cm H.**226** cm anta intera

“Urban” pull-out baskets for 15 cm wall unit cm H.73/80 cm

Pull-out baskets with **“Urban” set-up** for **15** cm wall unit.

The baskets have a decorative melamine bottom and Anthracite Grey painted aluminium retainer rails with two containers and side sliding runners. They are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
The total maximum load capacity is 30 kg (15 kg per basket).

Detail of Urban side finish

LH/RH code	Description
71000015	**15** cm H.**73** cm
71000017/18	**15** cm H.**73** cm
71019411	**15** cm H.**73** cm
71019415	**15** cm H.**73** - D.45 cm
71043015	**15** cm H.**80** cm

“Urban” pull-out baskets for 15 cm base unit

Pull-out baskets with **“Urban” set-up** for **15-30-45** cm base units**.**

The baskets have a decorative melamine bottom and Anthracite Grey painted aluminium retainer rails with two containers and side sliding runners. They are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
The total maximum load capacity is 30 kg (15 kg per basket).

LH/RH code	Description
71015015	**15** cm H.**73** cm
71015017/18	**15** cm H.**73** cm
71020025	**15** cm H.**76** cm
71046085	**15** cm H.**80** cm
71048483	**15** cm H.**80** cm
71019619	**15** cm H.**88** cm D.34 cm
71019617	**15** cm H.**88** cm
71019543	**15** cm H.**88** cm
71019630	**15** cm H.**88** cm
71019620	**15** cm H.**88** cm (island)
71019545	**15** cm H.**88** cm (island)
71019631	**15** cm H.**88** cm (island)
71019621	**15** cm H.**88** cm (island D.90 cm)
71019623	**15** cm H.**106** cm (island D.90 cm)

“Urban” pull-out baskets for 30 – 45 cm base units

Urban baskets for 30 cm base unit

Pull-out baskets with **“Urban” set-up** for **15-30-45** cm base units**.**

The baskets have a decorative melamine bottom and Anthracite Grey painted aluminium retainer rails with two containers and side sliding runners. They are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
The total maximum load capacity is 30 kg (15 kg per basket).

Urban baskets for 45 cm base unit

LH/RH code	Description
71015110	**30** cm H.**73** cm
71015111/12	**30** cm H.**73** cm
71020061	**30** cm H.**76** cm
71046115	**30** cm H.**80** cm
71015420	**45** cm H.**73** cm
71015421/22	**45** cm H.**73** cm
71020111	**45** cm H.**76** cm
71046183	**45** cm H.**80** cm

“Urban” inner pull-out basket for base units and larder units

Single **“Urban”** inner pull-out basket for base units and larder units size **45-60** cm.

The basket has a decorative melamine bottom and Anthracite Grey painted aluminium retainer sides with side sliding runners.
It is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
The maximum load capacity for each individual basket is 30 kg.

Code	Description
31108490	basket width **45** cm
31108491	basket width **60** cm

WARNING:
For 45 cm pull-out baskets, order elements prepared for baskets:
- **45 cm base unit H.73.4** cm code **71015323/24** (3 baskets recommended)
- **45 cm base unit H.76.4** cm code **71020095/96** (3 baskets recommended)
- **45 cm base unit H.80** cm code **71046175/76** (3 baskets recommended)
- **45 cm larder unit H.127.2** cm code **71026139/40** (3 baskets recommended)
- **45 cm larder unit H.133.2** cm code **71039103/04** (3 baskets recommended)
- **45 cm larder unit H.140** cm code **71048843/44** (3 baskets recommended)
- **45 cm larder unit H.200** cm lower door aligned with base units code **71030159/60** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **45 cm larder unit H.200** cm upper door aligned with wall units code **71030157/58** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **45 cm larder unit H.200** cm full-length door code **71030173/74** (5 baskets recommended)
- **45 cm larder unit H.206** cm lower door aligned with base units code **71040215/16** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **45 cm larder unit H.206** cm upper door aligned with wall units code **71040213/14** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **45 cm larder unit H.206** cm full-length door code **71040217/18** (5 baskets recommended)
- **45 cm larder unit H.220** cm lower door aligned with base units **code 71049425/26** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **45 cm larder unit H.220** cm upper door aligned with wall units **code 71049423/24** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **45 cm larder unit H.220** cm full-length door **code 71049427/28** (5 baskets recommended)

For 60 cm pull-out baskets, order elements prepared for baskets:
- **60 cm base unit H.73.4** cm code **71015723/24** (3 baskets recommended)
- **60 cm base unit H.76.4** cm code **71020165/66** (3 baskets recommended)
- **60 cm base unit H.80** cm code **71046255/56** (3 baskets recommended)
- **60 cm larder unit H.127.2** cm code **71026239/40** (3 baskets recommended)
- **60 cm larder unit H.133.2** cm code **71039153/54** (3 baskets recommended)
- **60 cm larder unit H.140** cm code **71048883/84** (3 baskets recommended)
- **60 cm larder unit H.200** cm lower door aligned with base units code **71030299/00** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **60 cm larder unit H.200** cm upper door aligned with wall units **code 71030301/02 and 71030325/26** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **60 cm larder unit H.200** cm full-length door code **71030333/34** (5 baskets recommended)
- **60 cm larder unit H.206** cm lower door aligned with base units code **71040519/20** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **60 cm larder unit H.206** cm upper door aligned with wall units code **71040517/18 and 71040523/24** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **60 cm larder unit H.206** cm full-length door code **71040521/22** (5 baskets recommended)
- **60 cm larder unit H.220** cm lower door aligned with base units code **71049599/00** (2 baskets in lower compt. and 3 baskets in upper compt. recommended)
- **60 cm larder unit H.220** cm upper door aligned with wall units code **71049597/98 and 71049603/04** (3 baskets in lower compt. and 2 baskets in upper compt. recommended)
- **60 cm larder unit H.220** cm full-length door code **71049601/02** (5 baskets recommended)

“Urban” pull-out baskets for pull-out larder unit

30 cm larder unit with pull-out baskets, **“Urban” set-up** with full extraction and soft closing.

The baskets have a decorative melamine bottom and Anthracite Grey painted aluminium retainer sides.
They are equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall.
The total maximum load capacity is 105 kg (15 kg per basket).

LH/RH code	Description
71030040	**30** cm H.**200** cm full-length door
71030043	**30** cm H.**200** cm lower door 127 cm
71030044	**30** cm H.**200** cm lower door 73 cm
71030045/46	**30** cm H.**200** cm lower door 127 cm
71030047/48	**30** cm H.**200** cm lower door 73 cm
71040057	**30** cm H.**206** cm full-length door
71040059/60	**30** cm H.**206** cm full-length door
71040061	**30** cm H.**206** cm lower door 127 cm
71040063/64	**30** cm H.**206** cm lower door 73 cm
71040065	**30** cm H.**206** cm lower door 127 cm
71040067/68	**30** cm H.**206** cm lower door 73 cm
71049297	**30** cm H.**220** cm full-length door
71049299/00	**30** cm H.**220** cm full-length door
71049301	**30** cm H.**220** cm lower door 127 cm
71049303/04	**30** cm H.**220** cm lower door 73 cm
71049305	**30** cm H.**220** cm lower door 127 cm
71049307/08	**30** cm H.**220** cm lower door 73 cm
71030191	**45** cm H.**200** cm
71040271	**45** cm H.**206** cm
71049481	**45** cm H.**220** cm lower door 60 cm
71049483/84	**45** cm H.**220** cm lower door 60 cm

“Urban” pull-out baskets for Rational 45-60 cm larder unit

45 - 60 “Urban”set-up

Code	Description
71030353/54	**45** cm H.**200** cm lower door 127 cm
71030351/52	**45** cm H.**200** cm lower door 73 cm
71030349/50	**45** cm H.**200** cm full-length door
71040229/30	**45** cm H.**206** cm lower door 133 cm
71040233/34	**45** cm H.**206** cm lower door 73 cm
71040237/38	**45** cm H.**206** cm full-length door
71049443/44	**45** cm H.**220** cm lower door 140 cm
71049447/48	**45** cm H.**220** cm lower door 80 cm
71049451/52	**45** cm H.**220** cm full-length door
71057213/14	**45** cm H.**216** cm lower door 83 cm
71057217/18	**45** cm H.**216** cm full-length door
71057517/18	**45** cm H.**226** cm lower door 86 cm
71057521/22	**45** cm H.**226** cm full-length door
71030377/78	**60** cm H.**200** cm anta inf. 127 cm
71030375/76	**60** cm H.**200** cm lower door 73 cm
71030379/80	**60** cm H.**200** cm full-length door
71040535/36	**60** cm H.**206** cm lower door 133 cm
71040539/40	**60** cm H.**206** cm lower door 73 cm
71040543/44	**60** cm H.**206** cm full-length door
71049615/16	**60** cm H.**220** cm lower door 140 cm
71049619/20	**60** cm H.**220** cm lower door 80 cm
71049623/24	**60** cm H.**220** cm full-length door
71057253/54	**60** cm H.**216** cm lower door 83 cm
71057257/58	**60** cm H.**216** cm full-length door
71057553/54	**60** cm H.**226** cm lower door 83 cm
71057557/58	**60** cm H.**226** cm full-length door

“Urban” pull-out baskets for double pull-out larder unit

LH/RH **45 - 60 - 75 - 90** cm double pull-out larder unit with 10 baskets (5 inner- 5 external) **“Urban” set-up**.
The baskets have a decorative melamine bottom and Anthracite Grey painted aluminium retainer sides.
The structure has a load capacity of 75 kg; the inner baskets have a maximum load capacity of 50 kg (10 kg for each individual basket) whereas the baskets attached to the door have a maximum load capacity of 15 kg (3 kg for each individual basket).

LH/RH code	Description
71030187/88	**45** cm H.**200** cm full-length door
71030163/64	**45** cm H.**200** cm lower door 127 cm
71030161/62	**45** cm H.**200** cm lower door 73 cm
71040241/42	**45** cm H.**206** cm full-length door
71040219/20	**45** cm H.**206** cm lower door 133 cm
71040223/24	**45** cm H.**206** cm lower door 73 cm
71057209/10	**45** cm H.**216** cm lower door 73 cm
71057221/22	**45** cm H.**216** cm full-length door
71049437/38	**45** cm H.**220** cm full-length door
71049429/30	**45** cm H.**220** cm lower door 140 cm
71049433/34	**45** cm H.**220** cm lower door 80 cm
71057509/10	**45** cm H.**226** cm lower door 86 cm
71057513/14	**45** cm H.**226** cm full-length door
71030343/44	**60** cm H.**200** cm full-length door
71030363/64	**60** cm H.**200** cm lower door 127 cm
71030361/62	**60** cm H.**200** cm lower door 73 cm
71040547/48	**60** cm H.**206** cm full-length door
71040525/26	**60** cm H.**206** cm lower door 133 cm
71040529/30	**60** cm H.**206** cm lower door 73 cm
71057249/50	**60** cm H.**216** cm lower door 83 cm
71057261/62	**60** cm H.**216** cm full-length door
71049627/28	**60** cm H.**220** cm full-length door
71049605/06	**60** cm H.**220** cm lower door 140 cm
71049609/10	**60** cm H.**220** cm lower door 80 cm
71057549/50	**60** cm H.**226** cm lower door 80 cm
71057561/62	**60** cm H.**226** cm full-length door
71040735/36	**75** cm H.**206** cm full-length door
71040727/28	**75** cm H.**206** cm lower door 133 cm
71040731/32	**75** cm H.**206** cm lower door 73 cm
71057285/86	**75** cm H.**216** cm lower door 83 cm
71057289/90	**75** cm H.**216** cm full-length door
71049745/46	**75** cm H.**220** cm full-length door
71049737/38	**75** cm H.**220** cm lower door 140 cm
71049741/42	**75** cm H.**220** cm lower door 80 cm
71057585/86	**75** cm H.**226** cm lower door 86 cm
71057589/90	**75** cm H.**226** cm full-length door
71030551	**90** cm H.**200** cm lower door 127 cm
71030550	**90** cm H.**200** cm lower door 73 cm
71040761	**90** cm H.**206** cm lower door 133 cm
71040763	**90** cm H.**206** cm lower door 73 cm
71049761	**90** cm H.**220** cm lower door 140 cm
71049765	**90** cm H.**220** cm lower door 80 cm
71057304	**90** cm H.**216** cm lower door 83 cm
71057614	**90** cm H.**226** cm lower door 86 cm

“Fly Box” basket equipment for corner base units

Basket equipment with Anthracite Grey painted aluminium sides and decorative melamine bottom, for corner base unit.
The baskets have the same side aesthetics as Urban baskets.

The load capacity of the two front baskets is 15 kg each, the load capacity of the two rear baskets is 10 kg each.
The equipment features a pull-out opening system on the front basket with automatic return of the second inner basket and soft closing.

Basket opening example.

LH/RH code	Description
71016833/34	**105x60** cm H.**73** cm
71016835/36	**120x60** cm H.**73** cm
71016837/38/67/68	**110x65** cm H.**73** cm
71016839/40/69/70	**125x65** cm H.**73** cm
71016841/42	**110x65** cm H.**76** cm
71016843/44	**125x65** cm H.**76** cm
71016849/50	**110x65** cm H.**80** cm
71016851/52	**125x65** cm H.**80** cm with recessed grip profile
71048593/94	**110x65** cm H.**80** cm with recessed grip profile
71048597/98	**125x65** cm H.**80** cm

“Fly Box” basket equipment for corner larder units

Basket equipment with Anthracite Grey painted aluminium sides and decorative melamine bottom for corner larder unit.
The baskets have the same side aesthetics as Urban baskets.

The load capacity of the front baskets is 15 kg each, the load capacity of the rear baskets is 10 kg each. The equipment features a pull-out opening system on the front basket with automatic return of the second inner basket and soft closing.

Basket opening example.

Codice dx/sx	Descrizione
71030669/70	**107** cm larder unit H.**200** cm
71040819/20	**107** cm larder unit H.**206** cm
71057315/16	**107** cm larder unit H.**216** cm
71049841/2	**107** cm larder unit H.**220** cm
71049845/46	**107** cm larder unit H.**220** cm with recessed grip profile
71057625/26	**107** cm larder unit H.**226** cm
71040829/30	**120** cm larder unit H.**206** cm
71057321/22	**120** cm larder unit H.**216** cm
71049859/60	**120** cm larder unit H.**220** cm
71057637/38	**120** cm larder unit H.**220** cm with recessed grip profile
71030735/6	**122** cm larder unit H.**200** cm
71040863/4	**122** cm larder unit H.**206** cm
71057327/28	**122** cm larder unit H.**216** cm
71049889/90	**122** cm larder unit H.**220** cm
71049893/94	**122** cm larder unit H.**220** cm with recessed grip profile
71057631/32	**122** cm larder unit H.**226** cm
71040873/74	**135** cm larder unit H.**206** cm
71057337/38	**135** cm larder unit H.**216** cm
71049949/50	**135** cm larder unit H.**220** cm
71049953/54	**135** cm larder unit H.**220** cm with recessed grip profile
71057715/16	**135** cm larder unit H.**226** cm

“Sous Chef” equipment for 30 cm pull-out base unit

“Sous Chef” equipment for **30** cm pull-out base unit.

The equipment consists of a central structure in Anthracite Grey painted metal, on which 6 plastic containers of different size are attached. The bowls are removable for easy use and easy to reattach to the central structure.
Installation on the bottom of the basket and on the inside of the base unit.

LH/RH code	Description
71015113	**30** cm base unit H.**73** cm
71015115/6	**30** cm base unit H.**73** cm
71020063	**30** cm base unit H.**76** cm
71046121	**30** cm base unit H.**80** cm

Sous Chef knife rack for 30-45 cm base unit code 31108405

“Sous chef” equipment for 45 cm pull-out base unit

“Sous Chef” equipment for **45** cm pull-out base unit

The equipment consists of a central structure in Anthracite Grey painted metal, on which 6 plastic containers of different size are attached, plus a second pull-out structure attached to the left side panel with 4 containers. The bowls are removable for easy use and easy to reattach to the structures.

LH/RH code	Description
71015423	**45** cm base unit H.**73** cm
71015425/6	**45** cm base unit H.**73** cm
71020017	**45** cm base unit H.**76** cm
71046205	**45** cm base unit H.**80** cm

Sous Chef knife rack for 30-45 cm base unit code 31108405

Steel drainer units

Drainer units with oval-shaped wire plate and glass draining grid in polished AISI 304 stainless steel.
The drainer unit is available for cabinets W.45-60-75-90-120 cm.
N.B. The wall unit can upon request be supplied with multiple holes, allowing you to move and adjust the upper rack.

Aluminium lining for drainer units

Drainer unit with **Aluminium** lining

Steel lining also available.
For availability, see Elements for All Models Price List, Accessories section, Wall units/Base units/Larder units.

Steel lining for sink base units

Sink base unit with **Steel** lining.

Aluminium lining also available.
For availability, see Elements for All Models Price List, Accessories section, Wall units/Base units/Larder units.

Gas cylinder holder for base unit

Grey plastic gas cylinder holder for sink base units.

LH/RH code	Description
71015339/40	**45** cm base unit H.**73** cm
71020103/04	**45** cm base unit H.**76** cm
71046179/80	**45** cm base unit H.**80** cm
71017621/22	90 cm **sink** base unit H.**73** cm
71020663/64	**90** cm sink base unit H.**76** cm
71047033/34	**90** cm sink base unit H.**80** cm
71017671/72	**120** cm sink base unit H.**73** cm
71020693/94	**120** cm sink base unit H.**76** cm
71047073/74	**120** cm sink base unit H.**80** cm

"Pixo" pull-out table

Pull-out table for **90 cm** base unit.

The table stows away under the top.
Maximum load capacity 60 kg distributed evenly.
N.B. The base unit must be secured to the wall.

Code	Description
71016249	**90 cm base unit H.73** cm with 2 drawers and a basket
71016250	**90 cm base unit H.73** cm with 2 drawers and a basket (2 recessed grip profiles)
71020241	**90 cm base unit H.76** cm with 2 baskets and a drawer
71020242	**90 cm base unit H.76** cm with 2 drawers and a basket (2 recessed grip profiles)
71046375	**90 cm base unit H.80** cm with 2 drawers and a basket
71046403	**90 cm base unit H.80** cm with 2 drawers and a basket (2 recessed grip profiles)

“Assistant” equipped base unit

“Assistant” base unit with hinged door or with pull-out basket, equipped with solid IROKO wood pull-out top, features a hole with a waste bin underneath it (for food waste) and side pull-out knife rack.

Code dx/sx	Description
71046267/68	**45** cm base unit H.**73** cm
71046265/66	60 cm base unit H.80 cm with pull-out basket

"Friendly" pull-out table for 90 cm base unit with drawers and basket

Pull-out table with foldaway telescopic leg.
The mechanism is designed to pull out an overall top measuring 138 cm consisting of 3 extensions.
The capacity of the mechanism is 100 kg.
The top must always be pulled out fully.

LH/RH code	Description
71016259	**90** cm base unit H.**73** cm
71020237	**90** cm base unit H.**76** cm
71046383	**90** cm base unit H.**80** cm
71046404	**90** cm base unit H.**80** cm with double recessed grip profile

Ironing board for 45 cm base unit with drawers

Metal ironing board with fire-retardant cover.

LH/RH code	Description
71015474/5	**45** cm base unit H.**73** cm
71015477	**45** cm base unit H.**73** cm with two recessed grip profiles
71020131	**45** cm base unit H.**76** cm
71020132	**45** cm base unit H.**76** cm with two recessed grip profiles
71046203	**45** cm base unit H.**80** cm
71046235	**45** cm base unit H.**80** cm with two recessed grip profiles

Base unit with 4 inner drawers

Base unit with 4 full-extraction inner drawers.

Baskets and drawers are equipped with the Blumotion closing system that ensures cushioned closing of the drawer and basket. Load capacity 40 kg per drawer.
N.B. The drawers and baskets are available in Silver and Anthracite versions.

LH/RH code	Description
71015329/30	**45** cm base unit H.**73** cm
71016999/00	**45** cm base unit H.**73** cm (hob base unit)
71020099/00	**45** cm base unit H.**76** cm
71020415/16	**45** cm base unit H.**76** cm (hob base unit)
71046177/78	**45** cm base unit H.**80** cm
71046653/54	**45** cm base unit H.**80** cm (hob base unit)
71015731/2	**60** cm base unit H.**73** cm
71017017/18	**60** cm base unit H.**73** cm (hob base unit)
71020169/70	**60** cm base unit H.**76** cm
71020455/56	**60** cm base unit H.**76** cm (hob base unit)
71046259/60	**60** cm base unit H.**80** cm
71046693/94	**60** cm base unit H.**80** cm (hob base unit)
71046587/88	**75** cm base unit H.**80** cm
71046823/24	**75** cm base unit H.**80** cm (hob base unit)

Base unit with pull-out basket and 2 inner drawers

Base unit with pull-out basket and 2 full-extraction inner drawers. Baskets and drawers are equipped with the Blumotion closing system that ensures cushioned closing of the drawer and basket. Load capacity 40 kg per drawer/basket.
N.B. The drawers and baskets are available in Silver and Anthracite versions.

LH/RH code	Description
71015427	**45** cm base unit H.**73** cm
71017010	**45** cm base unit H.**73** cm (hob base unit)
71020113	**45** cm base unit H.**76** cm
71020419	**45** cm base unit H.**76** cm (hob base unit)
71046185	**45** cm base unit H.**80** cm
71046661	**45** cm base unit H.**80** cm (hob base unit)
71015777	**60** cm base unit H.**73** cm
71017032	**60** cm base unit H.**73** cm (hob base unit)
71020175	**60** cm base unit H.**76** cm
71020459	**60** cm base unit H.**76** cm (hob base unit)
71046263	**60** cm base unit H.**80** cm
71046703	**60** cm base unit H.**80** cm (hob base unit)
71046591	**75** cm base unit H.**80** cm
71046831	**75** cm base unit H.**80** cm (hob base unit)

Base unit with 2 pull-out baskets and inner drawer

Base unit with 2 pull-out baskets and 1 inner drawer. Baskets and drawer are equipped with the Blumotion closing system that ensures cushioned closing of the drawer and basket.
Load capacity 40 kg per drawer/basket.
N.B. The drawer and baskets are available in Silver and Anthracite versions.

LH/RH code	Description
71015543	**45** cm base unit H.**73** cm
71017008	**45** cm base unit H.**73** cm (hob base unit)
71020123	**45** cm base unit H.**76** cm
71020427	**45** cm base unit H.**76** cm (hob base unit)
71046195	**45** cm base unit H.**80** cm
71046659	**45** cm base unit H.**80** cm (hob base unit)
71015867	**60** cm base unit H.**73** cm
71017033	**60** cm base unit H.**73** cm (hob base unit)
71020181	**60** cm base unit H.**76** cm
71020469	**60** cm base unit H.**76** cm (hob base unit)
71046277	**60** cm base unit H.**80** cm
71046595	**75** cm base unit H.**80** cm
71046829	**75** cm base unit H.**80** cm (hob base unit)
71016319	**90** cm base unit H.**73** cm
71017082	**90** cm base unit H.**73** cm (hob base unit)
71020229	**90** cm base unit H.**76** cm
71020495	**90** cm base unit H.**76** cm (hob base unit)
71046367	**90** cm base unit H.**80** cm
71046747	**90** cm base unit H.**80** cm (hob base unit)

90x90 cm corner base unit with revolving shelves

90x90 cm corner base unit with revolving shelves.

The shelf is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing that prevents slamming. The revolving shelves have a maximum load capacity of 50 kg (25 kg per shelf).

Code	Description
71016733/34	for **H.73** cm base unit

Baskets for corner base unit

Carousel baskets in **chrome-finish metal** for **105x 60 or 110x65** cm corner base unit (minimum door 45 cm).
Maximum load capacity 20 kg (10 kg per basket).

Code	Description
31105310	chrome-finish baskets for corner base unit

"Easygoing" basket equipment for 110 corner base units

"Easygoing" equipment with chrome-finish metal baskets and sliding runners for **110x65** cm corner base unit.
The Easygoing pull-out equipment is joined to the door of the base unit; the basket is equipped with a “Soft-closing” mechanism providing automatic return with cushioned closing to prevent slamming.
The inner basket does not pull out of the base unit.
Maximum load capacity 30 kg (20 kg for inner baskets + 10 kg for baskets joined to the door).

Code	Description
71016819/20	for **H.73** cm base unit
71016787/88	for **H.73** cm base unit
71020313/14	for **H.76** cm base unit
71046533/34	for **H.80** cm base unit

“Easy Corner” pull-out equipment for 110x65 cm corner base unit

"Easy Corner" equipment with chrome wire internal structure with two baskets and pivoting external structure attached to the door of the base unit with two chrome wire baskets.
Available for **110x65** cm corner base unit.
Maximum load capacity 28 kg (7 kg per basket).

Code	Description
71016795/96	for **H.73** cm base unit
71020317/18	for **H.76** cm base unit
71046537/38	for **H.80** cm base unit

“Fly Moon Chrome” pull-out baskets for corner base units

"Fly Moon-Chrome" equipment with 2 pull-out baskets with chrome wire sides for corner base unit.
The baskets have a maximum load capacity of 40 kg (20 kg per shelf).

Code	Description
71016833/34	**105x60** cm base unit H.**73** cm
71016837/38/67/68	**110x65** cm base unit H.**73** cm
71016835/36	**120x60** cm base unit H.**73** cm
71016839/40/69/70	**125x60** cm base unit H.**73** cm
71016841/42	**110x65** cm base unit H.**76** cm
71016843/44	**125x65** cm base unit H.**76** cm
71016849/50	**110x65** cm base unit H.**80** cm
71048593/94	**110x65** cm base unit H.**80** cm
71016851/52	**125x65** cm base unit H.**80** cm
71048597/98	**125x65** cm base unit H.**80** cm

“Essence Fly Moon” pull-out baskets for corner base units

“Essence Fly Moon" equipment with 2 pull-out baskets with aluminium sides for corner base unit.
The baskets have a maximum load capacity of 40 kg (20 kg per shelf).

Code	Description
71016833/34	**105x60** cm base unit H.**73** cm
71016837/38/67/68	**110x65** cm base unit H.**73** cm
71016835/36	**120x60** cm base unit H.**73** cm
71016839/40/69/70	**125x60** cm base unit H.**73** cm
71016841/42	**110x65** cm base unit H.**76** cm
71016843/44	**125x65** cm base unit H.**76** cm
71016849/50	**110x65** cm base unit H.**80** cm
71048593/94	**110x65** cm base unit H.**80** cm
71016851/52	**125x65** cm base unit H.**80** cm
71048597/98	**125x65** cm base unit H.**80** cm

“Essence Fly Moon” pull-out baskets for corner larder units

“Essence Fly Moon” equipment with 2 pull-out baskets for **107** - **122** cm corner larder unit with **lower door aligned with the base units.**
The pull-out baskets have a maximum load capacity of 40 kg (20 kg per shelf).

LH/RH code	Description
71030669/70	**107** cm larder unit H.**200** cm
71040819/20	**107** cm larder unit H.**206** cm
71057315/16	**107** cm larder unit H.**216** cm
71049841/42	**107** cm larder unit H.**220** cm
71049845/46	**107** cm larder unit H.**220** cm
71057625/26	**107** cm larder unit H.**226** cm
71030735/36	**122** cm larder unit H.**200** cm
71040863/64	**122** cm larder unit H.**206** cm
71049889/90	**122** cm larder unit H.**220** cm

“Essence Fly Moon” equipment with **4** pull-out baskets for **107** - **122** cm corner larder unit with **upper door H.73 cm.**
The pull-out baskets have a maximum load capacity of 40 kg (20 kg per shelf).

LH/RH code	Description
	107 cm larder unit H.**127** cm
	107 cm larder unit H.**133** cm
	107 cm larder unit H.**140** cm
	107 cm larder unit H.**200** cm
	107 cm larder unit H.**206** cm
	107 cm larder unit H.**220** cm
	122 cm larder unit H.**127** cm
	122 cm larder unit H.**133** cm
	122 cm larder unit H.**140** cm
	122 cm larder unit H.**200** cm
	122 cm larder unit H.**206** cm
	122 cm larder unit H.**220** cm

“Fly Moon Chrome” pull-out baskets for corner larder units

"Fly Moon Chrome” equipment with **2** pull-out baskets for **107** - **122** cm corner larder unit with **lower door aligned with the base units.**
The pull-out baskets have a maximum load capacity of 40 kg (20 kg per shelf).

LH/RH code	Description
71030669/70	**107** cm larder unit H.**200** cm
71040819/20	**107** cm larder unit H.**206** cm
71049841/42	**107** cm larder unit H.**220** cm
71040829/30	**120** cm larder unit H.**206** cm
71057321/22	**120** cm larder unit H.**216** cm
71049859/60	**120** cm larder unit H.**220** cm
71049863/64	**120** cm larder unit H.**220** cm
71030735/36	**122** cm larder unit H.**200** cm
71040863/64	**122** cm larder unit H.**206** cm
71057327/28	**122** cm larder unit H.**216** cm
71057631/32	**122** cm larder unit H.**226** cm
71057637/38	**122** cm larder unit H.**226** cm
71049893/94	**122** cm larder unit H.**220** cm
71049889/90	**122** cm larder unit H.**220** cm
71040873/74	**135** cm larder unit H.**206** cm
71057337/38	**135** cm larder unit H.**216** cm
71049953/54	**135** cm larder unit H.**220** cm
71057715/16	**135** cm larder unit H.**226** cm

“Fly Moon Chrome” equipment with 4 pull-out baskets for **107** - **122** cm corner larder unit with **upper door aligned with the wall units.**

The pull-out baskets have a maximum load capacity of 40 kg (20 kg per shelf).

LH/RH code	Description
	107 cm larder unit H.**127** cm
	107 cm larder unit H.**133** cm
	107 cm larder unit H.**140** cm
	107 cm larder unit H.**200** cm
	107 cm larder unit H.**206** cm
	107 cm larder unit H.**220** cm
	122 cm larder unit H.**127** cm
	120 cm larder unit H.**133** cm
	120 cm larder unit H.**140** cm
	120 cm larder unit H.**206** cm
	120 cm larder unit H.**220** cm
	122 cm larder unit H.**133** cm
71048957/58	**122** cm larder unit H.**140** cm
71030731/32	**122** cm larder unit H.**200** cm
71040861/62	**122** cm larder unit H.**206** cm
71049887/88	**122** cm larder unit H.**220** cm
71048971/72	**135** cm larder unit H.**140** cm
71039361/62	**135** cm larder unit H.**133** cm
71040871/72	**135** cm larder unit H.**206** cm
71049947/48	**135** cm larder unit H.**220** cm
71049949/50	**135** cm larder unit H.**220** cm

Set of baskets for broom cupboard

Metal basket with four containers.

The system comprises a frame attached to the side panel and baskets hooked onto the frame with small hooks.
The baskets can therefore be dismantled.
Dimensions of individual basket L 48 x D 19 x H 10 cm.

LH/RH code	Description
71030101/02	**45** larder unit- **H.200** - **D.36** cm lower door **H.116** cm
71030129/30	**45** larder unit- **H.200** - **D.36** cm lower door **H.127** cm
71030103/04	**45** larder unit- **H.200** - **D.36** cm full-length door
71030139/40	**45** larder unit- **H.200** - **D.60** cm lower door **H.116** cm
71030137/38	**45** larder unit- **H.200** - **D.60** cm lower door **H.127** cm
71030135/36	**45** larder unit- **H.200** - **D.60** cm full-length door
71040159/60	**45** larder unit- **H.206**- **D.36** cm lower door **H.133** cm
71040161/62	**45** larder unit- **H.206** - **D.36** cm full-length door
71040209/10	**45** larder unit- **H.206** - **D.60** cm lower door **H.133** cm
71040211/12	**45** larder unit- **H.206** - **D.60** cm full-length door
71049407/08	**45** larder unit- **H.220**- **D.36** cm lower door **H.140** cm
71049409/10	**45** larder unit- **H.220** - **D.36** cm full-length door
71049419/20	**45** larder unit- **H.220** - **D.60** cm lower door **H.140** cm
71049421/22	**45** larder unit- **H.220** - **D.60** cm full-length door
71030235/36	**60** larder unit- **H.200** - **D.60** cm full-length door
71040515/16	**60** larder unit- **H.206** - **D.60** cm full-length door
71030207/08	**60** larder unit- **H.200** - **D.36** cm lower door **H.116** cm
71030229/30	**60** larder unit- **H.200** - **D.36** cm lower door **H.127** cm
71030209/10	**60** larder unit- **H.200** - **D.36** cm full-length door
71030241/42	**60** larder unit- **H.200** - **D.60** cm lower door **H.116** cm
71030237/38	**60** larder unit- **H.200** - **D.60** cm lower door **H.127** cm
71040459/60	**60** larder unit- **H.206**- **D.36** cm lower door **H.133** cm
71040461/62	**60** larder unit- **H.206** - **D.36** cm full-length door
71040513/14	**60** larder unit- **H.206** - **D.60** cm lower door **H.133** cm
71049577/78	**60** larder unit- **H.220**- **D.36** cm lower door **H.140** cm
71049579/80	**60** larder unit- **H.220** - **D.36** cm full-length door
71049593/94	**60** larder unit- **H.220** - **D.60** cm lower door **H.140** cm
71049595/96	**60** larder unit- **H.220** - **D.60** cm full-length door

"Wineserver" pull-out bottle rack wine cellar

"Wineserver" chrome-finish metal bottle rack wine cellar for **15** cm tall unit.

The wine cellar is equipped with 2 full-extraction runners with "Soft-closing" mechanism (which provides automatic return of the basket with cushioned closing that prevents slamming). Also equipped with 1 pack of 4 bottle retaining partitions and 3 plastic bowls. The anti-tilt wall attachment supplied on the top panel of the larder unit must be fitted to the wall.
Maximum load capacity 50 kg distributed evenly.

LH/RH code	Description
71040015	**15** cm tall unit H.**206** cm
71019585	**15** cm tall unit H.**215** cm
71019611	**15** cm tall unit H.**215** cm
71019587	**15** cm tall unit H.**245** cm
71019613	**15** cm tall unit H.**245** cm

Larder unit with inner drawers and pull-out inner baskets

The drawers and baskets are equipped with the Blumotion return system, a mechanism providing automatic return with cushioned closing of the drawer and basket that prevents slamming.
Maximum load capacity 40 kg per drawer/basket.
N.B. The drawers and baskets are available in Silver and Anthracite versions.
The aesthetics of the baskets varies according to the choice; they are available in the Pure version (like those pictured) or in the Boxcover version (with sides in metal/Smoked glass).

Silver version

Anthracite version

LH/RH code	Description
71030355/56	**45** cm larder unit H.200 cm
71040245/46	**45** cm larder unit H.206 cm
71049455/56	**45** cm larder unit H.220 cm
71030357/58	**60** cm larder unit H.200 cm
71040551/52	**60** cm larder unit H.206 cm
71049631/32	**60** cm larder unit H.220 cm
71049793/94	**75** cm larder unit H.220 cm

Larder unit with inner drawers and pull-out inner baskets

The drawers and baskets are equipped with the Blumotion return system, a mechanism providing automatic return with cushioned closing of the drawer and basket that prevents slamming.
Maximum load capacity 40 kg per drawer/basket.
N.B. The drawers and baskets are available in Silver and Anthracite versions.
The aesthetics of the baskets varies according to the choice; they are available in the Pure version (like those pictured) or in the Boxcover version (with sides in metal/Smoked glass).

Silver version

Anthracite version

LH/RH code	Description
71030051	**30** cm larder unit H.200 cm (full-length door)
71030055	**30** cm larder unit H.200 cm
71030053/4	**30** cm larder unit H.200 cm
71040069	**30** cm larder unit H.206 cm
71040071/72	**30** cm larder unit H.206 cm
71030183/84	**45** cm larder unit H.200 cm
71040255	**45** cm larder unit H.206 cm
71040257/58	**45** cm larder unit H.206 cm
71030341/42	**60** cm larder unit H.200 cm
71040563/64	**60** cm larder unit H.206 cm
71040561	**60** cm larder unit H.206 cm

105x105 cm corner storage cupboard

105x105 cm corner storage cupboard with Chrome wire inner equipment.
The equipment can be fitted on both sides of the cabinet.

LH/RH code	Description
71030689/90	Larder unit H.**200** cm upper door H.73 cm
71030693/94	Larder unit H.**200** cm lower door H.73 cm
71030691/92	Larder unit H.**200** cm full-length door
71040901/02	Larder unit H.**206** cm upper door H.73 cm
71040903/04	Larder unit H.**206** cm lower door H.73 cm
71040905/06	Larder unit H.**206** cm full-length door
71049921/22	Larder unit H.**220** cm upper door H.80 cm
71049923/24	Larder unit H.**220** cm lower door H.80 cm
71049925/26	Larder unit H.**220** cm full-length door
71031689/90	Larder unit H.**230** cm upper door H.73 cm
71031693/94	Larder unit H.**230** cm lower door H.73 cm
71031691/92	Larder unit H.**230** cm full-length door
71040921/22	Larder unit H.**236** cm upper door H.73 cm
71040923/24	Larder unit H.**236** cm lower door H.73 cm
71040925/96	Larder unit H.**236** cm full-length door
71049927/28	Larder unit H.**260** cm upper door H.80 cm
71049929/30	Larder unit H.**260** cm lower door H.80 cm
71049931/32	Larder unit H.**260** cm full-length door

Chrome wire inner equipment for larder unit

Description	Drawing
4 Shelves in structure-colour decorative melamine, with aluminium front profile (load capacity 35 kg per shelf)	
1 chrome wire accessory and vacuum cleaner organiser (load capacity 9 kg)	
4 chrome wire accessory storage baskets (load capacity 12 kg)	
5 chrome wire multi-purpose hooks (load capacity 10 kg)	

Storage cupboard

Storage cupboard to be equipped as needed:
- shelves on shelf brackets D.25 or 56 cm
- shelves on rack D.30 cm
- drier support shelf

We recommend you insert the Crop LED lamps.
Picture **A** shows the equipment with shelves on shelf brackets; picture **B** shows the equipment with shelves on rack; picture **C** shows the equipment with drier support shelf.

Storage cupboard shelf bracket detail

LH/RH code	Description	Drawing
71051001/02	Storage cupboard with **60 cm door** - **L.122x60** cm **H.227** cm for plinth H.7 cm	
71051071/72	Storage cupboard with **60 cm door** - **L.122x74** cm **H.227** cm for plinth H.7 cm	
71051011/12	Storage cupboard with **60 cm door** - **L.135x60** cm **H.227** cm for plinth H.7 cm	
71051081/82	Storage cupboard with **60 cm door** - **L.135x74** cm **H.227** cm for plinth H.7 cm	
71041931/32	Storage cupboard with **60 cm door** - **L.122x60** cm **H.216** cm for plinth H.10 cm	
71041991/92	Storage cupboard with **60 cm door** - **L.122x74** cm **H.216** cm for plinth H.10 cm	
71041941/42	Storage cupboard with **60 cm door** - **L.135x60** cm **H.216** cm for plinth H.10 cm	
71042001/02	Storage cupboard with **60 cm door** - **L.135x74** cm **H.216** cm for plinth H.10 cm	
71041961/62	Storage cupboard with **60 cm door** - **L.122x60** cm **H.221** cm for plinth H.15 cm	
71042021/22	Storage cupboard with **60 cm door** - **L.122x74** cm **H.221** cm for plinth H.15 cm	
71041971/72	Storage cupboard with **60 cm door** - **L.135x60** cm **H.221** cm for plinth H.15 cm	
71042031/32	Storage cupboard with **60 cm door** - **L.135x74** cm **H.221** cm for plinth H.15 cm	
71051031/32	Storage cupboard with **60 cm door** - **L.122x60** cm **H.230** cm for plinth H.10 cm	
71051101/02	Storage cupboard with **60 cm door** - **L.122x74** cm **H.230** cm for plinth H.10 cm	
71051041/42	Storage cupboard with **60 cm door** - **L.135x60** cm **H.230** cm for plinth H.10 cm	
71051111/12	Storage cupboard with **60 cm door** - **L.135x74** cm **H.230** cm for plinth H.10 cm	
71041933/34	Storage cupboard with **75 cm door** - **L.137x60** cm **H.216** cm for plinth H.10 cm	
71041993/94	Storage cupboard with **75 cm door** - **L.137x74** cm **H.216** cm for plinth H.10 cm	
71041943/44	Storage cupboard with **75 cm door** - **L.150x60** cm **H.216** cm for plinth H.10 cm	
71042003/04	Storage cupboard with **75 cm door** - **L.150x74** cm **H.216** cm for plinth H.10 cm	
71041963/64	Storage cupboard with **75 cm door** - **L.137x60** cm **H.221** cm for plinth H.15 cm	
71042023/24	Storage cupboard with **75 cm door** - **L.137x74** cm **H.221** cm for plinth H.15 cm	
71041973/74	Storage cupboard with **75 cm door** - **L.150x60** cm **H.221** cm for plinth H.15 cm	
71042033/34	Storage cupboard with **75 cm door** - **L.150x74** cm **H.221** cm for plinth H.15 cm	
71051003/04	Storage cupboard with **75 cm door** - **L.137x60** cm **H.227** cm for plinth H.7 cm	
71051073/74	Storage cupboard with **75 cm door** - **L.137x74** cm **H.227** cm for plinth H.7 cm	
71051013/14	Storage cupboard with **75 cm door** - **L.150x60** cm **H.227** cm for plinth H.7 cm	
71051083/84	Storage cupboard with **75 cm door** - **L.150x74** cm **H.227** cm for plinth H.7 cm	
71051033/34	Storage cupboard with **75 cm door** - **L.137x60** cm **H.230** cm for plinth H.10 cm	
71051103/04	Storage cupboard with **75 cm door** - **L.137x74** cm **H.230** cm for plinth H.10 cm	
71051043/44	Storage cupboard with **75 cm door** - **L.150x60** cm **H.230** cm for plinth H.10 cm	
71051113/14	Storage cupboard with **75 cm door** - **L.150x74** cm **H.230** cm for plinth H.10 cm	
71041935/36	Storage cupboard with **two 45 cm doors** - **L.152x60** cm **H.216** cm for plinth H.10 cm	
71041995/96	Storage cupboard with **two 45 cm doors** - **L.152x74** cm **H.216** cm for plinth H.10 cm	
71041945/46	Storage cupboard with **two 45 cm doors** - **L.165x60** cm **H.216** cm for plinth H.10 cm	
71042005/06	Storage cupboard with **two 45 cm doors - L.165x74** cm **H.216** cm for plinth H.10 cm	
71041965/66	Storage cupboard with **two 45 cm doors** - **L.152x60** cm **H.221** cm for plinth H.15 cm	
71042025/26	Storage cupboard with **two 45 cm doors** - **L.152x74** cm **H.221** cm for plinth H.15 cm	
71041975/76	Storage cupboard with **two 45 cm doors** - **L.165x60** cm **H.221** cm for plinth H.15 cm	
71042035/36	Storage cupboard with **two 45 cm doors - L.165x74** cm **H.221** cm for plinth H.15 cm	
71051005/06	Storage cupboard with **two 45 cm doors - L.152x60** cm **H.227** cm for plinth H.7 cm	
71051075/76	Storage cupboard with **two 45 cm doors - L.152x74** cm **H.227** cm for plinth H.7 cm	
71051015/16	Storage cupboard with **two 45 cm doors - L.165x60** cm **H.227** cm for plinth H.7 cm	
71051085/86	Storage cupboard with **two 45 cm doors - L.165x74** cm **H.230** cm for plinth H.10 cm	
71051035/36	Storage cupboard with **two 45 cm doors - L.152x60** cm **H.230** cm for plinth H.10 cm	
71051105/06	Storage cupboard with **two 45 cm doors - L.152x74** cm **H.230** cm for plinth H.10 cm	
71051045/46	Storage cupboard with **two 45 cm doors - L.165x60** cm **H.230** cm for plinth H.10 cm	
71051115/16	Storage cupboard with **two 45 cm doors - L.165x74** cm **H.230** cm for plinth H.10 cm	

LH/RH code	Description	Drawing
75063993	Larder unit side facing panel **2.2** cm thick **H.216** - **D.58.6** cm	
75063861/2	Larder unit side facing panel **2.2** cm thick **H.216** - **D.73.5** cm	
75063995	Larder unit side facing panel **2.2** cm thick **H.221** - **D.58.6** cm	
75063863/4	Larder unit side facing panel **2.2** cm thick **H.221** - **D.73.5** cm	
75063943	Larder unit side facing panel **2.2** cm thick **H.227** - **D.58.6** cm	
75063929	Larder unit side facing panel **2.2** cm thick **H.227** - **D.73.5** cm	
75063944	Larder unit side facing panel **2.2** cm thick **H.230** - **D.58.6** cm	
75063931	Larder unit side facing panel **2.2** cm thick **H.230** - **D.73.5** cm	
75063947	Larder unit side facing panel **2.2** cm thick **H.30** - **D.58.6** cm	
75063948	Larder unit side facing panel **2.2** cm thick **H.30** - **D.73.5** cm	
75063946	Larder unit side facing panel **2.2** cm thick **H.40** - **D.58.6** cm	
75063945	Larder unit side facing panel **2.2** cm thick **H.40** - **D.73.5** cm	
75061365	Linear storage shelf **D.25** cm	
75061366	Linear storage shelf **D.30** cm	
75061367	Linear storage shelf **D.56** cm	
75061368	Linear storage partition **D.56** cm	
31107612	Storage cupboard shelf bracket	

LH/RH code	Description	Drawing
31107613	Rack for storage cupboard shelf support	
31107614	Shelf bracket for storage cupboard rack	
31107615	3-tier vacuum cleaner holder	
31107616	Miscellaneous hooks	
31107617	Accessory storage basket	

Cupboard with upper roller door

Cupboard with roller door and fittings consisting of:
- 2 melamine shelves, roller door compartment and 220 V Corner double socket (only available for Italy).

Additional fittings:
- pull-out tray with aluminium sides

LH/RH code	Description
71030287/8	**60** cm larder unit H.**200** cm
71030289	**60** cm larder unit H.**200** cm with 2 baskets
71040577/78	**60** cm larder unit H.**206** cm
71040579	**60** cm larder unit H.**206** cm with 2 baskets
71030557	**90** cm larder unit H.**200** cm
71030559	**90** cm larder unit H.**200** cm with 2 baskets
71040465	**90** cm larder unit H.**206** cm
71040467	**90** cm larder unit H.**206** cm with 2 baskets

Resting unit with roll-up door

60 unit comprising:
- 1 Brill finish Aluminium roll-up door with external handle
- 2 fixed shelves

Variable height depending on the thickness of the top; Aluminium Grey structure.

Code	Description
71003667	**60** resting unit with roll-up door- variable H.
71003669	**60** resting unit with roll-up door- variable H.

Dresser for 90 cm base unit

Equipped beech dresser complete with:
1 rolling pin
3 kitchen roll holders
1 magnetic knife rack
1 plywood chopping board

Code	Description
71016245	**90** cm base unit H.**73** cm
71046381	**90** cm base unit H.**80** cm

SCAVOLINI

SUPPORTS

“Blend” breakfast bench support

“Blend” breakfast bench support, **Vintage Oak veneered**.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H base unit + H plinth)
75086440	**68** cm	**71.9** cm (61.9+10) H.table
75086441	**68** cm	**83.4** cm (73.4+10 / 76.4+7) H.brk.bch.
75086442	**68** cm	**86.4** cm (76.4+10) H.breakfast bench
75086443	**68** cm	**88.4** cm (73.4+15) H.breakfast bench
75086444	**68** cm	**91.4** cm (76.4+15) H.breakfast bench

“Clever” breakfast bench support

“Clever” breakfast bench support in **matt White**, **matt Black, Bronze, Grey and Brass painted metal**.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H)
75086895	**65** cm	**70 - 93** cm

“Flux Swing” breakfast bench support

“Flux Swing” breakfast bench support in **metallic Grey or Grey painted metal.**
N.B. the top must protrude between 70 and 100 cm from the element before the support.
Maximum load capacity 50 kg.



Code	Width (L)	Height (H)
75020222	**61** cm	**71.9** cm (table height)

“Haiku” breakfast bench support

Iron Grey Ash support

Pecan Ash SCAV 1029, Rice Ash SCAV 1028 and Iron Grey Ash SCAV 1030 veneered “Haiku” breakfast bench support.
Leg diameter 25 cm.
Maximum load capacity 80 kg.



Code	Height
75020233	**H.88-93** cm

“Hold Up” breakfast bench support

Support resting on the front of base units

“Hold Up” breakfast bench support in **matt White**, **matt Black** or **warm Grey painted metal.**
Maximum load capacity 80 kg.



Code	Width (L)	Height (H base unit + H plinth)
75086086	**70** cm	**71.9** cm (61.9+10) H.table
75086087	**90** cm	**71.9** cm (61.9+10) H.table
75086076	**70** cm	**83.4** cm (73.4+10 / 76.4+7) H.brk.bch.
75086077	**90** cm	**83.4** cm (73.4+10 / 76.4+7) H.brk.bch.
75086080	**70** cm	**86.4** cm (76.4+10) H.breakfast bench
75086081	**90** cm	**86.4** cm (76.4+10) H.breakfast bench
75086078	**70** cm	**88.4** cm (73.4+15) H.breakfast bench
75086079	**90** cm	**88.4** cm (73.4+15) H.breakfast bench
75086082	**70** cm	**91.4** cm (76.4+15) H.breakfast bench
75086083	**90** cm	**91.4** cm (76.4+15) H.breakfast bench

Support with extending supports

“Hold Up” breakfast bench support in **matt White, Black or warm Grey painted metal**.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H base unit + H plinth)
75086084	**70** cm	**71.9** cm (61.9+10) H.table
75086085	**90** cm	**71.9** cm (61.9+10) H.table
75086068	**70** cm	**83.4** cm (73.4+10 / 76.4+7) H.brk.bch.
75086069	**90** cm	**83.4** cm (73.4+10 / 76.4+7) H.brk.bch.
75086072	**70** cm	**86.4** cm (76.4+10) H.breakfast bench
75086073	**90 cm**	**86.4** cm (76.4+10) H.breakfast bench
75086070	**70 cm**	**88.4** cm (73.4+15) H.breakfast bench
75086071	**90 cm**	**88.4** cm (73.4+15) H.breakfast bench
75086074	**70 cm**	**91.4** cm (76.4+15) H.breakfast bench
75086075	**90 cm**	**91.4** cm (76.4+15) H.breakfast bench

“Hold Up +” breakfast bench support

“Hold Up +” breakfast bench support in **matt White**, **matt Black or warm Grey painted metal.**
The fixed size of the top when it is not extended is 72.5 cm for tops with a depth of 60 cm; for tops with a depth of 58.8 cm, the size is 71.3 cm.
N.B. It can be fitted on the side of base units or against the wall; it cannot be fitted on the front of a base unit.
Available for 2, 3 and 4 cm thick laminate tops.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H base unit + H plinth)	Description
75086851	**68.7** cm	**70** cm (60+10) H.table	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086852	**68.7** cm	**71.9** cm (61.9+10) H.table	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086853	**68.7** cm	**83.4** cm (73.4+10 / 76.4+7) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086854	**68.7** cm	**86.4** cm (76.4+10) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086896	**68.7** cm	**87** cm (80+7) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086855	**68.7** cm	**88.4** cm (73.4+15) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086856	**68.7** cm	**90** cm (80+10) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
75086857	**68.7** cm	**91.4** cm (76.4+15) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 58.8 cm
77080970	**68.7** cm		pack of 56.5 cm extensions
75086861	**95.3** cm	**70** cm (60+10) H.table	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086862	**95.3** cm	**71.9** cm (61.9+10) H.table	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086863	**95.3** cm	**83.4** cm (73.4+10 / 76.4+7) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086864	**95.3** cm	**86.4** cm (76.4+10) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086897	**95.3** cm	**87** cm (80+7) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086865	**95.3** cm	**88.4** cm (73.4+15) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086866	**95.3** cm	**90** cm (80+10) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
75086867	**95.3** cm	**91.4** cm (76.4+15) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 58.8 cm
77080972	**95.3** cm		pack of 56.5 cm extensions
75086871	**71.1** cm	**70** cm (60+10) H.table	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086872	**71.1** cm	**71.9** cm (61.9+10) H.table	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086873	**71.1** cm	**83.4** cm (73.4+10 / 76.4+7) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086874	**71.1** cm	**86.4** cm (76.4+10) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086898	**71.1** cm	**87** cm (80+7) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086875	**71.1** cm	**88.4** cm (73.4+15) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086876	**71.1** cm	**90** cm (80+10) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 60 cm
75086877	**71.1** cm	**91.4** cm (76.4+15) H.breakfast bench	for base unit D.56.3 cm with back frame for base unit and top 60 cm
77080971	**71.1** cm		pack of 57.7 cm extensions
75086881	**97.7** cm	**70** cm (60+10) H.table	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086882	**97.7** cm	**71.9** cm (61.9+10) H.table	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086883	**97.7** cm	**83.4** cm (73.4+10 / 76.4+7) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086884	**97.7** cm	**86.4** cm (76.4+10) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086899	**97.7** cm	**87** cm (80+7) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086885	**97.7** cm	**88.4** cm (73.4+15) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086886	**97.7** cm	**90** cm (80+10) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm
75086887	**97.7** cm	**91.4** cm (76.4+15) H.breakfast bench	for base unit D.56.3 cm - base unit D.34 cm and top 60 cm

“Levity” glass breakfast bench support

“Levity” **glass** breakfast bench support.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H base unit + H plinth)
75086888	**55** cm	**70** cm (60+10) H.table
75086890	**70** cm	**70** cm (60+10) H.table
75086711	**55** cm	**71.9** cm (61.9+10) H.table
75086712	**70** cm	**71.9** cm (61.9+10) H.table
75086713	**55** cm	**83.4** cm (73.4+10 / 76.4+7) H.breakfast bench
75086714	**70** cm	**83.4** cm (73.4+10 / 76.4+7) H.breakfast bench
75086715	**55** cm	**86.4** cm (76.4+10) / **87** cm (80+7) H.breakfast bench
75086716	**70** cm	**86.4** cm (76.4+10) / **87** cm (80+7) H.breakfast bench
75086717	**55** cm	**88.4** cm (73.4+15) H.breakfast bench
75086718	**70** cm	**88.4** cm (73.4+15) H.breakfast bench
75086889	**55** cm	**90** cm (80+10) H.breakfast bench
75086891	**70** cm	**90** cm (80+10) H.breakfast bench
75086719	**55** cm	**91.4** cm (76.4+15) H.breakfast bench
75086720	**70** cm	**91.4** cm (76.4+15) H.breakfast bench

“Mizu” breakfast bench support

“Mizu” breakfast bench support, available in **Steel, Quarz, Porcelain Stoneware** or wood particle board panel covered in **Laminate.**
Maximum load capacity 80 kg.



Code	Width (L)	Height (H)
77081851	**70** cm	**H.max 100** cm

Support for “Motus” table

Metal support

Support for “Motus” table in **White, Black or Grey painted metal** with extending metal supports measuring from **118.4 to 178.4** cm.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H)
75086380	**70** cm	**69.5** cm

Wooden support

Support for “Motus” table veneered in **Coal Oak SCAV936 or Natural Oak** with extending wooden supports measuring from **112.8 to 172.8** cm.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H)
75087121	**70** cm	**69.5** cm

Pack of 2 legs for "Motus“ table

Pack of 2 metal legs

Pack of 2 legs **H.69.5 cm** for “Motus” table with 2 corners to fix the top, in **matt White, matt Grey or matt Black painted metal**.



Code	Height (H)
75086381	**69.5** cm

Pack of 2 wooden legs

Pack of 2 legs **H.69.5 cm** for “Motus” table with 1 or 2 corners to fix the top, veneered in **Coal Oak SCAV936 or Natural Oak**.



Code	Height (H)
75087121	**69.5** cm

“Network” breakfast bench support

Resting on the front of the base units

Breakfast bench support in **matt White or warm Grey painted metal**.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H base unit + H plinth)
75086397	**70** cm	**71.9** cm (61.9+10) H.table
75086398	**90** cm	**71.9** cm (61.9+10) H.table
75086389	**70** cm	**83.4** cm (73.4+10 / 76.4+7) H.brk.bch.
75086390	**90** cm	**83.4** cm (73.4+10 / 76.4+7) H.brk.bch.
75086393	**70** cm	**86.4** cm (76.4+10) H.breakfast bench
75086394	**90 cm**	**86.4** cm (76.4+10) H.breakfast bench
75086391	**70 cm**	**88.4** cm (73.4+15) H.breakfast bench
75086392	**90 cm**	**88.4** cm (73.4+15) H.breakfast bench
75086395	**70 cm**	**91.4** cm (76.4+15) H.breakfast bench
75086396	**90 cm**	**91.4** cm (76.4+15) H.breakfast bench

With extending supports

Breakfast bench support in **matt White or warm Grey painted metal**.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H base unit + H plinth)
75086414	**70** cm	**71.9** cm (61.9+10) H.table
75086415	**90** cm	**71.9** cm (61.9+10) H.table
75086406	**70** cm	**83.4** cm (73.4+10 / 76.4+7) H.brk.bch.
75086407	**90** cm	**83.4** cm (73.4+10 / 76.4+7) H.brk.bch.
75086410	**70** cm	**86.4** cm (76.4+10) H.breakfast bench
75086411	**90 cm**	**86.4** cm (76.4+10) H.breakfast bench
75086408	**70 cm**	**88.4** cm (73.4+15) H.breakfast bench
75086409	**90 cm**	**88.4** cm (73.4+15) H.breakfast bench
75086412	**70 cm**	**91.4** cm (76.4+15) H.breakfast bench
75086413	**90 cm**	**91.4** cm (76.4+15) H.breakfast bench

“Network” intermediate support

“Network” intermediate support in **matt White or warm Grey painted metal**.



Code	Width (L)	Height (H)
75086399	**70** cm	**32.7** cm
75086400	**90** cm	**32.7** cm
75086401	**70** cm	**35.7** cm
75086402	**90** cm	**35.7** cm

“Network” universal top support

“Network” universal breakfast bench support, 4 cm thick,
Only available in **Essenziale White, Natura Ash, Hono Elm and Kuuki Elm** laminate.
Length per cm.



Code	Height (H)
77081825	**24** cm

“Podium” breakfast bench support

“Podium” breakfast bench support in **matt White, matt Black or Chrome-finish painted metal.**
Maximum load capacity 80 kg.



Code	Width (L)	Height (H)
75086331	**8** cm	**70-97** cm

“Slender“ breakfast bench support

Support with one leg

“Slender” breakfast bench support with **single leg** in **Soft Steel or Bronze** finish metal.
Diameter 5.5 cm.
Maximum load capacity 80 kg.



Code	Height (H)
75020335	**72** cm

Support with two legs

“Slender” breakfast bench support with **double leg** in **Satin finish Nickel** finish metal.
Diameter 5.5 cm.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H)
75086455	**70** cm	**70/91.5** cm
75086456	**90** cm	**70/91.5** cm

“Sloper” breakfast bench support

Breakfast bench support in **Matt White, matt Black or warm Grey** painted metal.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H base unit + H plinth)
75086332	**60** cm	**71.9** cm (61.9+10) H.table
75086333	**80** cm	**71.9** cm (61.9+10) H.table
75086334	**60** cm	**83.4** cm (73.4+10 / 76.4+7) H.brk.bch.
75086335	**80** cm	**83.4** cm (73.4+10 / 76.4+7) H.brk.bch.
75086336	**60** cm	**86.4** cm (76.4+10) H.breakfast bench
75086337	**80** cm	**86.4** cm (76.4+10) H.breakfast bench
75086338	**60** cm	**88.4** cm (73.4+15) H.breakfast bench
75086339	**80** cm	**88.4** cm (73.4+15) H.breakfast bench
75086340	**60** cm	**91.4** cm (76.4+15) H.breakfast bench
75086341	**80** cm	**91.4** cm (76.4+15) H.breakfast bench

“Summit” breakfast bench support

Breakfast bench support in **matt Black or Titanium** painted metal.
Maximum load capacity 80 kg.



Code	Width (L)	Height (H base unit + H plinth)
75087298	**67.6** cm	**88** cm (80+8)
75087180	**70.9** cm	**90** cm (80+10)

“Telescope” breakfast bench support

Aluminium support

“Telescope” **Aluminium** or **Black** breakfast bench support.
Leg diameter 11 cm
Foot diameter 12.6 cm
Plate diameter 23.3 cm
Maximum load capacity 80 kg.



Code	Height
75020203	**H.69-91,5** cm

Black support

“NEW Telescope” breakfast bench support

Matt Black support

“Telescope” **matt Black or Titanium** breakfast bench support.
Leg diameter 12 cm
Foot diameter 12.6 cm
Plate diameter 30 cm
Maximum load capacity 80 kg.



Code	Height
75087277	**H.70-83,3** cm
75087278	**H.83,3-96** cm

“Infratop” support for 95x95 cm table

“Infratop” support in **matt White, warm Grey or matt Black painted metal.**
N.B. Only available for composition with plinth H.10 cm



Code
75086140

SLIDING TOPS

“Covering” sliding top

Laminate or Fenix NTM® top featuring a sliding mechanism which overlaps island and peninsula tops via aluminium runners.
The mechanism kit always includes 3 sliding runners (the central one featuring a locking system) with a maximum load capacity of 60 kg distributed evenly.
N.B. The 4.6 cm thick sliding top moves 0.8 cm above the underlying surface (this must be taken into account when selecting hobs, sinks and related folding or telescopic taps). The installation of the sliding top requires specific processing on the underlying worktop to fix the runners.

Closed



Open





* Size of COVERING for islands with back-to-back base units D. 56 cm and 34 cm with flush-fitting tops
** Size of COVERING for islands with back-to-back base units D. 56 cm and 34 cm with protruding tops

AVAILABLE FENIX NTM® FINISHES (FULL RANGE OF FENIX NTM® TOPS)

AVAILABLE LAMINATE FINISHES


Botticino


Dark Pulpis

Munè Grey


Onice Perla

Polo Club

Porfido Sabbia

Rio Bravo


Statuario

Code	Depth
77082246	95,3 cm
77082247	97,7 cm

“Diagonal” sliding top

Veneered top featuring diagonally-sliding mechanism on top.
The maximum capacity is 80 kg distributed evenly.

Example in drawing is RH

Closed



Open





* Dimensions of DIAGONAL combined with tops with protrusion flush with door (D.58.8)
**Dimensions of DIAGONAL combined with tops with standard protrusion (D.60)

AVAILABLE VENEERED FINISHES

Vintage Oak


Nabuk Oak

Nordic Oak

Code	Opening	Depth
77081887	DX	95,3 cm
77081888	SX	95,3 cm
77081889	DX	97,7 cm
77081890	SX	97,7 cm

“Diagonal Simple” sliding top

Laminate top with Anthracite SCAV 882 coloured aluminium under top profile featuring diagonally-sliding mechanism on top.
The maximum capacity is 80 kg distributed evenly.

AVAILABLE FINISHES: Laminate in all the colours available for the 2 cm thickness.

Example in drawing is RH

Closed



Open





* Dimensions of DIAGONAL SIMPLE combined with tops with protrusion flush with door (D.58.8)
**Dimensions of DIAGONAL SIMPLE combined with tops with standard protrusion (D.60)

Code	Opening	Depth
77081907	DX	101,5 cm
77081908	SX	101,5 cm
77081909	DX	103,9 cm
77081910	SX	103,9 cm

“Linear” sliding top

Position flush with the top

Protruding position

Flush-fit or protruding veneered top featuring longitudinally-sliding mechanism on top.
The maximum capacity is 80 kg distributed evenly.

Example in drawing is RH

Closed



Closed with 27 cm cantilever



Open



Open



40 cm cantilever



67 cm cantilever



* Dimensions of LINEAR combined with tops with protrusion flush with door (D.58.8)
**Dimensions of LINEAR combined with tops with standard protrusion (D.60)

AVAILABLE VENEERED FINISHES

Vintage Oak


Nabuk Oak

Nordic Oak

Code	Depth
77081881	95,3 cm
77081882	97,7 cm

“Linear” sliding top

Veneered top featuring cross-sliding mechanism on top.
The maximum capacity is 80 kg distributed evenly.

Close



Open





* Dimensions of LINEAR combined with tops with protrusion flush with door (D.58.8)

**Dimensions of LINEAR combined with tops with standard protrusion (D.60)

AVAILABLE VENEERED FINISHES

Vintage Oak


Nabuk Oak


Nordic Oak

Code	Depth
77081883	95,3 cm
77081884	97,7 cm

“Linear Simple” sliding top

Position flush with the top

Flush-fit or protruding laminate top, with Anthracite SCAV 882 coloured aluminium under top profile featuring longitudinally-sliding mechanism on top The maximum capacity is 80 kg distributed evenly.

AVAILABLE FINISHES: Laminate in all the colours available for the 2 cm thickness.

Closed



Open



40 cm cantilever



Protruding position

Closed with 27 cm cantilever



Open



67 cm cantilever



Code	Length	Depth
77081901	126,2 cm	101,5 cm
77081902	126,2 cm	103,9 cm

* Dimensions of LINEAR SIMPLEcombined with tops with protrusion flush with door (D.58.8)
**Dimensions of LINEAR SIMPLE combined with tops with standard protrusion (D.60)

“Linear Simple” sliding top

Laminate top with Anthracite SCAV 882 coloured aluminium under top profile featuring cross-sliding mechanism on top.
The maximum capacity is 80 kg distributed evenly.

AVAILABLE FINISHES: Laminate in all the colours available for the 2 cm thickness.

Example in drawing is RH

Closed



Open



40 cm cantilever



* Dimensions of LINEAR SIMPLE combined with tops with protrusion flush with door (D.58.8)
**Dimensions of LINEAR SIMPLE combined with tops with standard protrusion (D.60)

Code	Length	Depth
77081903	126,2 cm	101,5 cm
77081904	126,2 cm	103,9 cm

WASHING AREAS

Pack of 2 filters for tap set connection

Pack of 2 filters for tap set connection.

N.B. Supplied in the Nuvola twin-command set.

Code
41000581

Metal waste bin

Round Steel waste bin with plastic buckets, 12-litre capacity.
Opens with the door.



Code
31100349

Plastic waste bin

Metallic grey plastic waste bin, 13-litre capacity.
Opens with the door.



Code
31100347

Sliding waste bin

Sliding waste bin with two 14-litre containers.
Manual opening.



Code
31100354

“Host 222” sliding waste bin

Sliding waste bin with two 21-litre containers.
Manual opening.



Code
31107028

“Host 500” sliding metal waste bin



Sliding stainless steel waste bin with two 21-litre containers.
Opens with the door.
The waste bin is supplied with an additional separating element to create two containers of 10.5 litres each.
Lid suitable for storing gloves and sponges.



Code
31107029

“Host 550” sliding waste bin

Sliding waste bin with two 35-litre containers.
Manual opening.
Internal lid secured to the base unit side panels.
The tray is supplied with a central storage compartment.

N.B. Cannot be installed in sink base units.



Code
31107030

Sliding metal waste bin

Sliding Stainless Steel waste bin with two 17-litre containers.
Opens with the door.



Code
31100361

“Home” sliding waste bin

Sliding waste bin with one 40-litre container.
Manual opening.

N.B. Can be installed in base units of minimum 30 cm in size



Code
31109162

“Swing 2.0” sliding waste bin

Sliding waste bin with one 12-litre container.
Opens with the door.
N.B. When the waste bin opens, the lid is raised, thereby increasing its size.



Code
31109165

“9XL” waste bin for sink base unit with 2 pull-out baskets

“9XL” waste bin for 60 cm sink base unit

H.20.7 cm comprising**:**

- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- one 20-litre container
- one 9-litre container

N.B. The height of the containers is 20.7 cm, making the total height including the lid 23 cm.

H.27.7 cm comprising**:**

- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- one 26-litre container
- one 11-litre container

N.B. The height of the containers is 27.7 cm, making the total height including the lid 30 cm.

N.B. This waste bin can only be installed in the sink base unit with pull-out basket.

Code	Type	Notes	Drawing
31108486	Without partitions		
31109170	Without partitions	Cannot be installed in models with double recessed grip profile	

Photo without upper basket to highlight the closing lid

“9XL” waste bin for 75 cm sink base unit

H.20.7 cm comprising**:**

- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- one 20-litre container
- two 9-litre containers

N.B. The height of the containers is 20.7 cm, making the total height including the lid 23 cm.

H.27.7 cm comprising**:**

- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- one 26-litre container
- two 11-litre containers

N.B. The height of the containers is 27.7 cm, making the total height including the lid 30 cm.

N.B. This waste bin can only be installed in the sink base unit with pull-out basket.

Code	Type	Notes	Drawing
31109434	Without partitions		
31109435	Without partitions	Cannot be installed in models with double recessed grip profile	

Photo without upper basket to highlight the closing lid

“9XL” waste bin for 90 cm sink base unit

H.20.7 cm comprising**:**

- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- two 20-litre containers
- one 9-litre container
- adjustable partitions

N.B. The height of the containers is 20.7 cm, making the total height including the lid 23 cm.

H.27.7 cm comprising**:**

- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- two 26-litre containers
- one 11-litre container
- adjustable partitions

N.B. The height of the containers is 27.7 cm, making the total height including the lid 30 cm.

N.B. This waste bin can only be installed in the sink base unit with pull-out basket.

Code	Type	Notes	Drawing
31108487	without partitions		
31108488	with partitions		
31109171	without partitions	Cannot be installed in models with double recessed grip profile	
31109172	with partitions	Cannot be installed in models with double recessed grip profile	

Photo without upper basket to highlight the closing lid

Detail of adjustable partitions

“9XL” waste bin for 120 cm sink base unit

H.20.7 cm comprising**:**
- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- three 20-litre containers
- one 9-litre container
- adjustable partitions

N.B. The height of the containers is 20.7 cm, making the total height including the lid 23 cm.

H.27.7 cm comprising**:**

- 1 shaped container/accessory holder bottom
- 1 automatic lid fixed to the cabinet side panels for use as a support top
- three 26-litre containers
- one 11-litre container
- adjustable partitions

N.B. The height of the containers is 27.7 cm, making the total height including the lid 30 cm.

N.B. This waste bin can only be installed in the sink base unit with pull-out basket.

Code	Type	Notes	Drawing
31108489	With partitions		
31109173	With partitions	Cannot be installed in models with double recessed grip profile	

Photo without upper basket to highlight the closing lid

Detail of adjustable partitions

“Basic Superior Stainless Steel” waste bin for 60 cm sink base unit with 2 pull-out baskets

Waste bin comprising:
- 1 shaped container holder bottom
- one 19-litre container
- one 8.5-litre container
- one 8.5-litre container with grid/filter lid
- 3 manual opening lids

Manual opening with lids covered with satin finish Stainless steel with anti-fingerprint treatment.
N.B. This waste bin can only be installed in the sink base unit with pull-out basket.



Code
31109252

“Linear Superior Stainless Steel” waste bin for 90 cm sink base unit with 2 pull-out baskets

Waste bin comprising:
- 1 shaped container/accessory holder bottom
- one 19-litre container
- one 8.5-litre container
- one 8.5-litre container with grid/filter lid
- 3 manual opening lids
- 2 accessory bowls

Manual opening with lids covered with satin finish Stainless steel with anti-fingerprint treatment.
N.B. This waste bin can only be installed in the sink base unit with pull-out basket.



Code
31109253

“Linear Superior Stainless Steel” waste bin for 120 cm sink base unit with 2 pull-out baskets

Waste bin comprising:
- 1 shaped container/accessory holder bottom
- two 19-litre containers
- one 8.5-litre container with grid/filter lid
- 3 manual opening lids
- 3 accessory bowls

Manual opening with lids covered with satin finish Stainless steel with anti-fingerprint treatment.
N.B. This waste bin can only be installed in the sink base unit with pull-out basket.



Code
31109254

“Multi” waste bin for 90 cm sink base unit with 2 pull-out baskets

Waste bin comprising:
- two 26-litre containers
- one 11-litre container
- 3 manual opening lids

N.B. This waste bin can only be installed in the sink base unit with pull-out basket.



Code
31109440

Built-in "Grab 2.0" pull-out waste bin for 30 cm base unit

Built-in waste bin for **30** cm base unit comprising:
- one 42-litre container (L.22.5- D.42- H.50 cm)
- 1 automatic lid fixed to the cabinet side panels for use as a support top

The waste bin is available for base units H.73-76- 80 cm. Equipped with the Blumotion closing system that ensures cushioned closing of the door.

Code	Description
71015161	base unit H.**73** cm
71015163	RH base unit H.**73** cm
71015164	LH base unit H.**73** cm
71020067	base unit H.**76** cm
71046125	base unit H.**80** cm

Built-in "Grab 2.0" pull-out waste bin for 45 cm base unit

Built-in waste bin for **45** cm base unit comprising:
- two 29-litre containers (L.30.4- D.22.5- H.46 cm)
- 1 automatic lid fixed to the cabinet side panels for use as a support top

The waste bin is available for base units H.73-76- 80 cm. Equipped with the Blumotion closing system that ensures cushioned closing of the door.

Code	Description
71015445	base unit H.**73** cm
71015447	RH base unit H.**73** cm
71015448	LH base unit H.**73** cm
71020119	base unit H.**76** cm
71046239	base unit H.**80** cm

Built-in "Grab 2.0" pull-out waste bin for 60 cm base unit

Built-in waste bin for **60** cm base unit comprising:
- two 42-litre containers (L.42- D.22.5- H.50 cm)
- 1 automatic lid fixed to the cabinet side panels for use as a support top

The waste bin is available for base units H.73-76- 80 cm.
Equipped with the Blumotion closing system that ensures cushioned closing of the door.

Code	Description
71015850	base unit H.**73** cm
71020193	base unit H.**76** cm
71046270	base unit H.**80** cm

Built-in "Grab 2.0" pull-out waste bin for 75 cm base unit

Built-in waste bin for **75** cm base unit comprising:
- four 29-litre containers (L.30.4- D.22.5- H.46 cm)
- 1 automatic lid fixed to the cabinet side panels for use as a support top

The waste bin is available for base units H.80 cm.
Equipped with the Blumotion closing system that ensures cushioned closing of the door.

Code	Description
71047133	base unit H.**80** cm

“Block 2.0” sliding pull-out bin for 30 cm base unit

Built-in waste bin for **30** cm base unit comprising:
- one 8-litre container (**L.22.5 - D.15 - H.34 cm**)
- one 18-litre container (**L.22.5 - D.30 - H.34 cm**)
- two 10-litre containers (**L.22.5 - D.22.5 - H.28 cm**)

The waste bin is available for base units H.73-76- 80 cm.
Equipped with the Blumotion closing system that ensures cushioned closing of the door.

Code	Description
71015157	base unit H.**73** cm
71015159	RH base unit H.**73** cm
71015160	LH base unit H.**73** cm
71020065	base unit H.**76** cm
71046123	base unit H.**80** cm

“Block 2.0” sliding pull-out bin for 45 cm base unit

Built-in waste bin for **45** cm base unit comprising:
- three 12-litre containers (**L.30 - D.15 - H.34 cm**)
- two 15-litre containers (**L.30 - D.22.5 - H.28 cm**)

The waste bin is available for base units H.73-76- 80 cm.
Equipped with the Blumotion closing system that ensures cushioned closing of the door.

Code	Description
71015441	base unit H.**73** cm
71015443	RH base unit H.**73** cm
71015444	LH base unit H.**73** cm
71020109	base unit H.**76** cm
71046209	base unit H.80 cm

Built-in "Simple 2.0" pull-out waste bin for 60 cm sink base unit

Built-in waste bin for **60** cm sink base unit comprising:
- one 19-litre container (**L.19.8 - D.29.8 - H.44 cm**)
- one 17-litre container (**L.19.8 - D.22.2 - H.44 cm**)
- one 12-litre container (**L.39.6 - D.22.2 - H.29 cm**)
- shaped bottom

Built-in waste bin for **75** cm sink base unit comprising:
- one 26-litre container (**L.22.2 - D.39.6 - H.44 cm**)
- one 12-litre container (**L.22.2 - D.19.8 - H.44 cm**)
- one 19-litre container (**L.22.2 - D.39.6 - H.29 cm**)
- one 9-litre container (**L.22.2 - D.19.8 - H.29 cm**)
- shaped bottom

Internal lid secured to the base unit side panels. Lid for food waste container with odour filter.
The waste bin is available for base units H.73-76-80 cm.
Equipped with the Blumotion closing system that ensures cushioned closing of the door.

Code	Description
71017569	60 base unit H.**73** cm
71020635	60 base unit H.**76** cm
71046989	60 base unit H.**80** cm
71048739	60 base unit H.**80** cm with intermediate recessed
71017589	75 base unit H.**73** cm
71020681	75 base unit H.**76** cm
71047121	75 base unit H.**80** cm
71048751	75 base unit H.**80** cm with intermediate recessed

Sliding waste bin for 90x90 cm corner sink base unit

Sliding waste bin with one 13-litre container
Manual opening.



Code
31100350

SCAVOLINI

HOOD ACCESSORIES

Air outlet styling accessories



Code	Description	Drawing
41000685	**60** cm **Ø 12.5** cm circular pipe	
41001556	**100** cm **Ø 12.5** cm circular pipe	



Code	Description	Drawing
41001536	**150** cm rectangular pipe	



Code	Description	Drawing
41001537	**150** cm **Ø 12.7** cm flexible hose	



Code	Description	Drawing
41001540	Rectangular pipe clip.	



Code	Description	Drawing
41001536	**Ø 12.5** cm white finishing flange.	



Code	Description	Drawing
41001542	Circular-rectangular vertical 90° elbow.	



Code	Description	Drawing
41001546	Rectangular pipe joint.	

Code	Description	Drawing
41001543	Rectangular vertical 90° elbow.	

Air outlet styling accessories



Code	Description	Drawing
41001544	Rectangular horizontal 90° elbow.	

Code	Description	Drawing
41001545	Rectangular-circular pipe corner joining element.	

Code	Description	Drawing
41001547	Rectangular-circular pipe joint.	



Code	Description	Drawing
41001548	Rectangular wall joint.	



Code	Description	Drawing
41001551	**Ø 12.5** cm- **Ø 10** cm circular pipe joint	



Code	Description	Drawing
41001552	Circular vertical 90° elbow.	

Code	Description	Drawing
41001539	Rectangular external directed grid.	

Code	Description	Drawing
41001538	**Ø 12.5** cm circular external directed grid.	

SCAVOLINI

ACCESSORIES FOR WALL UNITS, BASE UNITS AND LARDER UNITS

Pull-out baskets and drawers - Internal dimensions



‘MERIVOBOX’ DRAWER H.8.4 cm (for Module 73-76)

FOR SCAVOLINI - SCAVOLINI BASIC - SCAVOLINI EASY MODELS

L	H	L1	P **
30	6.7	20.8	47.4
45	6.7	35.8	47.4
60	6.7	50.8	47.4
75	6.7	65.8	47.4
90	6.7	80.8	47.4

‘MERIVOBOX’ DRAWER H.11.6 cm (for Module 80)

FOR SCAVOLINI MODELS

L	H	L1	P **
30	10.5	20.8	47.4
45	10.5	35.8	47.4
60	10.5	50.8	47.4
75	10.5	65.8	47.4
90	10.5	80.8	47.4
120	10.5	110.8	47.4

‘MERIVOBOX’ BASKET

FOR SCAVOLINI - SCAVOLINI BASIC - SCAVOLINI EASY MODELS

SCAVOLINI MODELS

SCAVOLINI MODELS

SCAVOLINI AND EASY MODELS

L	H	L1	P **
45	16.8	35.8	47.4
60	16.8	50.8	47.4
75	16.8	65.8	47.4
90	16.8	80.8	47.4
120	16.8	110.8	47.4

***** height including edge rail (sides as high as the drawer)

****** depth referring to drawer unit or base unit with pull-out baskets, 56.3 cm deep

“Kilter” cutlery tray

Example of cutlery tray in 60 cm drawer

“Kilter” plastic cutlery tray for drawer, matt Grey.

The chopping board/knife rack insert can only be installed in 60-75-90-120 cm cutlery trays.
The spice rack insert can only be installed in 45-60-75-90-120 cm cutlery trays.
The cling film holder insert can only be installed in W.60-75-90-120 cm cutlery trays whereas it cannot be installed in the first drawer of:
- hob base unit H.71.4 cm
- hob base unit H.73.4 cm
- hob base unit H.76.4 cm with double recessed grip profile

Code	For drawer	Image	Drawing
31106251	**30**		
31106252	**45**		
31106253	**60**		
31109416	**75**		
31106254	**90**		

Code	For drawer	Image	Drawing
31109418	**120**		

Code	Description	Image	Drawing
31106255	Chopping board / knife rack insert **N.B.**Can be installed in W.60-75-90-120 cm cutlery trays		
31109677	Cling film holder insert **N.B.**Can be installed in W.60-75-90-120 cm cutlery trays		
31109678	Pack of 2 grey finish plastic side infills		
31106256	Spice rack insert **N.B.:**Can be installed in W.45-60-75-90-120 cm cutlery trays Not for insertion in top drawer of: - hob base unit H.71.4 - hob base unit H.73.4 - hob base unit H.76.4 with double recessed grip profile		

“Bold” cutlery tray

Example of cutlery tray in 60 cm drawer

“Bold” plastic cutlery tray for drawer, matt Grey.
N.B. The Natural Beech knife rack can be installed in the 60 and 90 cm cutlery tray.

Wooden knife rack

Code	For drawer	Image	Drawing
31107470	**30**		
31107471	**45**		
31107472	**60**		
31109349	**75**		
31107473	**90**		

Code	For drawer	Image	Drawing
31109676	**120**		
31107474			

“Reset” cutlery tray

Example of cutlery tray in 60 cm drawer

“Reset” plastic cutlery tray for drawer, matt dark Grey.
The 90 cm cutlery tray comprises two 45 cm cutlery trays plus the spice rack.

Wooden knife rack

Code	For drawer	Image	Drawing
31105497	**45**		
31105498	**60**		
31105499	**90**		
31105500			

“Domino” cutlery tray

Example of cutlery tray and knife rack in 60 cm drawer

“Domino” Aluminium and plastic cutlery tray for drawer. Swappable 15 cm modules and adjustable horizontal partitions.
We recommend you order the related drawer mat as the cutlery tray does not occupy the full width of the drawer

Example of cutlery tray, knife rack and bowl in 90 cm drawer

Code	For drawer	Description	Image
31109690	**45**	Cutlery tray W.30 cm for size 45 drawer or above	
31109691	**45**	Cutlery tray and knife rack W.30 cm for size 45 drawer or above	
31109692	**60**	Cutlery tray, knife rack and bowl W.45 cm for size 60 drawer or above	
31109693	**60**	Cutlery tray and bowl W.45 cm for size 60 drawer or above	
31109694	**75**	Cutlery tray, knife rack and bowl W.60 cm for size 75 drawer or above	
31109698	**75**	Cutlery tray and bowl W.60 cm for size 75 drawer or above	
31109695	**90**	Cutlery tray, knife rack and bowl W.75 cm for size 90 drawer or above	
31109696	**120**	Cutlery tray, knife rack and bowl W.90 cm for size 120 drawer	
31109697	**120**	Cutlery tray, knife rack and bowl W.105 cm for size 120 drawer	

“Classy” pull-out basket and drawer accessories

Example of cutlery tray, knife rack and spice rack in 90 cm drawer

“Classy” basket and drawer accessories in solid Walnut wood and Titanium painted Aluminium partitions.
The accessories can be combined together.
For the choice of Accessories, check the available space in the intended drawer.
N.B. The bottom boards cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.

Example of cutlery tray, wine set and cocktail set in 90 cm drawer

Example of bottom board with partitions and bottle rack in 90 cm basket

Example of pan rack and lid holder bottom board in 90 cm basket

Code	For drawer	Description	Image
31109650	**60**	Cutlery tray for drawer - V1	
31109651	**75**	Cutlery tray for drawer - V1	
31109652	**90**	Cutlery tray for drawer - V1	
31109653	**120**	Cutlery tray for drawer - V1	
31109654	**60**	Cutlery tray for drawer - V2	
31109655	**75**	Cutlery tray for drawer - V2	
31109656	**90**	Cutlery tray for drawer - V2	
31109657	**120**	Cutlery tray for drawer - V2	
31109658		Knife rack for cutlery tray	

Code		Description	Image
31109659		Cling film holder for cutlery tray	
31109661		Universal spice rack for cutlery tray	
31109666		V1N spice rack for cutlery tray 6 glass jars with screw top	
31109667		V1V spice rack for cutlery tray 6 glass jars	
31109662		Fresh pasta set for cutlery tray rolling pin pastry cutting wheel	
31109668		V2N square spice rack for cutlery tray 6 glass jars with screw top	
31109663		Condiments set for cutlery tray 4 miniature mills for spices or salt 2 stainless steel 250 ml cruets	
31109665		Wine set for cutlery tray	
31109664		Cocktail set for cutlery tray corkscrew champagne cork drop stop stainless steel wine pouring spout wine preserver with two silicone plugs	

Code	For drawer	Description	Image
31109669	**60**	Bottom board with partitions for basket - V5	
31109670	**75**	Bottom board with partitions for basket - V5	
31109671	**75**	Pan rack and lid holder bottom board - V7	
31109673	**90**	Pan rack and lid holder bottom board - V7	
31109674	**120**	Pan rack and lid holder bottom board - V7	
31109672	**90**	Pan rack bottom board with partitions for basket - V2	
31109675	**120**	Pan rack bottom board with partitions for basket - V2	
31109660		Bottle rack for basket	

“Classy Frame” accessory holder frames in Black painted Aluminium

The fames can be equipped with several types of accessories made in Canaletto Walnut finish with solid Canaletto Walnut wood and Black Aluminium partitions.
For use in the Fluida Wall System, in tall units and in base units.

The following inserts from the Classy line can also be inserted in the accessories:
- V2N square spice rack for cutlery tray (code 31109668)
- Condiments set for cutlery tray (code 31109663)
- Cocktail set for cutlery tray (code 31109664)
- Wine set for cutlery tray (code 31109665)

Frame 60 cm	Frame 75 cm	Frame 90	Frame 120 cm
			

Code	Dimension	Description	Cut-out image	Ambient image
31109838	60	**Plate rack** (20 plates) for container frame		
31109839	75	**Plate rack** (20 plates) for container frame		
31109840	90	**Plate rack** (30 plates) for container frame		
31109841	120	**Plate rack** (40 plates) for container frame		
31109850	60	**Bottle rack** (5 bottles) for container frame		
31109851	75	**Bottle rack** (6 bottles) for container frame		
31109852	90	**Bottle rack** (7 bottles) for container frame		
31109853	120	**Bottle rack** (10 bottles) for container frame		
31109854	60	**Stemmed glass rack** (4 stemmed glasses) for container frame		
31109855	75	**Stemmed glass rack** (5 stemmed glasses) for container frame		
31109856	90	**Stemmed glass rack** (6 stemmed glasses) for container frame		
31109857	120	**Stemmed glass rack** (8 stemmed glasses) for container frame		

Code	Dimension	Description	Cut-out image	Ambient image
31109834	60	**Accessory-holder for container frame** The following inserts from the Classy line can be inserted: - Condiments set (31109663) - Cocktail set (31109664) - Wine set (31109665) - V2N square spice rack (31109668)		
31109835	75			
31109836	90			
31109837	120			
31109846	60	**Cocktail shelf for container frame** The following inserts from the Classy line can be inserted: - Condiments set (31109663) - Cocktail set (31109664) - Wine set (31109665) - V2N square spice rack (31109668)		
31109847	75			
31109848	90			
31109849	120			
31109842	60	**Glass rack shelf for container frame** The following inserts from the Classy line can be inserted: - Condiments set (31109663) - Cocktail set (31109664) - Wine set (31109665) - V2N square spice rack (31109668)		
31109843	75			
31109844	90			
31109845	120			

Code	Dimension	Description	Cut-out image	Ambient image
31109862	**60**	**Shelf for container frame**		
31109863	**75**			
31109864	**90**			
31109865	**120**			
31109858	**60**	**Pan rack for container frame**		
31109859	**75**			
31109860	**90**			
31109861	**120**			
31109866	**60**	**Lid holder for container frame**		
31109867	**75**			
31109868	**90**			
31109869	**120**			

“Helper” pull-out basket and drawer accessories

Example of cutlery tray and knife rack in 60 cm drawer

“Helper” accessories for drawers and baskets in Natural stained Oak or Anthracite stained Ash.
The accessories can be combined together.
For the choice of Accessories, check the space available inside the intended drawer/basket.

N.B. The multi-purpose bottom boards cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.
Cannot be installed in inner drawers.

Example of cutlery tray, knife rack and spice rack in 90 cm drawer

Natural stained Oak

Anthracite stained Ash

Example of cutlery tray, kitchen roll holder and chopping board in 90 cm drawer

Example of bottom board, plate rack pegs, bottle racks and partitions in 90 cm basket

Code	For drawer	Description	Image	Drawing
31107373	**45**	Natural stained Oak		
31107374	**45**	Anthracite stained Ash		
31107375	**60**	Natural stained Oak **N.B.**1 accessory can be installed		
31107376	**60**	Anthracite stained Ash **N.B.**1 accessory can be installed		
31109345	**75**	Natural stained Oak **N.B.**Up to 2 accessories can be installed		
31109346	**75**	Anthracite stained Ash **N.B.**Up to 2 accessories can be installed		
31107377	**90**	Natural stained Oak **N.B.**Up to 2 accessories can be installed		
31107378	**90**	Anthracite stained Ash **N.B.**Up to 2 accessories can be installed		
31107379	**120**	Natural stained Oak **N.B.**Up to 4 accessories can be installed		
31107380	**120**	Anthracite stained Ash **N.B.**Up to 4 accessories can be installed		
31107381	/	Knife rack for drawer Natural stained Oak **N.B.**Can be installed individually or in combination with the cutlery tray		
31107382	/	Knife rack for drawer Anthracite stained Ash **N.B.**Can be installed individually or in combination with the cutlery tray		
31107383	/	Spice rack for drawer Natural stained Oak **N.B.**Can be installed individually or in combination with the cutlery tray		
31107384	/	Spice rack for drawer Anthracite stained Ash **N.B.**Can be installed individually or in combination with the cutlery tray		

Code	For drawer and basket	Description	Image	Drawing
31107385		Kitchen roll holder for drawer Natural stained Oak **N.B.**Can be installed individually or in combination with the cutlery tray		
31107386		Kitchen roll holder for drawer Anthracite stained Ash **N.B.**Can be installed individually or in combination with the cutlery tray		
31107387	/	Natural stained Oak jar rack **N.B.**Can be installed individually or in combination with the cutlery tray		
31107388	/	Anthracite stained Ash jar rack **N.B.**Can be installed individually or in combination with the cutlery tray		
31107389	/	Natural stained Oak Partition **N.B.:**Can be installed individually or in combination with the cutlery tray		
31107390	/	Anthracite stained Ash Partition. **N.B.**Can be installed individually or in combination with the cutlery tray		
31107391	/	Natural stained Oak chopping board **N.B.:**Can be installed individually or in combination with the cutlery tray		
31107393	**45**	Multi-purpose bottom board for drawer and basket in Natural stained Oak		
31107394	**45**	Multi-purpose bottom board for drawer and basket in Anthracite stained Ash		
31107405	**60**	Multi-purpose bottom board for drawer and basket in Natural stained Oak		
31107406	**60**	Multi-purpose bottom board for drawer and basket in Anthracite stained Ash		
31109347	**75**	Multi-purpose bottom board for drawer and basket in Natural stained Oak		
31109348	**75**	Multi-purpose bottom board for drawer and basket in Anthracite stained Ash		

Code	For drawer and basket	Description	Image	Drawing
31107407	**90**	Multi-purpose bottom board for drawer and basket in Natural stained Oak		
31107408	**90**	Multi-purpose bottom board for drawer and basket in Anthracite stained Ash		
31107409	**120**	Multi-purpose bottom board for drawer and basket in Natural stained Oak		
31107410	**120**	Multi-purpose bottom board for drawer and basket in Anthracite stained Ash		
31107395	/	Pack of 3 plate rack pegs for bottom board in Natural stained Oak		
31107396	/	Pack of 3 plate rack pegs for bottom board in Anthracite stained Ash		
31107397	/	Pack of 2 bottle racks for bottom board in Natural stained Oak		
31107398	/	Pack of 2 bottle racks for bottom board in Anthracite stained Ash		
31107399	/	Pack of two 12 cm partitions for bottom board in Natural stained Oak		
31107400	/	Pack of two 12 cm partitions for bottom board in Anthracite stained Ash		
31107401	/	Pack of two 24 cm partitions for bottom board in Natural stained Oak		
31107402	/	Pack of two 24 cm partitions for bottom board in Anthracite stained Ash		
31107403	/	Pack of two 41 cm partitions for bottom board in Natural stained Oak		
31107404	/	Pack of two 41 cm partitions for bottom board in Anthracite stained Ash		

“Passe-Partout” pull-out basket and drawer accessories

Example in a 120 cm drawer with: cutlery tray, knife rack insert, scales and infill with jars

“Passe-Partout” accessories in natural citrus-fruit oil scented Beech blockboard, which can be combined.

N.B. Cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.
Combinations of the various accessories are possible.
The undermount elements can be installed in base units with pull-out baskets by securing the metal runners supplied to the side panels.
The undermount cutlery trays cannot be installed in the lower baskets of recessed base units; in the lower baskets of Flux Swing curved base units; in all sink base units, in the first basket of hob base units in models H.73.4 cm and H.76.4 cm with double recessed grip profile and in base units with inner basket.

Example in 120 cm basket with: 120 cm cutlery tray with kitchen roll holder insert, knife rack and chopping board

Code	Description	Image	Drawing
31105540	Empty cutlery tray for **30** cm drawer		
31105501	Cutlery tray for **30** cm drawer		
31105502	Cutlery tray for **45** cm drawer		
31105503	Cutlery tray for **60** cm drawer		
31105465	Cutlery tray for **60** cm drawer		
31105511	Cutlery tray for **90** cm drawer		
31105529	**Undermount** cutlery tray for **60** cm basket		
31105530	**Undermount** cutlery tray for **90** cm basket		

Code	Description	Image	Drawing
31105531	**Undermount** cutlery tray for **120** cm basket		
31105541	Knife rack for **30** cm drawer		
31105542	Bread chopping board for **30** cm drawer		
31105543	Spice rack tray for **30** cm drawer Contains 6 empty stainless steel jars.		
31105539	**Additional** spice rack **element**. Contains 9 empty stainless steel jars.		
31106205	**Additional** capsule holder **element**. Set up for 50 Nespresso coffee capsules. Supplied without capsules.		
31105535	Empty **infill element**.		
31105538	Spice rack **infill element**. Contains 3 glass-stainless steel jars with grinder.		

Code	Description	Image	Drawing
31105544	Kitchen roll holder **insert**.	i1	
31105545	Knife rack **insert**.	i1	
31105546	'Forgiati' knife **insert** complete with: - bread knife - ham knife - cheese knife -small kitchen knife	i1	
31105556	Scales **insert** (capacity of 5 kg).	i2	
31105555	Bread chopping board **insert**.	i2	
31105557	Wooden chopping board **insert**.	i3	
31105558	Chopping board **insert** in white polyethylene.	i3	

Elements for drawers

A - Elements for 30 cm drawer

B - Infills



C - Additional elements

D - Elements for 45 cm drawer

E - Elements for 60 cm drawer



F - Elements for 90 cm drawer

Inserts





Drawer composition examples

60 cm DRAWERS





90 cm DRAWERS









120 cm DRAWERS







“Passe-Partout” plate rack for pull-out baskets

Example of plate rack in 90 cm basket

“Orange” Beech blockboard plate rack for base units with pull-out baskets. Natural citrus-fruit oil scented wood.

N.B. Cannot be installed in lower baskets of curved base units, base units with recessed basket and all sink base units.

Code	For basket	Image	Drawing
31105507	**60**		
31105508	**90**		

“Passe-Partout” bottle and pan rack for pull-out baskets

Example in 60 cm basket

“Orange” bottle and pan rack in natural citrus-fruit oil scented Beech blockboard.

The element for the **45** cm basket comprises 4 bottle racks and 3 pan racks.
The element for the **60** cm basket comprises 8 bottle racks and 4 pan racks.

N.B. Cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.
The usable height is 31.5 cm for modern, Scavolini Easy models and 30 cm for Scavolini classic models.

Code	For basket	Image	Drawing
31105516	**45**		
31105517	**60**		

“Passe-Partout” Open Space accessories for base units with basket

Example in 120 cm basket

“Orange” Open Space accessories in natural citrus-fruit oil scented wood (Beech).
For installation inside pull-out baskets.
The bottom board cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.
The usable height between the worktop and the upper basket is 26.3 cm, while it is 25 cm for models with double recessed grip profile.
N.B. Cannot be installed in base unit with drawer and inner basket.

Code	Description	For basket	Image	Drawing
31105504	Multi-purpose bottom board in Beech laminate MDF, 2 cm thick, for basket.	**60**		
31105505	Multi-purpose bottom board in Beech laminate MDF, 2 cm thick, for basket.	**90**		
31105506	Multi-purpose bottom board in Beech laminate MDF, 2 cm thick, for basket.	**120**		

Code	Description	Image	Drawing
31105335	Set of 3 wooden pegs for bottom board.		
31105336	Set of bottle partitions for bottom board. Pack for 4 bottles.		
31105337	Set of lid partitions for bottom board. Pack for 4 lids.		
31105338	Set of pan partitions for bottom board. Pack for 3 pans.		

“Boxset” storage accessories

“Boxset” Aluminium storage accessory for sink base unit upper basket, comprising:
- 90 cm basket with **4** Anthracite coloured plastic bowls
- 120 basket with **5** Anthracite coloured plastic bowls

Can be installed in the first basket of sink base units for models with Merivobox baskets.

Code
31105957



Code
31105958



“Rack” plate rack for basket

Plate rack and glass rack in AISI 430 stainless steel for base units with pull-out basket, resting on the bottom of the basket.

N.B. Cannot be installed in lower baskets of curved base units, base units with recessed basket and all sink base units



Code	for basket
31106554	**60**
31109333	**75**
31106555	**90**

Mats for “Merivobox” pull-out baskets/drawers

Anthracite finish rubber mat

Anthracite and Silver finish rubber mats for Merivobox drawers and baskets D.45 and 50 cm.
N.B. cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.

Silver finish rubber mat

Code	Width	Finish	Depth
31109178	60 cm	Anthracite	45 cm
31109334	75 cm	Anthracite	45 cm
31109179	90 cm	Anthracite	45 cm
31109180	120 cm	Anthracite	45 cm
31109181	30 cm	Anthracite	50 cm
31109182	45 cm	Anthracite	50 cm
31109183	60 cm	Anthracite	50 cm
31109335	75 cm	Anthracite	50 cm
31109184	90 cm	Anthracite	50 cm
31109185	120 cm	Anthracite	50 cm
31109208	60 cm	Silver	45 cm
31109336	75 cm	Silver	45 cm
31109209	90 cm	Silver	45 cm
31109210	120 cm	Silver	45 cm
31109211	30 cm	Silver	50 cm
31109212	45 cm	Silver	50 cm
31109213	60 cm	Silver	50 cm
31109337	75 cm	Silver	50 cm
31109214	90 cm	Silver	50 cm
31109215	120 cm	Silver	50 cm

Rubber mats for base units and wall units

Silver finish mat

Rubber mats for base and wall unit interior.

Anthracite finish mat

Code	Width	Finish	For
31109224	30 cm	Silver	base unit bottom
31109225	45 cm	Silver	base unit bottom
31109226	60 cm	Silver	base unit bottom
31109340	75 cm	Silver	base unit bottom
31109227	90 cm	Silver	base unit bottom
31109220	30 cm	Silver	base unit shelf
31109221	45 cm	Silver	base unit shelf
31109222	60 cm	Silver	base unit shelf
31109339	75 cm	Silver	base unit shelf
31109223	90 cm	Silver	base unit shelf
31109218	30 cm	Silver	wall unit bottom
31109219	45 cm	Silver	wall unit bottom
31109216	60 cm	Silver	wall unit bottom
31109338	75 cm	Silver	wall unit bottom
31109217	90 cm	Silver	wall unit bottom
31109194	30 cm	Anthracite	base unit bottom
31109195	45 cm	Anthracite	base unit bottom
31109196	60 cm	Anthracite	base unit bottom
31109361	75 cm	Anthracite	base unit bottom
31109197	90 cm	Anthracite	base unit bottom
31109190	30 cm	Anthracite	base unit shelf
31109191	45 cm	Anthracite	base unit shelf
31109192	60 cm	Anthracite	base unit shelf
31109360	75 cm	Anthracite	base unit shelf
31109193	90 cm	Anthracite	base unit shelf
31109186	30 cm	Anthracite	wall unit bottom
31109187	45 cm	Anthracite	wall unit bottom
31109188	60 cm	Anthracite	wall unit bottom
31109359	75 cm	Anthracite	wall unit bottom
31109189	90 cm	Anthracite	wall unit bottom

Mats for “Merivobox” sink base unit pull-out baskets

Anthracite finish mat

Rubber mats for sink base unit with pull-out basket interior.

Silver finish mat

Code	Width	Finish	For
31109679	75 cm	Anthracite	45 cm
31109681	90 cm	Anthracite	45 cm
31109683	120 cm	Anthracite	45 cm
31109680	75 cm	Silver	45 cm
31109682	90 cm	Silver	45 cm
31109684	120 cm	Silver	45 cm

1 mm thick Satin finish steel side facing panels

Satin finish AISI 430 steel side facing panels made with an anti-fingerprint coating for easy cleaning.
N.B. Do not match the aesthetics of steel doors.

LH/RH code	Description	Drawing
75062575	Hood/drainer unit	
75086091/92	Hood with pull-out front	
75086093/94	Hood with pull-out front	
75086143/44	Hood with pull-out front	
75086685/86	Slanted hood	

4 mm thick Satin finish steel side facing panels and filler strips

Satin finish AISI 430 Steel side facing panels.
N.B. Do not match the aesthetics of steel doors.

Code	Description	Drawing
75085775	Wall-larder unit **upper filler strip L.60 - H.4** cm in Steel	
75085776	Wall-larder unit **upper filler strip L.120 - H.4** cm in Steel	
75085777	**Wall-larder unit** upper filler strip H.4 cm per metre with 1 side D.36 cm or with two sides D.36 cm	

Servo Drive for base units and larder units with pull-out baskets



Motorised Servo Drive opening system for base units and larder units with pull-out baskets.

Motorised Servo Drive opening system for base units and larder units with drawers and pull-out baskets.
Simply press gently on the drawer or basket and it will open automatically with the aid of the electrical motor.
2 Servo Drives are installed in the lower basket of 120 cm sink base units.
Inner baskets and drawers of base units or larder units cannot be motorised.
Cannot be installed in baskets with wooden sides.
To be connected to transformer code 31106095.



Surcharge for Servo Drive 1 for 60-90-120 cm sink base units with pull-out baskets

60-90-120 sink base unit with pull-out baskets complete with motorised “Servo Drive 1” opening system kit

Simply press gently on the lower basket and it will open automatically with the aid of the electrical motor.
N.B. Only for installation in the lower basket.
Kit complete with transformer.
Cannot be installed in baskets with wooden sides.
The base unit with Servo Drive 1 already assembled, or only the Servo Drive 1 kit, to be installed by the customer, can be ordered.



Code
31109718

Servo Drive for wall units, drainer units and hoods

Motorised Servo Drive opening system for wall units, drainer units and hoods:
folding- flap door- bottom-hinged flap door- vertical opening.
Simply press gently on the front and it will open automatically with the aid of the electrical motor. The motorised Servo Drive opening system replaces the handle where present.
Assembly only on the left.
To be connected to transformer pack code 31106095

Transformer pack

The transformer pack includes:
1 transformer
1 support
one 170 cm long power cable
one 190 cm long distribution cable
1 connector
The transformer supports up to 25 Servo Drives.



Code
31106095

Lacquered bottom cover/top panel cover for wall units

Lacquered bottom cover/top panel cover D.34 cm for wall units
- cannot be installed in the presence of a 1 mm thick side facing panel and wall unit with sliding doors
- when used as a bottom cover cannot be installed in the presence of an illuminated bottom board, on wall units with microwave or wall units with shaped bottom
- can only be installed on elements with the same width

LH/RH code	Description
75086255	for **30** cm wall unit
75086256	for **45** cm wall unit
75086257	for **60** cm wall unit
75086258	for **90** cm wall unit
75086259	Top panel cover for **120** cm wall unit
75086272	Bottom cover for **120** cm wall unit
75086264	for **45** cm bottom-hinged flap door wall unit
75086265	for **60** cm bottom-hinged flap door wall unit
75086266	for **90** cm bottom-hinged flap door wall unit
75086267	for **120** cm bottom-hinged flap door wall unit
75086260	for **45** cm flap door wall unit
75086261	for **60** cm flap door wall unit
75086262	for **90** cm flap door wall unit
75086263	for **120** cm flap door wall unit

Aluminium larder unit bottom

Aluminium larder unit bottom.

LH/RH code	Description
31105147	for **45** cm larder unit
31105148	for **60** cm larder unit

“Plana” cloth holder

Pack of “Plana” cloth holders L.50 cm in satin finish steel
The cloth holder can be fitted on a structural wall, on the base unit side panel or on a wall.

LH/RH code
31106925

SCAVOLINI

SLEEPING AREA

“Harmony” inner accessories

“Harmony” series of Titanium coloured inner accessories, available in Walk-In Fluida and BoxLife Night on “Fluida” Wall System with D.61.3 cm.

Titanium Colour

PULL-OUT FRAME WITH RUNNERS IN PLASTIC AND ALUMINIUM

Codes	for compartment size	A (min-max)	B	Image	Drawing
31110211	60 cm	56,2 - 58,8 cm	44 cm		
31110212	70 cm	66,2 - 58,8 cm	54 cm		
31110213	80 cm	76,2 - 78,8 cm	64 cm		
31110214	90 cm	86,2 - 88,8 cm	74 cm		
31110215	100 cm	96,2 - 98,8 cm	84 cm		
31110216	110 cm	106,2- 108,8 cm	94 cm		

ACCESSORIES FOR PULL-OUT FRAME

Code	B	Description	Image	Drawing
31110225	54 cm	Metal drawer for Steel pull-out frame. **D.42 - H.12.3 cm**. **N.B.:** Can be installed in combination with a Harmony frame.		
31110226	64 cm			
31110227	74 cm			
31110228	84 cm			
31110229	54 cm	Metal wire drawer for Steel pull-out frame. **D.42 - H.14 cm.** **N.B.:** Can be installed in combination with a Harmony frame.		
31110230	64 cm			
31110231	74 cm			
31110232	84 cm			
31110221	54 cm	Storage drawer for pull-out frame in eco-leather and wood. **D.42 - H.4 cm.** **N.B.:** Can be installed in combination with a Harmony frame.		
31110222	64 cm			
31110223	74 cm			
31110224	84 cm			
31110237		2 Plastic storage bowl for pull-out frame. **W.12 - D.41.9 - H.14.6 cm.** **N.B.:** Can be installed in combination with a Harmony frame.		
31110233		Set of **7** trouser rack rods for pull-out frame in plastic and aluminium.**D.42 cm.** **N.B.:** Can be installed in combination with a Harmony frame.		
31110236		Fabric basket for pull-out frame. **W.32 - D.41.8 - H.40 cm.** **N.B.:** Can be installed in combination with a Harmony frame.		

SHOE RACK WITH PULL-OUT FRAME IN STEEL, ALUMINIUM AND PLASTIC

Codes	for compartment size	A (min-max)	B	Image	Drawing
31110217	60 cm	56,2 - 58,8 cm	44 cm		
31110218	70 cm	58,8 - 66,2 cm	54 cm		
31110219	80 cm	76,2 - 78,8 cm	64 cm		
31110220	90 cm	86,2 - 88,8 cm	74 cm		

CLOTHES RACK

Codes	Description	Image	Drawing
31110241	Telescopic sliding clothes rack, in plastic and steel. **For width between 90 and 120 cm.**		
31110250	**Linear metal clothes rail.**	Side rod holder Central rod holder	
31110235	Clothes rack (pull-out 30 cm) in plastic and aluminium. **W.8.5 - D.44.5 - H.16 cm.**		
31110234	Pull-out side tie rack (30 cm) in plastic and aluminium. **W.44.5 - D.17- H.8.5 cm.**		

“Support” inner accessories

“Support” series of inner accessories available in Walk-In Fluida and BoxLife Night on “Fluida” Wall System with D.61.3 cm.
N.B. In the clothes rack, the central rod holder is necessary for rods which are longer than 120 cm or loads above 15 kg.
The pull-out drawer has 4 aluminium sides and is supplied with infills so it can also be introduced like an inner drawer in compartments with doors, complete with anti-tipping device with built-in vertical and front adjustments. Bottom in Iron Grey decorative melamine.
The shoe rack is made in two pieces; it fits in easily without any fixing. Combine this article with the purchase of a Support drawer.
The trouser rack is supplied with infills for easy extraction. Including a soft seal on the top of the rod to stop the trousers from slipping. Rod supplied with nylon supports for easy positioning on the frame and sliding inside the drawer.

in Metal Grey

in Orion Grey

in Elephant

Wengè

Code	Description	Image	Drawing
31107964	Clothes rack in metal and aluminium, **Metal Grey** colour (size per cm)		
31107952	Telescopic sliding clothes rack in **Orion Grey** coloured metal, size **between 75 and 125 cm**		

Code	Description	Image	Drawing
31107939	Pull-out hanger rail in **Nickel coloured** metal with **Metal Grey** plug		
31107953	Pull-out aluminium drawer, **Metal Grey colour L.56.4 - L1 38.9 - D.51 - H.7.8** cm for size **60** compartment		
31107954	Pull-out aluminium drawer, **Metal Grey colour L.86.4 - L1 68.9 - D.51 - H.7.8 cm** for size **90** compartment		
31107955	Pull-out aluminium drawer, **Metal Grey colour L.116.4 - L1 98.9 - D.51 - H.7.8** cm for size **120** compartment		
31107956	Pull-out aluminium drawer, **Metal Grey colour L.56.4 - L1 38.9 - D.51 - H.12.8** cm for size **60** compartment		
31107957	Pull-out aluminium drawer, **Metal Grey colour L.86.4 - L1 68.9 - D.51 - H.12.8 cm** for size **90** compartment		
31107958	Pull-out aluminium drawer, **Metal Grey colour L.116.4 - L1 98.9 - D.51 - H.12.8** cm for size **120** compartment		
31107962	Metal shoe rack for drawer, **Metal Grey colour L.86.4 - L1 68.9 - D.51 - H.21 cm** for size **90 cm** compartment		 
31107963	Metal shoe rack for drawer, **Metal Grey colour L.116.4 - L1 98.9 - D.51 - H.21 cm** for size **120 cm** compartment		
31107959	Aluminium trouser rack rods for drawer **Metal Grey L.60 - D.51 - H.7.8 cm** (complete with 6 rods) for size **60** compartment		
31107960	Aluminium trouser rack rods for drawer, **Metal Grey colour L.90 - D.51 - H.7.8 cm** (complete with 10 rods) for size **90** compartment		
31107961	Aluminium trouser rack rods for drawer, **Metal Grey colour L.120 - D51 - H.7.8 cm** (complete with 15 rods) for size **120** compartment		
31110242	Multi-purpose tray with inner partition in Elephant Grey leatherette **W.15 - D.41 - H.5 cm**		
31110243	Multi-purpose 4-compartment tray in Elephant Grey leatherette **W.30 - D.41 - H.5 cm**		

Code	Description	Image	Drawing
31110244	Multi-purpose 6-compartment tray in Elephant Grey leatherette **W.45 - D.41 - H.5 cm**		
31110245	Ring organiser insert in Elephant Grey **W.12.6 – D.13.6 - H.2.5 cm**		
31110246	Earring organiser insert in Elephant Grey **W.13.6 cm - D.12.6 - H.3 cm**		
31110247	Watch organiser insert in Elephant Grey **W.13.6 cm - D.13.6 - H.5.2 cm**		
31110248	2-compartment vertical partition in Elephant Grey **W.13.6 - D.26.2 - H.6.6 cm**		
31110249	4-compartment vertical partition in Elephant Grey **W.13.6 - D.26.2 - H.6.6 cm**		
31107945	Ladies clothes hanger with skirt clips in **Wengé colour beech** with metal hook, **Metal Grey colour L.40 - H.29.3 cm**		
31107946	Men’s clothes hanger with trouser rail in **Wengé colour beech** with metal hook, **Metal Grey colour L.45 - H.25.7 cm**		

Code	Description	Image
31107947	Skirt hanger in **Wengé colour beech** with metal hook, **Metal Grey colour L.39 - H.20 cm**	
31107948	Bag hanger in **Wengé colour beech** with metal hook, **Metal Grey colour L.8.9 - H.18.5 cm**	
31107949	Scarf ring in **Wengé colour beech** with metal hook, **Metal Grey colour L.15 - H.24.5 cm**	
31107950	Hanger rod in **Wengé colour beech** (screw the rod into the seat provided in the hanger) **L.84 cm**	
31107951	Grabber for hangers in **Wengé colour beech** with metal hook, **Metal Grey colour L.97 cm**	

“Assist” inner accessories

“Assist” series of inner accessories, pull-out drawers and shoe unit shelf available on “Fluida” Wall System with D.61.3 cm.
The accessories are available in structure colour: White, Texstyle Sand and Anthracite Fabric.

White

Texstyle Sand

Anthracite Fabric

Detail of pull-out drawers



Assist drawer

W. 60-90 cm
D. 30-50 cm
H.10 cm

Detail of shoe unit shelf



Shoe unit shelf

W. from 30 to 120 cm
D. 58.1 cm

SCAVOLINI

MIDWAY UNITS

“K-Concept” illuminated wall panel

Example of wall panel with metal shelf, glass shelf, 2 hooks and power outlet block

‘K-Concept’ LED illuminated Plexiglas wall panel **H.38 cm**.
K-Concept is an illuminated panel which, when used as a wall panel, allows you to illuminate the worktop.
The Emotion Dual Color LED light source allows you to vary the colour temperature from 3000°K to 4000°K.
Order the ‘Meccano’ power supply for the electrical connection.
Each wall panel has 3 power cables to connect to the power supply, envisage ‘Meccano’ components with a sufficient amount of inputs.
N.B. The wall panel is in Plexiglas, in the presence of hobs, insert flame-guard panels code 31107580/81 to protect it. The wall panels vary in size and can be combined. For wall mounting the power outlet block, envisage a 62 mm clearance between the wall panels placed side-by-side.
WARNING: it is advisable to place the power outlet 60 cm from the mixer.
Make sure the wiring system has a differential between 10 and 30 mA (circuit-breaker).

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using the components of the “Meccano” system purchased separately
Dimming	Using the components of the “Meccano” system purchased separately
Colour temperature	Fixed at 4000°K or 3000°K determined during assembly.
Luminous flux	600 lm 3000°K - 640 lm 4000°K
Cable length	270 cm

Code	Width (L)	Absorption	Image	Drawing
31107564	**50** cm	**17.3W**		
31107565	**60** cm	**21.2W**		
31107566	**70** cm	**25.1W**		
31107567	**80** cm	**29W**		
31107568	**90** cm	**32.9W**		
31107569	**120** cm	**44.6W**		
31107570	**150** cm	**56.3W**		
31107571	**180** cm	**68W**		
31107572	**240** cm	**91.4W**		
31107573	**270** cm	**103.1W**		
31107574	**300** cm	**114.8W**		

Accessories for “K-Concept” illuminated wall panel

Code	Description	Image	Drawing
31107575	Power outlet block with 2 Schuko sockets and 2 USB sockets		
31107576	Hook for wall panel		
31107577	Metal and wood shelf		
31107578	Glass shelf		
31107579	Kitchen roll holder in wood and metal		
31107580	Flame-guard panel in transparent tempered glass **L.65**		
31107581	Flame-guard panel in transparent tempered glass **L.95**		

“Solaris Back” illuminated wall panel

“Solaris Back” LED illuminated Plexiglas wall panel.
The wall panel can only be installed in the Fluida Wall System, in cabinets from the Air Box system and in Walk-in Fluida.
It is applied to the back panel (1.2 cm thick) using Velcro.
The minimum wall panel size is H.150- W.120 cm, while the maximum size is H.250- W.150 cm.
It is available in the warm light version (3000K) and in the cold light version (4000K), the wall panel is UL certified for the US market.
For the electrical connection, envisage “Meccano” components with a sufficient number of inputs.

75062137 Solaris Back wall panel per square cm

Code	75062137 Solaris Back wall panel per square cm

Power supply	24V order the “Meccano” power supply with a power rating appropriater absorption
Power on/off	Using the components of the “Meccano” system purchased separately
Dimming	NO
Colour temperature	Natural light 4000°
Absorption	7.6 W per meter, to be calculated along the entire perimeter as the LED strips are arranged on all 4 sides
Luminous flux	1000lm/m
Cable length	300 cm

“Orizzonte” illuminated glass wall panel

Illuminated glass wall panel with LED strip inserted in the upper edging.
The wall panel is only available in White polished glass with aluminium perimeter profile available in Steel finish Aluminium, Anthracite or matt White.

The maximum size is 320x120 cm.
Wall mounting is via a magnet system. The “Magneto” series of midway accessories can be magnetically attached to the wall panel.
Power on/off and luminous intensity can be controlled using the components of the “Meccano” system or using the “Smart Moving” system thanks to hand motion sensors.
The colour temperature can be changed from 3000K to 4000K either using “Smart Moving” or the “Jumper” cable.

Warning:
The wall panel cannot be combined with the standard wall panel in Prestige White polished glass.
The brightness cannot be adjusted using an external dimmer on the main 110/220V line.

Code	75062129

Power supply	24V order the “Meccano” power supply with a power rating appropriate for absorption
Power on/off	Using the components of the “Meccano” system purchased separately or “Smart Moving” function
Dimming	Using the components of the “Meccano” system purchased separately or “Smart Moving” function
Colour temperature	Warm light 3000°K / natural light 4000°K
Absorption	13W per metre
Luminous flux	1280 – 1300 lm
Cable length	300 cm

“Orizzonte More” illuminated glass wall panel

Illuminated glass wall panel with LED strip inserted in the upper edging.

The wall panel is only available in White **matt glass** with aluminium perimeter profile available in Steel finish Aluminium, Anthracite or matt White.
The maximum size is 320x120 cm.
Wall mounting is via a magnet system. The “Magneto” series of midway accessories can be magnetically attached to the wall panel.
Power on/off can be controlled using the components of the “Meccano” system or using the “Smart Moving” system thanks to hand motion sensors.
Warning:
The wall panel cannot be combined with the standard wall panel in Prestige White matt glass.
The brightness cannot be adjusted using an external dimmer on the main 110/220V line.

Code	75062127

Power supply	24V order the “Meccano” power supply with a power rating appropriate for absorption
Power on/off	Using the components of the “Meccano” system purchased separately or “Smart Moving” function
Dimming	Using the components of the “Meccano” system purchased separately or “Smart Moving” function
Colour temperature	Warm light 3000°K / natural light 4000°K
Absorption	13W per metre
Luminous flux	1280 – 1300
Cable length	300 cm

“Orizzonte Up” magnetic wall panel

Magnetic wall panel in Porcelain Stoneware matt finish with LED strip inserted in the upper edging.
The wall panel is available with LED strip inserted in the upper edging, or without a light.
Maximum length of wall panel 320 cm.
Height included between 45 and 60 cm; for different heights, contact our Sales Dept. for feasibility.
N.B. The “Orizzonte and Magneto” series of accessories can be magnetically attached to the wall panel.
In the presence of a hob, we recommend you provide protective accessories.
Warning:
The brightness cannot be adjusted using an external dimmer on the main 110/220V line.

Code	75062128

Power supply	24V order the “Meccano” power supply with a power rating appropriate for absorption
Power on/off	Using the components of the “Meccano” system purchased separately
Dimming	Using the components of the “Meccano” system purchased separately
Colour temperature	Warm light 3000°K / natural light 4000°K
Absorption	13W per metre
Luminous flux	1280 - 1300 lm
Cable length	300 cm

“Magneto” series of magnetic accessories

“Magneto” series of magnetic accessories in **White** or **Anthracite** painted metal, for “Orizzonte” wall panels.

Anthracite

White

Code	Description	Image	Drawing
31108014	2 cm thick **White** metal open-fronted element		
31108015	2 cm thick **Anthracite** metal open-fronted element		
31108016	2 cm thick **White** metal open-fronted element		
31108017	2 cm thick **Anthracite** metal open-fronted element		
31108019	Metal shelf, **White**		
31108018	Metal shelf, **Anthracite**		
31109704	Metal shelf 30 cm, **White**		
31109705	Metal shelf 30 cm, **Anthracite**		
31109706	Metal shelf 45 cm, **White**		
31109707	Metal shelf 45 cm, **Anthracite**		
31109708	Metal shelf with hooks 30 cm, **White**		
31109709	Metal shelf with hooks 30 cm, **Anthracite**		
31109596	Metal shelf with hooks 45 cm, **White**		
31109597	Metal shelf with hooks 45 cm, **Anthracite**		
31108021	Metal shelf with hooks, **White**		
31108020	Metal shelf with hooks, **Anthracite**		
31109710	Two-tier shelf in **White**		
31109711	Two-tier shelf in **Anthracite**		

Code	Description	Image	Drawing
31109594	Two-tier shelf with hooks in **White**		
31109595	Two-tier shelf with hooks in **Anthracite**		
31108023	Metal kitchen roll holder, **White**		
31108022	Metal kitchen roll holder, **Anthracite**		
31108025	Metal kitchen roll holder with shelf, **White**		
31108024	Metal kitchen roll holder with shelf, **Anthracite**		
31109600	Kitchen roll holder with hooks in **White**		
31109601	Kitchen roll holder with hooks in **Anthracite**		
31109713	Metal kitchen roll holder, **White**		
31109712	Metal kitchen roll holder, **Anthracite**		
311097716	2 stemmed glass rack in **White**		
31109717	2 stemmed glass rack in **Anthracite**		
31109598	4 stemmed glass rack in **White**		
31109599	4 stemmed glass rack in **Anthracite**		

Code	Description	Image	Drawing
31109602	Spice rack in **White**		
31109603	Spice rack in **Anthracite**		
31109715	Tablet/book rest in **White**		
31109714	Tablet/book rest in **Anthracite**		

“Ritmica” midway accessories

Anthracite coloured bar and hooks

“Ritmica” midway accessories in **Chrome-finish metal**, in **Anthracite** or **Titanium** colour **painted metal**.

Chrome-finish

Titanium

Anthracite

Titanium coloured bar, hooks and jar rack

Chrome-finish bar, hooks, spice racks, kitchen roll dispenser and jar rack

Code	Description	Immage	Drawing
31106623	Bar L**.55** cm with 4 accessory-holder hooks in **Chrome-finish** metal		
31106624	Bar L**.85** cm with 4 accessory-holder hooks in **Chrome-finish** metal		
31106625	Bar L**.115** cm with 4 accessory-holder hooks in **Chrome-finish** metal		
31106630	Bar L**.55** cm with 4 accessory-holder hooks in **Anthracite** finish metal		
31106631	Bar L**.85** cm with 4 accessory-holder hooks in **Anthracite** finish metal		
31106632	Bar L**.115** cm with 4 accessory-holder hooks in **Anthracite** finish metal		
31107475	Bar L**.55** cm with 4 accessory-holder hooks in **Titanium** finish metal		
31107476	Bar L**.85** cm with 4 accessory-holder hooks in **Titanium** finish metal		
31107477	Bar L**.115** cm with 4 accessory-holder hooks in **Titanium** finish metal		
31106626	Jar rack in **Chrome**-finish **metal** with transparent polycarbonate bowl		
31106633	Jar rack in **Anthracite** finish **metal** with transparent polycarbonate bowl		
31107478	Jar rack in **Titanium** finish **metal** with transparent polycarbonate bowl		
31106627	Spice rack in **Chrome**-finish **metal** with transparent polycarbonate bowl		
31106634	Spice rack in **Anthracite** finish **metal** with transparent polycarbonate bowl		
31107479	Spice rack in **Titanium** finish **metal** with transparent polycarbonate bowl		
31106628	**Chrome**-finish **metal** kitchen roll holder		
31106635	**Anthracite** finish **metal** kitchen roll holder		
31107480	**Titanium** finish **metal** kitchen roll holder		
31106629	Pack of 4 accessory hooks in **Chrome**-finish metal		
31106636	Pack of 4 accessory hooks in **Anthracite** finish metal		
31107481	Pack of 4 accessory hooks in **Titanium** finish metal		

“Rail” accessory-holder bar with LED light

“Rail” accessory-holder bar in Black aluminium, for installation on wall panelling walls or wall-mounted with specific solutions for electrical connection and concealed cableways.
This bar contains LED lights in both the upper and lower parts (10W + 10W).
The upper luminous profile, with its recessed optics, eliminates the glare effect, while the opal methacrylate diffusers distribute light with a wall-washer effect on the upper side and a service light effect on the lower side.
Fitted with 2 power cables exiting the left side of the bar measuring 15 cm with two 200 cm extensions.
Should you want the power supply to be on the opposite side, by inserting the cable inside the bar or in some other way, consider purchasing the extension cable code 31108313.
Maximum bar length 300 cm.
The RAIL light strip has two 6 mm wide closing plugs at either end.
For this reason, the overall width of the Rail accessories which are attached inside can never be the same length as the light strip itself.
Therefore make sure the strip is at least 12 mm longer than the sum of the accessories.
N.B. No elements (e.g. wall panels) can be installed above the Rail accessory-holder bar because they would obstruct the lighting.

Code	31110149 (3100K) - 31110150 (4200K)
Power supply	24V, order the “Meccano” power supply with a power rating appropriate for absorption; order the Nety power supply and control unit or the shelf with power supply code 31110152
Power on/off	Using the components of the “Meccano” system purchased separately, using the Nety power supply unit, or with a wall switch
Dimming	Using the components of the “Meccano” system purchased separately, or by purchasing the Nety power supply control unit
Colour temperature	Warm light 3000K / Natural light 4000K
Absorption	20W per metre
Luminous flux	940 lm/mt (3100K) - 980 lm/mt (4200K)
Cable length	200 cm



Accessories available for the “Rail” bar

Code	Description	Image	Drawing
31110126	Shelf W.30 cm D.10.5 cm		
31110127	Shelf W.45 cm D.10.5 cm		
31110128	Shelf W.60 cm D.10.5 cm		
31110151	Shelf per cm D.15.3 cm		
31110152	Shelf per cm with power supply: 24V Power supply 2 connectors for powering light sources (max. 72W, back left of the shelf) Cable length: 200 cm (exits the back left side of the shelf)		
31110134	Tray shelf W.30.5 cm D.13 cm		
31110135	Tray shelf W.50.5 cm D.13 cm		
31110131	Container D.13 cm		
31110132	Kitchen roll holder		
31110133	Stemmed glass rack		
31110136	Set of 3 hooks		

Code	Description	Image	Drawing
31110149	Accessory-holder bar per cm 3000K		
31110150	Accessory-holder bar per cm 4000K		
31110124	Nety power supply and control unit (for markets with 220V power supply) 24V Power supply 2 Schuko sockets (max. 2000W) 2 USB-C sockets (max. 30W) 2 touch dimmer switches to turn on and off and adjust the brightness (10-100%) of the light sources on the Rail profile Cable length 200 cm 2 connectors for powering light sources (max. 72W)		
31110125	Nety power supply and control unit (for markets with 220V power supply) 24V Power supply 2 Schuko sockets (max. 2000W) 2 touch dimmer switches to turn on and off and adjust the brightness (10-100%) of the light sources on the Rail profile Cable length 200 cm 2 connectors for powering light sources (max. 72W)		

“Sign” accessory-holder bar with LED light

Bar in **Black aluminium** for wall-mounted installation.
This bar contains LED lights in both the upper and lower parts.
The LED lights in the lower profile are brighter than those in the upper profile, better to illuminate the worktop.
Maximum length 300 cm.
For installation without visible cables, drill a wiring hole behind the bar on the left within the first 10 cm. Alternatively, we recommend you envisage a visible wiring hole hidden behind a nearby element.
N.B. No elements (e.g. wall panels) can be installed above or below the Sign bar.
The power cable exits the left side of the bar and measures 3 metres in length. Should you want the power supply to be on the opposite side, by inserting the cable inside the bar or in some other way, consider purchasing the extension cable code 31108313.



Code	31109324
Power supply	24V order the “Meccano” power supply with a power rating appropriate for absorption
Power on/off	Using the components of the “Meccano” system purchased separately or with a wall switch
Dimming	Using the components of the “Meccano” system purchased separately
Colour temperature	Warm light 3000°K / natural light 4000°K
Absorption	22,6W per metre
Luminous flux	680 lm/m
Cable length	300 cm

Accessories for “Sign” bar

Accessories and modules available for the “Sign” bar in **Black aluminium.**



Code	Description - Dimensions (L x D x H)	Image	Drawing
31109306 31109307 31109308	**Horizontal 1-compartment module:** 30 x 15 x 40 cm 45 x 15 x 40 cm 60 x 15 x 40 cm		
31109309	**Horizontal 2-compartment module:** 90 x 15 x 40 cm		
31109310	**Horizontal 3-compartment module:** 120 x 15 x 40 cm		
31109312 31109313 31109314	**Vertical upper module:** 45 x 15 x 88 cm 60 x 15 x 88 cm 90 x 15 x 88 cm		
31109315 31109316 31109317 31109318	**Vertical upper module:** 30 x 15 x 130 cm 45 x 15 x 130 cm 60 x 15 x 130 cm 90 x 15 x 130 cm		
31109319 31109320	**Shelves:** L.28.6 cm L.43.6 cm		

Code	Description	Image	Drawing
31109321	**Tablet shelf**		
31109322	**Kitchen roll holder**		
31109323	**6 stemmed glass rack**		
31109311	**Set of 4 hooks**		
31109377	Module with 2 shukco sockets **N.B.:**It must be positioned between 2 Sign bars. It must be positioned in contact with the bottom of a wall unit or with the underside of a shelf		

“System” midway accessories

“System” midway accessories in **Chrome-finish** or **Bronzed metal**.

Chrome-finish

Bronzed

Code	Description	Drawing
31100146	Linear **60** cm rail Ø 16 mm **in Chrome-finish** metal	
31100217	Linear **60** cm rail Ø 16 mm **in Bronzed** metal	
31100147	Linear **100** cm rail Ø 16 mm **in Chrome-finish** metal	
31100218	Linear **100** cm rail Ø 16 mm **in Bronzed** metal	
31100148	Linear **150** cm rail Ø 16 mm in **Chrome-finish** metal	
31100219	Linear **150** cm rail Ø 16 mm in **Bronzed**metal	
31100151	Wall-mounted support for Ø 16 mm rail in **Chrome-finish** metal	
31100222	Wall-mounted support for Ø 16 mm rail in **Bronzed** metal	
31100150	Wall unit vertical support for Ø 16 mm rail in **Chrome-finish** metal	
31100221	Wall unit vertical support for Ø 16 mm in **Bronzed** metal	
31100152	Plug for Ø 16 mm rail in **Chrome-finish** metal	
31100223	Plug for Ø 16 mm rail in **Bronzed** metal	
31100157	Spice rack **L.23** cm in **Chrome-finish** metal	
31100228	Spice rack **L.23** cm in **Bronzed** metal	
31100156	Spice rack **L.35** cm in **Chrome-finish** metal	
31100227	Spice rack **L.35** cm in **Bronzed** metal	
31100159	3-tier kitchen roll holder in **Chrome-finish** metal	
31100230	3-tier kitchen roll holder in **Bronzed** metal	
31100158	1-tier kitchen roll holder in **Chrome-finish** metal	
31100229	1-tier kitchen roll holder in **Bronzed** metal	

31100155	Sponge tidy in **Chrome-finish** metal	
31100226	Sponge tidy in **Bronzed** metal	
31100162	Container for kitchen utensils in **Chrome-finish** metal	
31100233	Container for kitchen utensils in **Bronzed** metal	
31100149	Corner **8x8** cm rail **Ø 16** mm in **Chrome-finish** metal	
31100220	Corner **8x8** cm rail **Ø 16** mm in **Bronzed** metal	
31100153	Hook for kitchen utensils in **Chrome-finish** metal	
31100224	Hook for kitchen utensils in **Bronzed** metal	
31100160	Corner basket in **Chrome-finish** metal	
31100231	Corner basket in **Bronzed** metal	
31100154	Jar rack basket in **Chrome-finish** metal	
31100225	Jar rack basket in **Bronzed** metal	

"Timeline" midway accessories

"Timeline" midway accessories in **Cast iron finish metal**.

Code	Description	Image	Drawing
31107122	Pack of **90** cm accessory-holder bar with 6 hooks		
31107123	Pack of **120** cm accessory-holder bar with 6 hooks		
31107125	**30** cm shelf		
31107126	**38** cm kitchen roll holder		

“Titan” midway accessories

“Titan” midway accessories in Grey and Titanium painted aluminium.

Grey

Titanium

Code	Description	Image	Drawing
31110137	**60** cm **Grey** accessory-holder bar		
31110143	**60** Cm **Titanium** accessory-holder bar		
31110138	**90** cm **Grey** accessory-holder bar		
31110144	**90** Cm **Titanium** accessory-holder bar		
31110139	**120** cm **Grey** accessory-holder bar		
31110145	**120** Cm **Titanium** accessory-holder bar		
31110140	**Grey** shelf		
31110146	**Titanium** shelf		
31110141	**Grey** kitchen roll holder		
31110147	**Titanium** kitchen roll holder		
31110142	**Grey** cloth holder		
31110148	**Titanium** cloth holder		

“Line System” system

“Line System” system in **Dark Steel painted Aluminium**.

N.B. The upper profile cannot be positioned at a distance of less than 7 cm from the bottom of a wall unit or any object preventing the insertion of dedicated accessories.
If there is a wall panel underneath the accessory-holder profile, the Line System wall panel must be positioned above the accessory-holder bar to allow the bar to be fixed.

Code	Description	Image	Drawing
75061725	Line System **1.2 cm thick wall panel.** **Minimum height 12 cm** (available in the following materials: Steel, Decorative Melamine, Fenix NTM, Porcelain Stoneware, Abitum Stoneware, Veneered, Lacquered, Metal Effect Lacquered, Laminate and Quarz)		
75061709	**Lower profile** for Line System wall		
75061711	**Central profile** for Line System wall		

Code	Description	Image	Drawing
75061713	**Upper profile** for Line System wall		
75061745 (3000°K light) 75061715 (4000°K light)	**Upper profile with light** Power supply: 24V, order the “Meccano” power supply with a power rating appropriate for absorption. Power on/off - dimming: Using the components of the “Meccano” system purchased separately Colour temperature: 3000°K warm light - 4000°K natural light Absorption: 6.3W per metre. Luminous flux: 1230 lm/m Maximum length: 300 cm Cable length: 300 cm		
75061717	**Upper profile with channel** for Line System wall		
75061719	**Side profile** for Line System wall		
75061721	**Accessory-holder bar**		
75061746 (3000°K light) 75061723 (4000°K light)	**Accessory-holder bar with light** Power supply: 24V, order the “Meccano” power supply with a power rating appropriate for absorption. Power on/off - dimming: Using the components of the “Meccano” system purchased separately. Colour temperature: 3000°K warm light - 4000°K natural light Absorption: 6.3W per metre. Luminous flux: 1230 lm/m Maximum length: 300 cm Cable length: 300 cm		
31107436	**Shelf L.30 - D.13 cm**		
31107437	**Shelf L.45 - D.13 cm**		
31107438	**Shelf L.60 - D.13 cm**		
31109325	**Shelf L.30 - D.25 cm**		
31109326	**Shelf L.45 - D.25 cm**		
31109327	**Shelf L.60 - D.25 cm**		

Code	Description	Image	Drawing
31107439	**Container shelf H.5 cm**		
31107440	**Container shelf H.5 cm**		
31107441	**Tablet holder shelf**		
31107442	**Shelf with 2 bowls H.10**		
31107443	**Bottle rack**		
31107444	**Knife rack** in dark wood		
31107445	**Kitchen roll holder H.2.5 cm**		
31107446	**Double hook**		

Code	Description	Image	Drawing
31107447	**Triple hook**		
31107448	**Container**		
31106203	**Wiring hole plate**		
31107488	**Power outlet block and switch** in Dark Steel coloured plastic		
31109365	**Power outlet block with 2 sockets** in Dark Steel coloured plastic		
41019199	Height-adjustable **food-warming lamp** in Dark Steel painted Aluminium **N.B.** The lamp is fitted with a switch, which does not need to be arranged on the wall. Its connection to the electricity mains is sufficient.		

“Vertical System”

Vertical System wall panelling.
An architecturally striking wall panelling system, comprising vertically mounted panels and profiles, allowing for the integration of diverse elements and accessory ranges to enhance the comfort of any home environment.
The system is based on aluminium uprights; these profiles are pre-arranged with 40 cm gaps for wall attachment and for attaching 1.8 cm thick front panels.
A channel is formed between the panel divisions, allowing for the installation of the following accessories:
- 2.2 cm thick shelves per cm
- Titanium and White coloured metal shelves (including hardware kit for assembly)
- 1.2 cm and 1.8 cm thick open-fronted elements
- Titanium and Anthracite coloured metal open-fronted elements
- Titanium and Anthracite coloured metal kitchen roll holder and stemmed glass rack (including hardware kit for assembly).

If the system is installed at a height where the top remains visible, a closing profile with or without lighting can be requested.
N.B. The glass panel cannot be accessorised.

Titanium

Anthracite

Detail of metal shelf attachment

Code	Description	Image	Drawing
75061767	1.8 cm thick Vertical System wall panel. Available in decorative melamine, PET, Microdecor PET, laminate, Strips laminate, Fenix NTM, lacquered, pearl-effect lacquered, metal effect lacquered, veneered, excimer laser veneered, porcelain stoneware and glass.		
75061761	Vertical profile		
75061765	Upper horizontal profile		
75061764	Upper horizontal profile with 3000K light Power supply: 24V, order the “Meccano” power supply with a power rating appropriate for absorption. Switch and dimming: Using the components of the “Meccano” system purchased separately Absorption: 9.2W per metre. Luminous flux: 1600 lm/m Maximum length: 300 cm Cable length: 400 cm		
75061763	Upper horizontal profile with 4000K light Power supply: 24V, order the “Meccano” power supply with a power rating appropriate for absorption. Switch and dimming: Using the components of the “Meccano” system purchased separately Absorption: 6.3W per metre. Luminous flux: 1230 lm/m Maximum length: 300 cm Cable length: 400 cm		
75060985	2.2 cm thick shelf D.16 cm Available in decorative melamine, laminate, Strips laminate, Fenix NTM®, glossy/matt lacquered, pearl-effect lacquered, metal effect lacquered, veneered, excimer laser veneered. (shelf bracket pin to be ordered separately)		
75061073	2.2 cm thick shelf D.23 cm Available in decorative melamine, laminate, Strips laminate, Fenix NTM®, glossy/matt lacquered, pearl-effect lacquered, metal effect lacquered, veneered, excimer laser veneered. (shelf bracket pin to be ordered separately)		

Code	Description	Image	Drawing
31109953	**Anthracite** coloured metal shelf **45** (including 3 accessory hooks)		
31109963	**Titanium** coloured metal shelf **45** (including 3 accessory hooks)		
31109954	**Anthracite** coloured metal shelf **60** (including 3 accessory hooks)		
31109964	**Titanium** coloured metal shelf **60** (including 3 accessory hooks)		
31109955	**Anthracite** coloured metal shelf **75** (including 3 accessory hooks)		
31109965	**Titanium** coloured metal shelf **75** (including 3 accessory hooks)		
31109956	**Anthracite** coloured metal shelf **90** (including 6 accessory hooks)		
31109966	**Titanium** coloured metal shelf **90** (including 6 accessory hooks)		
31109957	**Anthracite** coloured metal shelf **45**		
31109967	**Titanium** coloured metal shelf **45**		
31109958	**Anthracite** coloured metal shelf **60**		
31109968	**Titanium** coloured metal shelf **60**		
31109959	**Anthracite** coloured metal shelf **75**		
31109969	**Titanium** coloured metal shelf **75**		
31109960	**Anthracite** coloured metal shelf **90**		
31109970	**Titanium** coloured metal shelf **90**		
31109961	**Anthracite** coloured metal stemmed glass rack shelf pack D.16 cm (including hardware kit for assembly)		
31109971	**Titanium** coloured metal stemmed glass rack shelf pack D.16 cm (including hardware kit for assembly)		
31109962	**Anthracite** coloured metal kitchen roll holder shelf pack D.16 cm (including hardware kit for assembly)		
31109972	**Titanium** coloured metal kitchen roll holder shelf pack D.16 cm (including hardware kit for assembly)		
31110001	Pack of 2 open-fronted wall unit fastener plates		
31110002	Pack of 2 sheet metal wall unit fastener plates		
31110003	Pack of 1 shelf bracket pin		

“Opus” equipped wall panel

Silver Dark colour wall panel

“Opus” equipped wall panel in **Silver Dark** or **Desert painted metal.**

Desert colour wall panel

Silver Dark

Desert

Code	Description	Image	Drawing
75090491	Wall panel **L.45 - H.49.8 - 54.8** cm		
75090492	Wall panel **L.45 - H.54.9 - 59.9** cm		
75090493	Wall panel **L.45 - H.61.8 - 66.8** cm		
75090494	Wall panel **L.45 - H.66.9 - 71.9** cm		
75090495	Wall panel **L.45 - H.73.8 - 78.8** cm		
75090496	Wall panel **L.60 - H.49.8 - 54.8** cm		
75090497	Wall panel **L.60 - H.54.9 - 59.9** cm		
75090498	Wall panel **L.60 - H.61.8 - 66.8** cm		
75090499	Wall panel **L.60 - H.66.9 - 71.9** cm		
75090500	Wall panel **L.60 - H.73.8 - 78.8** cm		
75090501	Wall panel **L.90 - H.49.8 - 54.8** cm		
75090502	Wall panel **L.90 - H.54.9 - 59.9** cm		
75090503	Wall panel **L.90 - H.61.8 - 66.8** cm		
75090504	Wall panel **L.90 - H.66.9 - 71.9** cm		
75090505	Wall panel **L.90 - H.73.8 - 78.8** cm		
31107929	**Stainless steel** flame-guard **L.89 - H.21 - th.0.9 cm**		
31107932	Container shelf **L.16.5 - H.13.5** cm		
31107930	Container shelf **L.20 - H.12.8** cm		
31107931	Container shelf **L.32 - H.9.7** cm		
31107934	Shelf **L.38.5** cm		
31107933	Shelf **L.53.6** cm		

Code	Description	Image	Drawing
31107935	Stemmed glass rack **L.38.5** cm		
31107936	Bottle rack **L.24**		
31107937	Kitchen roll holder **L.24** cm		
31107938	Pack of **4** hooks		

“Setup” System

Anthracite colour Setup System

“Setup System” equipped wall panel in **Anthracite** and **Dark Inox colour aluminium**. Available for all modern models.
The “Setup” System is designed to guarantee alignment with H 206.2 and 220 cm tall units.
When a configuration with lights is ordered, all the aluminium shelves and the top panel of the element will be fitted with lighting, except for the bottom.
On 1.8 cm thick decorative melamine and lacquered shelves, the light fitted is Show 2.0 and it will not be installed directly on the shelves; it will be shipped separately.
N.B. Order the “Meccano” power supply with a power rating appropriate for absorption.
The accessories can only be used on “Setup” System aluminium shelves.

The top panel and bottom of the Setup system are always in Metal.
Each shelf has a maximum load capacity of 10 kg distributed evenly.
If the Setup Element is in a wall-mounted position, the maximum load capacity permitted is 50 kg.
The accessories can only be used on “Setup” System elements.

Dark Inox colour Setup System

Anthracite

Dark Inox

Code	Description	Drawing
75061727	**45** cm element resting between top and wall unit in **Anthracite** finish Aluminium	
75061728	**60** cm element resting between top and wall unit in **Anthracite** finish Aluminium	
75061743	**75** cm element resting between top and wall unit in **Anthracite** finish Aluminium	
75061729	**90** cm element resting between top and wall unit in **Anthracite** finish Aluminium	
75061730	**120** cm element resting between top and wall unit in **Anthracite** finish Aluminium **N.B.** Tops can be installed: - with 73.4 cm base unit usable top thickness: 1.2 - 2 - 3 - 4 - 5 - 6 - 7 cm - with 76.4 cm base unit usable top thickness: 1.2 - 2 - 3 - 4 - 5 - 6 cm - with 80 cm base unit usable top thickness: 1.2 - 2 - 3 - 4 - 5 - 6 - 7 cm	
75061731	**45** cm element resting between top and tall/larder unit in **Anthracite** finish Aluminium	
75061732	**60** cm element resting between top and tall/larder unit in **Anthracite** finish Aluminium	
75061744	**75** cm element resting between top and tall/larder unit in **Anthracite** finish Aluminium	
75061733	**90** cm element resting between top and tall/larder unit in **Anthracite** finish Aluminium **N.B.** Tops can be installed: - with 73.4 cm base unit usable top thickness: 1.2 - 2 - 3 - 4 - 5 - 6 - 7 cm - with 76.4 cm base unit usable top thickness: 1.2 - 2 - 3 - 4 - 5 - 6 cm - with 80 cm base unit usable top thickness: 1.2 - 2 - 3 - 4 - 5 - 6 - 7 cm	
75061735	Setup element between **30** and **45** cm with variable height between 20 and 220 cm in **Anthracite or Dark Inox** colour Aluminium	
75061736	Setup element between **46** and **60** cm with variable height between 20 and 220 cm in **Anthracite or Dark Inox** colour Aluminium	
75061737	Setup element between **61** and **90** cm with variable height between 20 and 220 cm in **Anthracite or Dark Inox** colour Aluminium	
75061735	Setup element between **30** and **45** cm with variable height between 20 and 220 cm in **Anthracite or Dark Inox** colour Aluminium with finished shelf	
75061736	Setup element between **46** and **60** cm with variable height between 20 and 220 cm in **Anthracite or Dark Inox** colour Aluminium with finished shelf	
75061737	Setup element between **61** and **90** cm with variable height between 20 and 220 cm in **Anthracite or Dark Inox** colour Aluminium with finished shelf Available shelf versions: - Aluminium - Decorative melamine - Glossy lacquered - Matt lacquered	

Code	Description	Image	Drawing
31108046	**60** cm island element in **Anthracite** colour		
31108047	**90** cm island element in **Anthracite** colour		
31107127	Pack of 3 hooks in **Anthracite** colour Aluminium		
31108772	Pack of 3 hooks in **Dark Inox** colour Aluminium		
31107129	Tablet holder in **Anthracite** colour Aluminium		
31108774	Tablet holder in **Dark Inox** colour Aluminium		
31107130	Container holder in **Anthracite** colour Aluminium		
31108775	Container holder in **Dark Inox** colour Aluminium		
31107132	Glass/**Anthracite** colour aluminium shelf **N.B.** Cannot be installed on 60-90 cm island element		
31108777	Glass/**Dark Inox** colour aluminium shelf **N.B.** Cannot be installed on 60-90 cm island element		
31107128	Kitchen roll holder in **Anthracite** colour Aluminium		
31108773	Kitchen roll holder in **Dark Inox** colour Aluminium		

Code	Description	Image	Drawing
31107135	**4** stemmed glass rack in **Anthracite** colour aluminium		
31108778	**4** stemmed glass rack in **Dark Inox** colour aluminium		
31107131	**6** stemmed glass rack in **Anthracite** colour aluminium		
31108776	**6** stemmed glass rack in **Dark Inox** colour aluminium		
31108048 31108051	**60** cm container bowl in **Anthracite** colour Aluminium **90** cm container bowl in **Anthracite** colour Aluminium		
31108779 31108780	**60** cm container bowl in **Dark Inox** colour Aluminium **90** cm container bowl in **Dark Inox** colour Aluminium		

Element for island

“Setup” system with sliding doors

Setup element with variable height between 54 and 60 cm in Anthracite colour Aluminium with sliding doors, resting or hanging
The top panel and bottom of the Setup system are always in Metal.
Each shelf has a maximum load capacity of 10 kg distributed evenly. If the Setup Element is in a wall-mounted position, the maximum load capacity permitted is 40 kg.

Available shelf versions:
- Shelf with Round wire mesh available with Round wire mesh door
- Smoked glass shelf available with Smoked glass door and Linear wire mesh door



Available sliding door versions

Smoked Glass

Linear wire mesh



Round wire mesh

Code	Description			
75061901	90 cm element	Without light	With 3000°K light	With 4000°K light
75061903	120 cm element			
75061905	150 cm element			

Dimension (L)	Absorption
3000°K - 4000°K Light for 90 cm element	9.8W
3000°K - 4000°K Light for 120 cm element	13.1W
3000°K - 4000°K Light for 150 cm element	16.4W

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using the components of the “Meccano” system purchased separately
Dimming	Using the components of the “Meccano system
Colour temperature	Double colour temperature Warm light 3000°K Natural light 4000°K
Luminous flux	874 lm/m lamp with 3000°K light 949 lm/m lamp with 4000°K light
Cable length	200 cm

SCAVOLINI

LAMPS

TECHNICAL INFORMATION

COLOUR OF LIGHT IN °K



The colour temperature is expressed in units referred to as degrees Kelvin: this value determines whether the light bulbs produce warm or cold light. This diagram show 2.0s how energy-saving LED light bulbs can have different colour temperatures.

Light bulbs with a low value of degrees Kelvin produce a warm yellow light, which is more welcoming, whereas those with a higher value of degrees Kelvin produce a more energising, cool blue light.

LUMEN- WATTS

WATTS (W) indicate the quantity of energy a light bulb consumes to produce light.

LUMEN (lm) are the unit used to measure the emission and luminous intensity of a light bulb.

LED light bulbs have a luminous power (in lumen) of a classic light bulb, but with a lower wattage.

LUMENS	INC	TH	T8	LED
2000 lm	150W		25W	25-28 W
1600 lm	100W	72W	20-23 W	16-20 W
1100 lm	75W	53W	16-19 W	9-16 W
800 lm	60W	43W	13-14 W	8-12 W
450 lm	40W	29W	9-10 W	6-9 W
330 lm	25W			4W
250 lm	20W			3W

INC: STANDARD INCANDESCENT
TH: HALOGEN
T8: NEON
LED: LED

THE VALUES ARE TO BE CONSIDERED TO BE PURELY INDICATIVE AND VARIABLE ACCORDING TO THE BRAND AND COLOUR TEMPERATURE

CERTIFICATIONS	
CE	The product conforms to the essential requirements envisaged by European directives.
	Class II appliances, which are also referred to as double insulated, are designed not to require (and therefore they do not need to have) an earthing connection. They are built so that a single fault cannot cause contact with dangerous voltage levels by the user. This is generally achieved by making the casing of the container with insulating materials, or in any case ensuring that any live parts are surrounded by a double layer of insulating material (main insulation + supplementary insulation) or using reinforced insulation. In Europe, this kind of appliance must be marked “Class II” or with the double insulation symbol (two concentric squares).
EN 62031	Sets out the general and safety provisions for light-emitting diode (LED) modules.
ENEC05	This is a European certification mark with superior technical value based on strict certification criteria. This mark offers the end user the utmost guarantee as to the procedures applied during the product manufacturing process. Since 1993, luminaires can circulate across the whole of Europe with the ENEC mark, which certifies that a product conforms to EN 60 598 regulations.
ETL Electrical Testing Laboratories	The ETL Listed mark indicates the product was tested by an accredited third-party laboratory, in compliance with the applicable product standards and the minimum safety requirements, to be sold and distributed in North America. ETL is a private independent organisation, which has been in business for over 100 years in the measurements field, and it was originally founded by Thomas Alva Edison in 1896.
PHOTOBIOLOGICAL EN 62471	Defines the risk classes, the emission limits and the absolute exposure limits for the surface of the skin and cornea.
IP International Protection	Degree of protection: the prefix IP followed by two digits indicates the resistance of the appliance to penetration by solids and liquids. The first digit indicates the resistance to the penetration of solid bodies and contact with live elements. The second digit indicates the resistance to the penetration of liquids.
IP20	Protected against the penetration of solid bodies with a diameter greater than 12 mm and not protected against liquids.
IP44	Protected against the penetration of solid bodies with a diameter greater than 1 mm and against water spray.
UL Underwriters Laboratories Inc -	This is the most popular mark testifying to the conformity of electrical and electronic items with safety regulations in USA and Canada. The UL Safety Mark is a voluntary product certification. Nevertheless, it constitutes an important distinguishing feature which signals product reliability.

Meccano LT System



The Meccano LT system is compatible with all types of LED lighting and integrates the power supply and dedicated lighting controls into a single platform. This centralisation allows for the simple and uniform coordination of all connected functions, ensuring the system is tidy, coherent, and easily controlled. It can be connected to a series of modules for the remote control of each lighting control function: power on, off or dimming (for lines set up for this function). All these functions can be achieved using various controls: remote control, smartphones, voice control systems and presence sensors.
The Meccano LT system is multi-voltage, meaning it can operate with a mains supply varying from 100 to 240 Volts; this is why it can be used in many countries (for example in the United States where the mains supply is 110 V) and comes with the main certificates of conformity and the main types of electrical plugs.

Multi-voltage power supply for “Meccano” system

Modular multi-voltage power supply with power cable, available with 6 different power ratings, compatible with all the main sockets and certified for exporting to various countries.

If installation occurs in a country other than the country of order, a different type of cable can still be ordered.

31108314 Cable-US-
31108315 Cable-EU-
31108316 Cable-UK-
31108317 Cable-CN-
31108318 Cable-AU-
31108319 Cable-KR-
31108320 Cable without plug

Warning:
The brightness cannot be adjusted using an external dimmer on the main 110/220V line.

Code	Supply Power	Drawing
31110370 4 built-in outputs	**20W - 24V**	
31110371 6 built-in outputs	**40W - 24V**	
31110372 6 built-in outputs	**60W - 24V**	
31110373 8 built-in outputs	**75W - 24V**	
31110374 8 built-in outputs	**96W - 24V**	
31110375 8 built-in outputs	**150W - 24V**	

Smart Matter Mono Meccano LT
Makes it possible to connect up to 8 lines to the power supply and simultaneously to control the power-on/off and the luminous intensity. Control can be carried out via the available remote controls, voice assistant or smartphone.
Via the Matter protocol, you can connect the module to the native App of your chosen Smart Home device (e.g. Amazon Alexa, SmartThings, Apple Home Kit), thus bypassing the issue of managing different Apps and protocols.

N.B. To be used only with lamps without an integrated on/off system.

Code	Supply Power	Drawing
31110378	**72W** (single line) **150W** (maximum total absorption)	



Meccano LT remote control
Remote control with 4 independent channels. Possibility of pairing and individually controlling multiple Smart Matter control modules (up to 6).
With power on/off and luminous intensity adjustment functions.
CR2032 battery supplied (lasts 3 years).

Code	Drawer
31110376	

Meccano LT remote control with sensor
Single-channel multi-function sensor. Simultaneously control all lamps connected to the Smart Matter control modules, which can be configured for use as:
- PIR motion sensor
- IR DOOR sensor for hinged door
- TOUCH remote control with power on/off and luminous intensity adjustment functions.

CR2032 battery supplied (lasts 3 years)

Code	Drawer
31110377	

Concealed capacitive touch sensor.
Sensor useful for switching on and off any light source that does not already have an integrated switch.
This sensor should be installed hidden behind a panel (for example, Line System or Vertical System wall panelling), under a kitchen or living room top, or even inside a cabinet.
Correct operation is guaranteed for installations behind panels or tops with a maximum thickness of 3 cm.
To cover the connecting lead, if necessary, we recommend ordering the wiring hole cable duct code 31108330 (black) or code 31109115 (white).



Code	Description	Drawing
31110014	Concealed capacitive touch sensor **72W** (maximum total absorption	

“Meccano”multiple 6-way distributor
Accessory designed to increase by a further 5 units the number of lights which can be connected to each output of the various modules available

Code	Power	Drawing
31108312	**72W** (single line) **120W** (maximum total absorption)	

This accessory is designed to extend the line cable by 220 cm in order to connect lines which are far apart to a single power supply.
Code 31108313

Connection and control via voice controls on the Meccano LT system.



Connection and control with voice controls of the light on the Task Bar and of the Show 2.0 recessed lamp

1) Calculate the total power absorption of the lights in the composition to be connected to a single power supply:
Task Bar light: 2.4 m x 6.3W= **15.12W**
Show 2.0 lamp: 0.6 m x 6.3W= **3.78W**
Total power absorption **18.9W**

2) Choose the power supply according to the total power absorption: Power supply **20W**

To manage the two lights separately, connect a Smart Matter Mono Meccano LT module to each one.

By interfacing the two modules to a voice control system, with Matter protocol (e.g. Amazon Alexa, Smart Things, Apple Home Kit), you can control the two lighting zones independently by switching the lights on/off or dimming them. In order to be able to control the lighting even with the temporary absence of the Wi-Fi network, it is advisable also to have a Meccano LT remote control.

PLUG
Mains connection plug

DRIVER
Meccano LT power supply

+

SMART MATTER MONO MECCANO LT
Module for Show 2.0 lights control and power supply

+

SMART MATTER MONO MECCANO LT
Module for Show 2.0 lights control and power supply

+

MECCANO LT REMOTE CONTROL
Module for Show 2.0 lights control and power supply

SMARTPHONE
Light control via APP

VOICE CONTROL SYSTEM

Connection and control of lights via the Meccano LT remote control.



Connection and control of Magical 2.0 lines (inside glass fronted wall units) and Underscore midway lamp with touch switch.

1) Calculate the total power absorption of the lights in the composition to be connected to a single power supply:
   Magical 2.0 lamp: 0.7m x 7W x 6 = **29,4W**
   Underscore lamp: 1.8m = **27W**
   Total power absorption **56,4W**

2) Choose the power supply according to the total power absorption: Power supply **60W**

To switch on the Magical 2.0 lines inside the glass fronted wall units (since they do not have a sensor for automatic switch-on), connect the Smart Matter Mono Meccano LT module managed with the Meccano LT remote control to the power supply.
The Underscore lamp with touch switch will be connected directly to the driver.

PLUG
Mains connection plug

DRIVER
Meccano LT power supply

+

SMART MATTER MONO MECCANO LT
Module for Magical 2.0 lights control and power supply

+

MECCANO LT REMOTE CONTROL
Module for Show 2.0 lights control and power supply

Connection and control of lights via smartphone or the Meccano LT remote control.



Connection and control of the Show 2.0 lamp in the “Fluida” Wall System, of the Show 2.0 recessed midway lamp and of the Magical 2.0 lights for the glass fronted wall unit

1) Calculate the total power absorption of the lights in the composition to be connected to a single power supply:
“Fluida” Wall System Show 2.0 Lines: 0.9 m x 6.3W x 6 = **34.02W**
Show 2.0 midway unit lines: 0.9 m x 6.3W x 3 = **17.01W**
Magical 2.0 lines for glass-fronted wall unit: 0.6 m x 7W x 1= **4.2W**
Total power absorption **55.23W.**

2) Choose the power supply according to the total power absorption: Power supply **60W**

The 6 Show 2.0 lines in the Fluida Wall System will be connected to the first Smart Matter Mono Meccano LT module.
The Show 2.0 recessed midway lines will be connected to the second channel of the Smart Matter Mono Meccano LT module.
The Show 2.0 lamp on the top panel of the glass fronted wall unit will be connected to the third channel of the Smart Matter Mono Meccano LT module. The 3 separate zones can therefore be controlled using the Meccano LT remote control or a smartphone.

PLUG
Mains connection plug

DRIVER
Meccano LT power supply

+

SMART MATTER MONO MECCANO LT
Module for lights control and power supply

+

SMART MATTER MONO MECCANO LT
Module for lights control and power supply

+

SMART MATTER MONO MECCANO LT
Module for lights control and power supply

+

SMARTPHONE
Control via APP

MECCANO LT REMOTE CONTROL
Module for lights control and power supply

Connection and control of lights with presence sensors via the Meccano LT system.



Connection and control with presence sensors of the Show 2.0 lines in the Fluida Wall System

1) Calculate the total power absorption of the lights in the composition to be connected to a single power supply:
   90 cm compartment Show 2.0 lines: 0.9 m x 6.3W x 8 = **45.36W**
   Corner compartment Show 2.0 lines: 1.4 m x 12.5W + 0.9 m x 12.5W = **14.49W**
   Total power absorption **59.85W**

2) Choose the power supply according to the total power absorption: Power supply **75W**

The 10 lines in the "Fluida" Wall System will be connected using the multiple distributor.
6 Show 2.0 lines will be connected directly to the 6 inputs of the Smart Matter Mono Meccano LT module and the other 4 lines via a multiple distributor to another input.
The simultaneous switching on and off of all the lights is controlled by the presence sensor built into the Meccano LT remote control with sensor.
The intensity can also be adjusted with the keys on the remote control.

PLUG
Mains connection plug

DRIVER
Meccano LT power supply

+

SMART MATTER MONO MECCANO LT
Module for lights control and power supply

+

MULTIPLE DISTRIBUTOR
Used to increase the number of lines that can be connected to the Smart Matter Mono Meccano LT module.

+

MECCANO LT REMOTE CONTROL WITH SENSOR
Remote control for lamps with presence sensor.

Connection and control of lights in 2 separate zones via the Meccano LT system.



Connection and control via smartphone or remote control of the Show 2.0 lines in the “Fluida” Wall System in the living room and of the Show 2.0 lines in the kitchen wall units.
Since there are 2 separate compositions, 2 separate power supplies must be envisaged.
1) Calculate the total power absorption of the lines in the living room to be connected to a single power supply:
“Fluida” Wall System Show 2.0 lines: 45 cm compartments (0.45m x 6,3W x 8 = 22.66W) + TV compartment (1.8m x 6.3W = 11.34W).
Total power absorption **34W**
2) Choose the power supply according to the total power absorption: Power supply **40W**
3) Calculate the total power absorption of the lines in the kitchen to be connected to a single power supply:
Show 2.0 kitchen midway lines: 0.60m x 6.3W x 2
Total power absorption **7.56W**
4) Choose the power supply according to the total power absorption: Power supply **20W**
- The Show 2.0 lines in the kitchen wall units are connected to a system consisting of a driver + 1 Smart Matter Mono Meccano LT module (zone 1).
- The Show 2.0 lines in the living room are connected to another system consisting of a driver + 2 Smart Matter Mono Meccano LT modules to connect the TV compartment light to the first module (zone 2); while the Show 2.0 lines in the “Fluida” Wall System are connected to the second module (zone 3).
- By interfacing the 3 Smart Matter Mono Meccano LT modules to a Smartphone (or alternatively to the Meccano LT remote control), the 3 ambient lighting zones can be managed separately.

KITCHEN

PLUG
Mains connection plug

DRIVER
Meccano LT power supply

+

SMART MATTER MONO MECCANO LT
Module for lights control and power supply

+

SMARTPHONE
Light control via APP

MECCANO LT REMOTE CONTROL
Module for lights control and power supply

LIVING:

PLUG
Mains connection plug

DRIVER
Meccano LT power supply

+

SMART MATTER MONO MECCANO LT
Module for lights control and power supply

SMART MATTER MONO MECCANO LT
Module for lights control and power supply

+

SMARTPHONE
Light control via APP

RADIOCOMANDO MECCANO LT
Module for lights control and power supply

Container for cabinet internal transformer

White or Grey plastic transformer container.
The container can be placed inside a tall unit or a wall unit, fastening it to the top panel of the cabinet; a transformer/power supply can be placed inside the container.





Code	Description
31108045	Grey RAL7030 container
31108052	White pack

“Crop” LED lamp for inside wall units and larder units

“Crop” LED lamp for inside wall units and larder units in Aluminium.
The lamp is turned on when the door opens and stays on until movement is detected, 30 seconds after the last movement is detected the lamp is turned off. The range of detection of the sensor must be free from any obstacles which could hinder proper operation. Can only be installed inside elements with doors.

Warning:
The brightness cannot be adjusted using an external dimmer on the main 110/220V line. Not compatible with “Meccano” remote control systems.

Codes	Dimension (L)	Absorption
31106359	41 cm (for size 45 element)	4W
31106360	56 cm (for size 60 element)	5W
31106361	86 cm (for size 90 element)	8W
31106362	116 cm (for size 120 element)	11W



Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via infrared sensor
Dimming	NO
Colour temperature	Natural light 4000°K
Luminous flux	075 lm/m
Cable length	280 cm

“D.55” wall lamp

“D.55” LED wall lamp with matt White or matt Black Metal frame.

Codes	Colour
31108251	Matt white
31108250	Matt black

Power supply	220 V
Power on/off	Via wall switch
Dimming	NO
Colour temperature	Natural light 4000°K
Absorption	7W
Luminous flux	550 lm
Cable length	50 cm



“Dot” recessed spotlight

“Dot” round recessed LED spotlight in satin finish Nickel.

The spotlight cannot be installed in the midway position, but it can be installed on shelves, wall unit top panels, wall unit bottoms (facing the worktop) and on the top panel of larder units H.127-133-140 cm.
To cover the connecting lead, if necessary, order the wiring hole cable duct code 31108330 (black) or code 31109115 (white).

.

Warning:
The brightness cannot be adjusted using an external dimmer on the main 110/220V line.



Code	31108328

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using the components of the “Meccano system purchased separately
Dimming	Using the components of the “Meccano system purchased separately
Colour temperature	Defined during assembly - set to 3000°K or 4000°K
Absorption	2.5W
Luminous flux	332 lm
Cable length	250 cm
Cut-out dimensions	Diam.5.8 cm - D.1.2 cm

“Dot” external spotlight

“Dot” round LED spotlight in satin finish Nickel.

For installation on top panel or on the bottom of wall units or inside larder units; can be installed on shelves, cornice shelves, midway units or inside units. To cover the connecting lead, if necessary, order the wiring hole cable duct code 31108330 (black) or code 31109115 (white).

Warning:
The brightness cannot be adjusted using an external dimmer on the main 110/220V line.



Code	31108329

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using the components of the “Meccano” system purchased separately
Dimming	Using the components of the “Meccano” system purchased separately
Colour temperature	Defined during assembly - set to 3000°K or 4000°K
Absorption	2.5W
Luminous flux	332 lm
Cable length	250 cm

“Fancy” suspension lamp

“Fancy” LED suspension lamp in Black or White aluminium.



Codes	Colour	Absorption
31109450	White	3W
31109451	Black	3W

Power supply	220V (built-in power supply)
Power on/off	Via a wall switch
Dimming	NO
Colour temperature	Warm light 3000°K
Luminous flux	250 lm
Cable length	95 cm

“Kiton” LED lamp for base units and base units with pull-out baskets

“Kiton” LED lamp for base units and base units with pull-out baskets in Aluminium.

Warning:

Automatic on/off when the door or basket is opened and closed. Colour temperature adjustment after four rapid consecutive openings.

The brightness cannot be adjusted using an external dimmer on the main 110/220V line.

Cannot be installed in appliance base units H.73 on Merivobox type upper drawer. (there isn’t enough room).

Not compatible with “Meccano” remote control systems.

N.B. The lamp does not work with an aluminium framed glass door as the sensor does not detect the presence of the door.

Codes	Dimension (L)	Absorption
31108332	**41.1 cm** for 45 cm base unit	4.6W
31108333	**46.1 cm** for 50 cm base unit	5.2W
31108334	**56.1 cm** for 60 cm base unit	6.5W
31109344	**71.1 cm** for 75 cm base unit	9.3W
31108335	**76.1 cm** for 80 cm base unit	9.1W
31108336	**86.1 cm** for 90 cm base unit	10.4W
31108337	**116.1 cm** for 120 cm base unit	14.3W



Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via infrared sensor
Dimming	NO
Colour temperature	Double colour temperature Warm light 3000°K Natural light 4000°K
Luminous flux	520 lm/m
Cable length	300 cm

“Magnetilux” midway lamp

“Magnetilux” LED midway lamp in Titanium finish Aluminium.
The brightness cannot be adjusted using an external dimmer on the main 110/220V line.
Not compatible with “Meccano” remote control systems.

Codes	Size	Absorption	Colour temperature
31110116	L.45 cm	4W	3000K
31110117	L.60 cm	5,5W	3000K
31110118	L.90 cm	8,5W	3000K
31110119	L.120 cm	11,5W	3000K
31110155	L.150 cm	14,5W	3000K
31110156	L.180 cm	17,5W	3000K
31110157	L.45 cm	4W	4000K
31110158	L.60 cm	5,5W	4000K
31110159	L.90 cm	8,5W	4000K
31110160	L.120 cm	11,5W	4000K
31110161	L.150 cm	14,5W	4000K
31110162	L.180 cm	17,5W	4000K



Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via Touch switch
Dimming	Via Touch switch
Luminous flux	1180 lm/m
Cable lengt	200 cm

“Nanda” ceiling lamp

“Nanda” matt black painted Aluminium LED ceiling lamp with thermoplastic polymer screen.

N.B. The support cables have a variable length of min 1 cm to max 100 cm.
This length can be determined during installation.



Code	31108252
Power supply	220V (built-in power supply)
Power on/off	Via a wall switch
Dimming	NO
Colour temperature	Natural light 4000°K
Absorption	16.8W
Luminous flux	630 lm
Cable length	-

“Net XT” midway lamp

“Net XT” Aluminium LED midway lamp.

Warning:
The colour temperature is changed by resting your finger on the touch switch for 5 seconds.
The lamp is supplied with a 200 cm power cable.
The brightness cannot be adjusted using an external dimmer on the main 110/220V line.
Not compatible with “Meccano” remote control systems.

Codes	Size	Absorption
31106394	L.45 cm	4,5W
31106395	L.60 cm	6W
31109332	L.75 cm	7,4W
31106396	L.90 cm	9W
31106397	L.120 cm	12W
31110170	custom-sized	9,6W/mt



Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via illuminated Touch switch
Dimming	NO
Colour temperature	double colour temperature Warm light 3000K Natural light 4000K
Luminous flux	975 lm/m
Cable length	200 cm

“Qi” suspension lamp

“Qi” LED suspension lamp with 14 cm cylindrical aluminium lampshade painted Solid White with fitted cable.
LED light bulb with E14 fitting.
Warning:
The 110V version is supplied without a light bulb

Codes	31106801 (220V)
	31106814 (110V)

Power on/off	Via a wall switch
Dimming	NO
Colour temperature	natural light 4000°K
Absorption	6W
Luminous flux	470 lm
Cable length	240 cm



“Qi” wall lamp

“Qi” wall lamp with 14 cm cylindrical aluminium lampshade painted Solid White.
LED light bulb with E14 fitting.
Warning:
The 110V version is supplied without a light bulb.

Codes	31106802 (220V)
	31106815 (110V)

Power on/off	Via a wall switch
Dimming	NO
Colour temperature	natural light 4000°K
Absorption	6W
Luminous flux	470 lm
Cable length	20 cm



“Ray” midway lamp

“Ray” LED midway lamp in Black and Titanium Aluminium.
Lamp with a luminous chamber that can be adjusted by 35°, allowing the light beam to be directed onto the worktop.
The touch switch is designed to turn on and off and adjust the brightness.
The brightness cannot be adjusted using an external dimmer on the main 110/220V line. Not compatible with “Meccano” remote control systems.

Codes	Colour temperature
31110165	Black lamp, warm light 3000K
31110166	Titanium lamp, warm light 3000K
31110120	Black lamp, natural light 4000K
31110121	Titanium lamp, natural light 4000K



Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Accensione	Via Touch switch
Dimming	Via Touch switch
Absorption	14,4W
Luminous flux	1420 lm/m
Cable length	200 cm

“Thea She Td” midway lamp

“Thea She Td” Aluminium LED midway lamp with variable luminous intensity and electronic touch control to switch the device on and off and adjust the brightness.
Warning: The brightness cannot be adjusted using an external dimmer on the main 110/220V line.
Not compatible with “Meccano” remote control systems.

Codes	Dimension (L)	Colour	Absorption
31108006	45 cm	Matt black	2,5W
31108010	45 cm	Dark Inox	2,5W
31108007	60 cm	Matt black	3,4W
31108011	60 cm	Dark Inox	3,4W
31108008	90 cm	Matt black	5W
31108012	90 cm	Dark Inox	5W
31108009	120 cm	Matt black	6,7W
31108013	120 cm	Dark Inox	6,7W
31110171	custom-sized	Matt black	5,8W/m
31110172	custom-sized	Dark Inox	5,8W/m



Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via Touch switch
Dimming	Via Touch switch
Colour temperature	Natural light 4000°K
Luminous flux	1180 lm/m
Cable length	200 cm

“Underscore” midway lamp

“Underscore” Aluminium LED midway lamp.
Warning: The custom-sized lamp measures between 20 and 300 cm



POWER ON/OFF WITH TOUCH SWITCH				
Codes	**Dimension (L)**	**Colour**	**Absorption**	**Colour temperature**
31108217	45 cm	Black	6,75W	4000°K
31108224	45 cm	Silver	6,75W	4000°K
31108218	60 cm	Black	9W	4000°K
31108225	60 cm	Silver	9W	4000°K
31108219	90 cm	Black	13,5W	4000°K
31108226	90 cm	Silver	13,5W	4000°K
31108220	120 cm	Black	18W	4000°K
31108227	120 cm	Silver	18W	4000°K
31108221	150 cm	Black	22,5W	4000°K
31108228	150 cm	Silver	22,5W	4000°K
31108222	180 cm	Black	27W	4000°K
31108229	180 cm	Silver	27W	4000°K
31108245	custom-sized	Black	15W/mt	4000°K
31108246	custom-sized	Silver	15W/mt	4000°K
31108231	45 cm	Black	6,75W	3000°K
31108238	45 cm	Silver	6,75W	3000°K
31108232	60 cm	Black	9W	3000°K
31108239	60 cm	Silver	9W	3000°K
31108233	90 cm	Black	13,5W	3000°K
31108240	90 cm	Silver	13,5W	3000°K
31108234	120 cm	Black	18W	3000°K
31108241	120 cm	Silver	18W	3000°K
31108235	150 cm	Black	22,5W	3000°K
31108242	150 cm	Silver	22,5W	3000°K
31108236	180 cm	Black	27W	3000°K
31108243	180 cm	Silver	27W	3000°K
31108247	custom-sized	Black	15W/mt	3000°K
31108248	custom-sized	Silver	15W/mt	3000°K

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via Touch switch that turns on and off when touched and adjusts the intensity when pressed down
Dimming	Via Touch switch
Luminous flux	2100 lm/m
Cable length	300 cm

POWER ON/OFF WITH EXTERNAL SWITCH				
Codes	**Dimension (L)**	**Colour**	**Absorption**	**Colour temperature**
31108344	45 cm	Black	6,75W	4000°K
31108351	45 cm	Silver	6,75W	4000°K
31108345	60 cm	Black	9W	4000°K
31108352	60 cm	Silver	9W	4000°K
31108346	90 cm	Black	13,5W	4000°K
31108353	90 cm	Silver	13,5W	4000°K
31108347	90 cm	Black	18W	4000°K
31108354	120 cm	Silver	18W	4000°K
31108348	150 cm	Black	22,5W	4000°K
31108355	150 cm	Silver	22,5W	4000°K
31108349	180 cm	Black	27W	4000°K
31108356	180 cm	Silver	27W	4000°K
31108372	custom-sized	Black	15W/mt	4000°K
31108373	custom-sized	Silver	15W/mt	4000°K
31108358	45 cm	Black	6,75W	3000°K
31108365	45 cm	Silver	6,75W	3000°K
31108359	60 cm	Black	9W	3000°K
31108366	60 cm	Silver	9W	3000°K
31108360	90 cm	Black	13,5W	3000°K
31108367	90 cm	Silver	13,5W	3000°K
31108361	120 cm	Black	18W	3000°K
31108368	120 cm	Silver	18W	3000°K
31108369	150 cm	Black	22,5W	3000°K
31108227	150 cm	Silver	22,5W	3000°K
31108363	180 cm	Black	27W	3000°K
31108370	180 cm	Silver	27W	3000°K
31108374	custom-sized	Black	15W/mt	3000°K
31108375	custom-sized	Silver	15W/mt	3000°K

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using the components of the “Meccano” system purchased separately
Dimming	Using the components of the “Meccano” system purchased separately
Luminous flux	2100 lm/m
Cable length	300 cm

“Vigo” wall lamp

Example of lamp with left support

“Vigo” matt black painted Aluminium LED wall lamp with opal methacrylate screen.
N.B. The lamp is available with a **central, left or right support**.

Warning: Using the universal bracket supplied, it can be wall mounted or fitted directly on the edging of a mirror profile.

Codes	Dimension (L)	Absorption
31108253	70 cm (central support)	13W
31108254	90 cm (central support)	15W
31108255	90 cm (RH support)	15W
31108256	90 cm (LH support)	15W



Power supply	220V (includes transformer)
Power on/off	Via wall switch
Dimming	NO
Colour temperature	Natural light 4000°K
Luminous flux	80 lm/W
Cable length	80 cm

“Easy 2.0” drainer unit lamp

“Easy” Polycarbonate and aluminium LED lamp for drainer units D.1,8 cm.

Warning: Can be installed in the aluminium frame at the rear with a quick attachment clip.
Certified IP44.
Only for installation in Easy line drainer units.



Codes	Dimension (L)	Absorption
31109699	41,5 cm for size 45 element	2,88W
31109700	56,5 cm for size 60 element	3,9W
31109701	86,5 cm for size 90 element	6,93W



Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via illuminated Touch switch
Dimming	NO
Colour temperature	Natural light 4000°K
Luminous flux	1030 lm/m
Cable length	200 cm

“Wand 2.0” drainer unit lamp

Aluminium LED lamp for drainer units.
The lamp is inserted in an aluminium profile with a switch and IP54 protection. Rest your finger on the Touch switch for longer than 5 seconds to switch from the 3000°K light to the 4000°K one and vice-versa. Supplied with a quick attachment clip to the rear profile of the drainer unit. It is perfectly integrated as it covers the rear space of the aluminium profile like a casing, but with flush-fit light.

Caution:
Cannot be installed on drainer units from the Easy line and cannot be installed on drainer units code 71011085-86.

N.B. order a power supply with a power rating appropriate for the absorption of the lamps to be connected and any “Meccano” system management components. The brightness cannot be adjusted using an external dimmer on the main 110/220V line.
Not compatible with “Meccano” remote control systems.



Codes	Dimension (L)	Absorption
31109117	40.8 cm for size 45 element	4W
31109118	55.8 cm for size 60 element	6W
31109330	70.8 cm for size 75 element	8W
31109119	75.5 cm for size 80 element	9W
31109120	85.8 cm for size 90 element	10W
31109121	115.8 cm for size 120 element	14W

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via illuminated Touch switch
Dimming	NO
Colour temperature	Double colour temperature: Warm light 3000°K Natural light 4000°K
Luminous flux	1070 lm/m
Cable length	300 cm

“Magical 2.0” built-in lamp

Vertical built-in LED lamp for side panels.
The lamp can be fitted in base units with hinged door (except for sink base units), in wall units with hinged door (except for drainer units and hoods), in larder units with hinged door (except for those with inner baskets) and in corner larder units.
The sensor is available: White, Anthracite and Grey.

Caution:
The brightness cannot be adjusted using an external dimmer on the main 110/220V line.
Magical 2.0 lights inserted in elements with glass doors can be controlled (on/off, dimmer) using the “Meccano” system
N.B. Order Meccano power supply.

Lamp table with sensor

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via on/off sensor
Dimming	NO
Colour temperature	Natural light 4000°K Warm light 3000°K
Absorption	7W per metre
Luminous flux	1240 lm/m
Cable length	300 cm

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using a wall switch or “Meccano” remote control systems purchased separately
Dimming	Using the components of the “Meccano system purchased separately
Colour temperature	Natural light 4000°K Warm light 3000°K
Absorption	7W per metre
Luminous flux	1240 lm/m
Cable length	300 cm

Detail of Light

Detail of White sensor



“Show 2.0” built-in lamp



LED light-pelmet with and without switch.

The lamp can be fitted on laminate, lacquered and veneered shelves, on “Fluida” wall system and “Status” wall system shelves, on the bottom of wall units (including L.120 cm) and on the bottom of corner wall units and open-fronted elements th.18 mm and on the side facing panels of Sail cabinets. Cannot be installed in hoods and in drainer units.
If the light is teamed with a visible shelf, the lamp cannot be the same length as the shelf, but it will be 18 mm shorter per side.
The lamp has 3 available installation positions for the 50 cm depth, and 2 installation positions for the 30 cm depth.

Caution:
The brightness cannot be adjusted using an external dimmer on the main 110/220V line.



Lamp without switch

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using a wall switch or “Meccano” remote control systems purchased separately
Dimming	Using the components of the “Meccano” system purchased separately
Colour temperature	Natural light 4000°K Warm light 3000°K
Absorption	6.3W per metre
Luminous flux	1070 lm/m
Cable length	300 cm

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Via built-in Touch switch
Dimming	NO
Colour temperature	Natural light 4000°K Warm light 3000°K
Absorption	6.3W per metre
Luminous flux	1070 lm/m
Cable length	300 cm

Lighting system with “Action” magnetic spotlights

Lighting system with magnetic spotlights.
The system comprises an electrified track in anodised Black aluminium (code 31110015), to be ordered custom-sized (min. dimensions 30 cm max. 300 cm).

The following lights can be inserted in the electrified track:
- **Grille Bar** module
- **Maxi Spot 15 ø1.5 cm - H.4.15 cm** adjustable spotlight
- **Maxi Spot 18 ø1.8 cm - H.5.6 cm** adjustable spotlight

Detail of track

Detail of Grille Bar module

Detail of Maxispot15 spotlight

Detail of Maxispot18 spotlight

“GRILLE-BAR” MODULE

Code	31110011
Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using a wall switch or “Meccano” remote control systems purchased separately
Dimming	NO
Colour temperature	Warm light 3000°K
Absorption	5W
Luminous flux	268,5 lm (3000°K) o 301,9 lm (4000°K)
Light beam angle	36°

“MAXISPOT15” SPOTLIGHT

Code	31110012
Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using a wall switch or “Meccano” remote control systems purchased separately
Dimming	NO
Colour temperature	Warm light 3000°K
Absorption	1,5W
Luminous flux	90,5 lm (3000°K)
Light beam angle	30°

“MAXISPOT18” SPOTLIGHT

Code	31110013
Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using a wall switch or “Meccano” remote control systems purchased separately
Dimming	NO
Colour temperature	Warm light 3000°K
Absorption	2W
Luminous flux	100,4 lm (3000°K)
Light beam angle	30°

‘NUBO’ lamp for back of shelf

The lamp should be assembled to the back of the glass shelf.
The glass shelf will be moved forward approximately 1 cm to allow the lamp to be inserted and attached to it.

Codes	Dimension	Absorption	Colour temperature
31109768	L.41,3 cm	5,3W	3000°K
31109771	L.41,3 cm	5,3W	4000°K
31109769	L.56,3 cm	7,7W	3000°K
31109772	L.56,3 cm	7,7W	4000°K
31109951	L.71,3 cm	10,4W	3000°K
31109952	L.71,3 cm	10,4W	4000°K
31109770	L.86,3 cm	12W	3000°K
31109773	L.86,3 cm	12W	4000°K

Power supply	24V (order the “Meccano” power supply with a power rating appropriate for absorption)
Power on/off	Using a wall switch or “Meccano” remote control systems purchased separately
Dimming	NO
Luminous flux	1420 lm/mt
Cable length	200 cm

“L_Trunk” push-pull pull-out power outlet tower

“L_Trunk” built-in push-pull pull-out power outlet tower, in Black finish Aluminium, can be installed on wall units or tops.
Certifications: IP54 closed- IP20 open.
Pull-out 12 cm- Ø 7.3 cm.
200 cm long power cable.
Maximum overall load 3400 W.
The power outlet tower includes:
- 2 Schuko sockets
- 1 USB A socket
- 1 USB C socket
- 1 wireless charger for charging smartphones

N.B.:
If it is installed on the top, the tower cannot be positioned where there are base units with drawers or baskets.
The top-recessed power outlet must be at least 60 cm from the edging of the sink.
Make sure the wiring system has a differential circuit-breaker.
If it is installed on wall units, it can be installed on wall units with a height of 50 cm or more and with hinged, flap door or vertical opening.
Specify position direction in wall unit bottom, left or right.



Codes
31110314

“L_Couple” built-in multiple power sockets

“L_Couple” top-recessed multiple power sockets in Black finish Aluminium.
Can be installed on both horizontal and vertical top.
180° aperture.
Certifications: IP20
200 cm long power cable.
Maximum overall load 3400 W
Equipped with:
- 2 UNEL sockets
- 1 USB A socket
- 1 USB C socket
N.B.: The top-recessed multiple power sockets must be at least 60 cm from the edging of the sink.
Make sure the wiring system has a differential circuit-breaker



Code
31110315

“L_Planner” built-in multiple power sockets

“L_Planner” top-recessed multiple power sockets, in Black finish Aluminium.
Can be installed on both horizontal and vertical top, opening with sliding flaps.
Certifications: IP20
200 cm long power cable
Maximum overall load 3400 W
The multiple power sockets include:
- 2 Schuko sockets
N.B.: The top-recessed multiple power sockets must be at least 60 cm from the edging of the sink.
Make sure the wiring system has a differential circuit-breaker.



Code
31110316

“L_Roof” built-in multiple power socket module

“L_Roof” top-recessed multiple power sockets, in Black finish Aluminium. Can only be installed on tops up to 4 cm thick.
Certifications: IP20
200 cm long power cable
Maximum overall load 3400 W
The multiple power sockets include:
- 3 UNEL sockets
- 1 USB A socket
- 1 USB C socket

N.B.: The top-recessed multiple power sockets must be at least 60 cm from the edging of the sink.
Make sure the wiring system has a differential circuit-breaker



Code
31110317

“L_Oblò” sit-on multiple power socket module

“L_Oblò” sit-on multiple power socket module, in Black finish Aluminium, with 30° tilt for easy and ergonomic access.
Certifications: IP20
200 cm long power cable
Maximum overall load 3400 W
The multiple power sockets include:
- 3 UNEL sockets
- 1 USB A socket
- 1 USB C socket



Code
31110318

“Extra” built-in top-recessed power outlet

Built-in top-recessed power outlet with 1 Schuko socket.
Brushed Stainless Steel frame and cover.
L.12.3 - D.6 - TH.0.2 cm.
The power outlet consists of a frame with cover and the electrified insert. It has a water protection index of IP54. (with the covers closed).



Code
31107588

“Corner double socket” corner modular profile

“Corner double Socket” corner modular profile with Schuko socket and three-pin socket with 200 cm power cable.



Code
31105322

Infrared remote control signal kit

Infrared remote control signal kit.
Equipped with:
- receiver (for recessed or external installation)
- control unit
- transmitter



Code
31106462

Cable duct

Cable duct in Black and White plastic.
60 cm long to be cut to size at the time of assembly.
Complete with double-sided tape for assembly



Code	Colors
31108330	Black
31109115	White

SCAVOLINI

COMPOSITION ACCESSORIES

‘Qi’ storage basket

“Qi” storage basket in Solid White painted polyurethane.

Code	Description	Drawing
31106831	Storage basket **H.18 cm L.52** cm with cover	
31106799	Storage basket **H.18 cm L.52** cm without cover	
31106800	Cover for storage basket	

Hanging rack for island

Hanging rack in Satin finish stainless steel for island.



Code	Description
31105129	**120** cm hanging rack
31105130	**150** cm hanging rack
31105131	**180** cm hanging rack
31105132	**210** cm hanging rack

Steel Shelf

Steel shelf **D.34** cm th.6 cm.
Complete with shelf bracket.



Code	Description
31105133	**60** cm shelf
31105134	**90** cm shelf

Square open-fronted feet

Pack of satin finish Steel open-fronted feet.

Code	Description	Drawing
31105177	Pack of 2 connected feet for **base unit/larder units**	
31105179	Pack of 2 connected feet for **tall refrigerator unit**	
31105180	Pack of 2 connected feet for **larder units D.36 cm**	
31105178	Pack of one foot for corner base unit	

Height-adjustable plastic foot

Concealed plastic foot, height adjustable from H.13 to 19 cm.

Code
31106332

Metal foot

Steel foot

Pack of 2 Slender open-fronted feet H.15 cm in Bronze and Steel finish metal.

Bronze foot

Code	Description
31106931	**Steel** finish
31107018	**Bronze** finish

“Mulo” foot adjustment kit



A tool designed to adjust the height of the foot, a method of facilitating the levelling of all the elements in the composition.

Codice
31107169

Magnetic hook for plinth fastening

Magnetic hook for plinth fastening
The characteristic of this hook is that it fastens the plinth to the feet by means of magnets. This allows you to attach/detach the plinth much more easily to make it easier to clean under the kitchen base units. It also makes it much more simple to arrange the plinth itself at the beginning.
Depending on individual circumstances, to order the right amount consider at least two magnetic hooks for every piece of plinth and, in any case, around one magnetic hook per metre.

Code
31107896

Transparent glass partition

Tempered transparent glass partition with aluminium supports.

For installation in island and peninsula tops with D. above 60 cm. The partition panel should be placed behind the hob on islands and peninsulas.



Code	Dimensions
31106451	**L.80** cm **H.20** cm **th.0.8** cm
31106452	**L.100** cm **H.20** cm **th.0.8** cm

Glass flame-guard wall panel

Flame-guard wall panel in Black or Grey RAL 7030 polished tempered glass for hob.



Code	Description
31110394	**W.50 cm H.20 cm Th.1 cm** Black for 60 cm hob
31110395	**W.50 cm H.20 cm Th.1 cm** Grey RAL7030 for 70/75 cm hob
31110396	**W.68** cm **H.20** cm **Th.1** cm Black for 70/75 cm hob
31110397	**W.68** cm **H.20** cm **Th.1** cm Grey RAL7030 for 70/75 cm hob
31110398	**W.90** cm **H.20** cm **Th.1** cm Black for 90 cm hob
31110399	**W.90** cm **H.20** cm **Th.1** cm Grey RAL7030 for 90 cm hob

Dishwasher side panel protection profile

Aluminium dishwasher side panel protection profile.

The profile is applied using double-sided tape on the side panel of the base units adjacent to the dishwasher base units to avoid the side panels swelling with heat released at the end of the dishwasher washing cycle.

Code	Dimensions
31109453	Set of 2 profiles for base units H.73/76 cm with recessed grip profile
31109454	Set of 2 profiles for base units H.73 cm
31109455	Set of 2 profiles for base units H.80 cm with recessed grip profile
31109456	Set of 2 profiles for base units H.80 cm

Steel casing H.15 cm

Steel plinth with two sides, for open-fronted feet under undermount appliances

For use in compositions with open-fronted feet.



Code	Dimensions
31105162	**45** cm
31105163	**60** cm

Fenix NTM door cleaning sponge

Fenix NTM door cleaning sponge.

Code
31106464

Matt glass cleaning sponge

Matt glass surface cleaning sponge.

Code
31106578

Microfibre cloth

40x40 cm microfibre cloth.

Made with a combination of various synthetic materials and microfibre to provide in-depth cleaning. Excellent for use in the kitchen, as well as throughout the home.

Code
31100407

Liquid protector for granite, marble and composite tops

Imperston 0.5 litre pack

Oil- and water-repellent stain-proofing liquid specifically for kitchen and bathroom tops. Regular use helps restore the top's gloss and resistance to water, oil and stains.

Code
31105233

Pack of 5 "Clin & Clin" cloths

Disposable wipes for cleaning and protecting all stainless steel surfaces.

Pack of 5 steel care wipes.

Code
31100598

“Franke” paste for cleaning stainless steel sinks

Paste for cleaning “Franke” stainless steel sinks.

Multi-purpose cream ideal for cleaning all types of stainless steel, synthetic or enamelled sinks and hobs. Also especially recommended for silver, copper and brass objects.

Code
41024499

Bottle for cleaning laminate and melamine surfaces

800 ml spray can

Consists of a mixture of surfactants, solvents and adjuvants in a handy spray can. Recommended for cleaning laminate and melamine panels.

Code
31100398

Reinforcing front profile for shelf

Reinforcing front profile in Silver finish aluminium H.3 cm for 1.8 cm thick shelf.
Clicks into place onto the front end of the shelf to diminish bending under concentrated loads.
The 120 cm profile code 31106822 can be installed on:
- 120 cm linear base units
- 125x65 cm corner base units
- 122 cm corner larder units

The 120 cm profile code 3110689 can be installed on:
- 120x60 cm corner base units

Code	for base unit
31106818	30
31106819	45
31106820	60
31106821	90
31106822	120
31106929	120

Detergent for cleaning Quarz tops

Detergent for cleaning Quarz tops.

Code
31106449

“StepByStep” stepladder

Folding ladder in Anthracite painted Aluminium with 2 non-slip steps.
Maximum load capacity 150 kg.



Code
31109465

Table accessories

Plywood chopping board.



Code
31105169

SCAVOLINI

ACCESSORIES FOR ELEMENTS ASSEMBLY

Wall unit fixing bar

Galvanised iron wall unit fixing bar for tiled walls.

Maximum length 2 m. The load capacity is 100 kg per metre.



Code
31105240

Fixing dowels

Code	Description
31105161	Pack of **10 dowels** with screw for wall unit fastener bar fixing

Code	Description
31105160	Pack of **10 dowels** with hook for wall unit fixing.

Floor-mounting pack for base units

Pack of floor-fixing anti-tilt hooks for island base units placed in the middle of the room.

N.B. Order in the event of base units with pull-out elements placed as island to avoid the risk of the base units tipping with the pull-out elements open.

Code	Description
31106479	Pack of hooks for base units with plinths H.10-15 cm
31107181	Pack of hooks for base units with plinths H.7 cm

Caps Ø 5 mm for shelf holes

Pack of 100 caps for shelves.

Code	Description
31105149	Pack of 100 **White** caps
31105150	Pack of 100 **Tuga-Monza Walnut** caps
31105151	Pack of 100 **Aurora Cherry** caps
31105152	Pack of 100 **Antique Walnut** caps
31105153	Pack of 100 **Cream** caps
31105154	Pack of 100 **Accademia Cherry** caps
31106390	Pack of 100 **Anthracite** caps
31106477	Pack of 100 **Sand** caps

Wall unit fixing plates

Pack of individual wall fixing plates.

The load capacity, for a vertical load, of the plates bridging two side panels is 140 kg, while the load capacity of plates on the external side panels of the composition is 70 kg.

Code	Description
31105399	Pack of **5** plates
31105400	Pack of **10** plates

Wall fastening pack for base units with drawers or baskets

Pack of **2** galvanised iron plates.

Order in the event of free-standing base units with drawers or baskets to avoid the risk of the base units tipping with the pull-outs open.

Code
31105560

Dowels for fitting units and shelf brackets

Pack of **20** expansion plugs **ø 8 mm** complete with fixing screws

The expansion plugs in this pack are suitable for concrete and solid and hollow brick walls (not for plasterboard) and are recommended in kitchens for the installation of “Tau” shelf brackets in particular.

Code
31106220

Pack of “Smove” stoppers



Pack of “Smove” stoppers for doors.

Code	Description
31105171	Pack of 10 “Smove” stoppers for **45** cm doors
31105299	Pack of 10 “Smove” stoppers for **60** cm doors
31105172	Pack of 5 “Smove” stoppers for 2 doors

“Tau” concealed shelf bracket for shelves with a variable thickness between 1.8 cm and 2.3 cm



Adjustable concealed shelf bracket, for use on shelves with a variable thickness between 1.8 cm and 2.3 cm and a depth of between 13 and 23 cm.
The shelf bracket comes with 3 adjustments:
- vertically (0.4 cm)
- horizontally (0.4 cm)
- front tilt (0.6 cm) for shelves D.23 cm.

The load capacity for each individual shelf bracket is 3 kg distributed evenly, including the shelf.



Codice
31110004

“Tau” concealed shelf bracket for shelves with a minimum thickness of 3 cm

Concealed shelf bracket for use with shelves with a minimum thickness of 3 cm and a minimum depth of 16 cm. The shelf bracket comes with 3 adjustments:
- vertically (0.5 cm)
- horizontally (1 cm)
- front tilt (0.6 cm) for shelves D.36 cm.

The load capacity of a single shelf bracket is 10 kg distributed evenly on a shelf D.36 cm.



Code
31106207

Concealed shelf bracket

Concealed shelf bracket

The load capacity for each individual shelf bracket is 5 kg including the shelf.
For use with shelves with a minimum thickness of 3 cm and a minimum depth of 16 cm.



Code
31105164

Adjustable concealed shelf bracket

Adjustable concealed shelf bracket

The load capacity for each individual shelf bracket is 7 kg including the shelf.
For use with shelves with a minimum thickness of 3 cm and a minimum depth of 16 cm.
The shelf bracket comes with 3 adjustments:
- to the right (0.4 cm)
- to the left (0.4 cm)
- front tilt (0.6 cm) for shelves D.36 cm.



Code
31109527

“Guard” shelf bracket or shelf support

Silver finish shelf bracket or shelf support

This article can also be used as a support for cantilever island worktops, securing it to the island back panel or to the side panel of the base unit. The load capacity for each individual shelf bracket is 20 kg, including the shelf, when wall-mounted; it is 15 kg, including the shelf, when it is fitted to the back of cabinets.



Code
31107084

“Tucano” shelf bracket

“Tucano” shelf bracket for shelves with a thickness of between 1.3 cm and 3.8 cm. The load capacity for each individual shelf bracket is 20 kg including the shelf.

N.B.: cannot be installed on glass shelves with a thickness of 1 cm.



Code	Description
31105155	Pack of 2 **White** lacquered shelf brackets
31105156	Pack of 2 **Metallic Grey** lacquered shelf brackets
31105158	Pack of 2 **Bronze** finish shelf brackets

Stainless steel steam guard

34 cm steam guard.

Protects the elements next to hoods.



Code
41003240

Wiring hole plate for living room wall panel

Plastic wiring hole plate for living room wall panel



Code
31106203

Wiring hole conduit

Wiring hole conduit **L.20 - H.7.2 - Th.0.15** cm in Black or Silver finish Aluminium with synthetic bristles.
N.B. Cannot be installed in glass wall panels and tops.



Code
31106463



Code
31110319

Ceiling-mounted tie rods for shelves

System of shelf supporting tie rods comprising:
- 1 cable L.200 cm or L.300 cm
- 1 ceiling-mounted cable tensioner with Satin finish Nickel canopy
- 1 Satin finish Nickel end kit to be fitted only on the lower shelf.

The tie rods can be installed on any type of shelf fitted with concealed shelf brackets; the tie rods do not replace the shelf brackets, they just enhance their load capacity. Each tie rod should always be placed 3,5 cm away from the front edging of the shelf and at least 3.5 cm away from the side edging. An intermediate shelf kit is available separately (to be fitted onto each shelf through which the tie rod passes, except for the lower shelf).

Code	Description
31106836	Supporting tie rods with cable L.200 cm
31106837	Supporting tie rods with cable L.300 cm
31106840	Kit for intermediate shelf

Wall-mounted tie rods for shelves

System of shelf supporting wall-mounted tie rods comprising:
- 1 cable L.200 cm or L.300 cm - 1 long articulated cable tensioner with Satin finish Nickel canopy
- 1 Satin finish Nickel end kit to be fitted only on the lower shelf

The tie rods can be installed on any type of shelf fitted with concealed shelf brackets; the tie rods do not replace the shelf brackets, they just enhance their load capacity. Each tie rod should always be placed 3,5 cm away from the front edging of the shelf and at least 3.5 cm away from the side edging. An intermediate shelf kit is available separately (to be fitted onto each shelf through which the tie rod passes, except for the lower shelf).

Code	Description
31106838	Supporting tie rods with cable L.200 cm
31106839	Supporting tie rods with cable L.300 cm
31106840	Kit for intermediate shelf

Gas connection pipe

Steel gas connection pipe, covered with plastic, compliant with EN14800.

Code	Description
41008852	Gas connection pipe with screw fitting- 100 cm
41008853	Gas connection pipe with screw fitting- 200 cm

Fixing plates for 18 mm thick open-fronted wall units and AIR-BOX wall units

The pair of plates allows for the installation of wall units that partially overlap wall tiles, compensating for a gap of up to 11 mm.



Codice	Descrizione
31110018	Pack of 2 plates

Wall-mounted panel attachment system



Bayonet fastening system for sequential panel installation.
Each pack allows either a single panel to be clipped into place in six points or several panels depending on their size





a. single use
b. use in pairs

Code	Description
31109702	Pack of 12 bayonet panel attachments